# 8-LB100154293574-s

Printed and bound in India

PRANAVA BOOKS

**INDIA** 

# AIRMAN'S INFORMATION MANUAL NOTICES TO AIRMEN

SECTION III A



EFFECTIVE 0501Z 11 NOVEMBER 1965
To 0501Z 25 NOVEMBER 1965

AIM-Nov. 11, 1965

# Section III-A-NOTICES TO AIRMEN

This section is issued every 14 days and is primarily designed to supplement Section III of the AIM. It contains appropriate notices from the daily NOTAM Summary, Airmen Advisories, new or revised Oil Burner Routes and other items considered essential to flight safety.

NOTE: Data preceded by a checkmark ( $\checkmark$ ) are considered pormanent and will usually be cited only once. Such information should be noted on charts and records. Temperary information is continuously cited until the condition is no longer in effect.

NOTE: Data are arranged in alphabetical order by State (and within the State by City or locality).

NEW OR REVISED DATA: New or revised data are indicated by underlining the first line of the affected item. The new information is not necessarily limited to the underlined portion, which is used only to attract attention to the new insert.

# ALABAMA

BAYOU LA BATRE, BAY VIEW ARPT: Paved 8000' drag strip 75'S and parallel to turf rnwy. P-line each side of drag strip and wire across strip 75' from E end. N/S turf rnwy under constr, covered with stumps not to be used for acft operns.

BRANTLEY MUNI ARPT: Olsd UFN.

MOBILE, BATES FLD: Rnwy 18-36 restricted to acft of GWT 12,500 lbs or less for tkoffs and indgs except in emgcy.

SELMA, SELFIELD ARPT: Rnwy 18-36 clsd until aprxly July 1966. VFR acft ctc Craig Twr on 126.2 for tfc and indg advisories.

# ARIZONA

BOUSE ARPT: Cled until aprxly Nov. 1965.

GRAND CANYON NATIONAL PARK ARPT: Clad for constr.

MARICOPA: CAUTION—DO NOT MISTAKE FOR LANDING AREA. Space Surveillance Stn at lat 83°06'81", long 112°01'46" aprxly 4 mi N. 1200' W and parallel to hwy. Site is strip 300' x 1800' with paved portion lengthwise thru cntr 100' in width and studded with 6' steel posts. This permanent hazard lctd 22 nmi 8 Phoenix-Sky Harbor Arpt.

NOGALES INTL ARPT. Rnwy 3-21 clsd for resurfacing. Use parallel txwy for indgs dalgt hrs.

PARKER MUNI ARPT: Rnwy 1-19 clsd to all operns due resurfacing, new parallel txwy avbl for tkoffs dalgt hrs only during constr. Pilots requested to ctc unicom for info.

PAYSON, BIRCH MESA ARPT: Clad.

PRESCOTT MUNI ARPT: NW 1500' of rnwy 12-30 clsd UFN. 2908' avbl lndg and thof both directions. Med intensity rnwy lgts serving rnwy 3-21 oper dusk-until aprxly 0615Z thereafter on request by radio to FSS or circling arpt.

# ARKANSAS

CLARKSVILLE MUNI ARPT: First 125' both rnwy ends clad for constr UFN.

HOPE MUNI ARPT: Drag racing being conducted the 2nd and 4th Sunday of each month. Rnwy 10-28 will be clad Sat and Sun on those weekends. Rnwy 16-34 open for tfc use caution.

TEXARKANA MUN ARPT: Daily demolition activity, lctd aprxly 18 mi W, Mon thru Fri from 1200 CST to 1830 CST and 1500 CST to 1615 CST. Shrapnel and shock waves up to 8000'.

## CALIFORNIA

BAKER ARPT. Olsd for repairs UFN.

BLUE CANYON ARPT: Clsd for indefinite period.

BORREGO SPRING, BORREGO VALLEY-SAN DIEGO COUNTY ARPT: Rotating ben inop UFN.

CONCORD, BUCHANAN FLD: Marked 2000' of trwy A has been designated as a tmpry parallel rnwy 1R-19L.

CORNING MUN ARPT: Clad

DOS PALOS, EAGLE FLD: Clsd to all operns due major rnwy repairs.

FRAZIER PARK, LINCOLN SKY RANCH ARPT: Closed for unknown duration.

HANFORD MUNI ARPT: Rnwy under constr for 400' extension on N end.

HAWTHORNE ARPT: REIL and trwy lgts will be inop 2300-0700 nightly UFN.

LINCOLN MUN ARPT: Rnwy 6-24 clsd for repairs. Glider operns week-ends; ctc on unicom. Arpt restricted to acft with less than 20,000 lbs GWT.

MONTAGUE, SISKIYOU CO ARPT: Apch lgtg inop UFN.

NEEDLES-RIVERVIEW ARPT: Clad to public UFN.

OAKLAND-METROPOLITAN OAKLAND INTL ARPT: Rnwy 9L-27R clad for reconstr.

OCEANO-COUNTY ARPT: Until July 1966, constr will be in progress in an area 450' SW of rnwy entrline. Hvy eqpmt including cranes will be openg in the area.

PALM SPRINGS MUN ARPT: Extensive constr in progress.

- PLACERVILLE ARPT: Rnwy 5-23 clad UFN.
- SAN DIEGO INTL-LINDBERGH FLD: Rnwy 13-31 clad due constr.
- SAN FRANCISCO GAP RDO: Oct 14, low power FM permly decomand.
- SAN FRANCISO INTL ARPT: Rnwy 10L-28R clsd. SAN JOSE, REID HILLVIEW ARPT OF SANTA CLARA COUNTY: Portion of new rnwy 13-31 and parallel txwy being constructed E of existing N/S runway. Exercise extreme caution. New rnwy not usable and hazardous due men, eqpmt in area. No touch and go tfc on week ends.
- SAN JUAN CAPISTRANO, CAPISTRANO ARPT: Constr in progress until aprxly Jan 1966 extending rnwy 21 on SW end.
- SANTA BARBARA RDO: Width of Naples FM at intercept alt on ILS lclar crs 3200' or slightly wider than standard ILS OM. During VOR outages or shutdowns for maintenance, fit checks reveal numerous usable signals being emited by acft rdo shops in Los Angeles Area on Santa Barbara VOR freq 114.9 mc are to be disregarded.

# COLORADO

- COLORADO SPRINGS, PETERSON FLD: Rnwy 17-85 clsd on a day to day basis as constr requirements demand along W side of rnwy.
- DENVER, SKY RANCH ARPT: Rnwys 8-26 and 12-30 clsd UFN due repairs.
- DENVER, STAPLETON INTL ARPT: Radar arr and dptr service unavbl 0900-1100Z until aprxly Nov 11.
- ENGLEWOOD RDO: Rbn shutdown for conversion to H-SAB facility.
- GRANBY-GRAND COUNTY ARPT: Clad for grading and hard surfacing of rnwy.
- GRAND JUNGTION, WALKER FLD TWR: ILS glide slope serving rnwy 11 shutdown until aprxly Nov. 12.
- GRAND JUNCTION, WALKER FLD: 400' displaced threshold rnwy 11 will exist for duration of rnwy extension constr installation of REIL.

GUNNISON CO. ARPT: Clsd ngt operns.

HOLLY MUNI ARPT: Clad UFN.

KIT CARSON, TRADING POST ARPT: Clsd UFN. PUEBLO MEMORIAL ARPT: Acft not visible from twr

at junction of downwind and base legs rnwy 25, middle third of rnwy 12-30.

# CONNECTICUT

PLAINVILLE, ROBERTSON FLD: Const adj to rnwys and txwys UFN.

WINDSOR LOCKS, BRADLEY FLD: Rnwy 6-24 clsd 0501-1130 GMT Mon-Fri until Jan 15, 1966.

# DISTRICT OF COLUMBIA

- WASHINGTON: Warning—all flights must avoid the Washington Prohibited Area P-56. See Washington, D.C. chart under Special Notices-Area in Section III for location.
- WASHINGTON NATL ARPT: Foreign Clearance Base. Clsd all military acft except: (a) acft carrying VIP or officers above rank of Major General or Rear Admiral (b) CG logistic support flights cleared with Comdt. CG. General Aviation acft use General Avia-

- tion Terminal. Limited parking for all types of acft. During heavy tfc periods, pilots may be required to proceed to another airport for parking after passenger deplaning. Special Air Traffic Rules, Part 93, Subpart C, in effect.
- WASHINGTON NATIONAL ARPT: JET POLICY FOR WASHINGTON NATIONAL ARPT: Except under emgcy conditions, only those jet acft meeting the following criteria can be accommodated: A. Approved types of jet acft of short or medium range engaged in Government, corporate, private charter or rental type operations and intending to use Government or General Aviation ground service facilities. B. Currently approved types of jet acft are as follows: 1. Jetstar (C-140), 2. Sabreliner (T-39), 3. Morane Saulnier, 4. Jet Commander (Aero Commander), 5. Learjet Model 23 (Lear Jet Co.), 6. Hawker Siddeley DH-125, 7. Mc-Donnell Model 220. C. Jet acft of short or medium rang not listed above must secure advance authorization from the Airport Manager 48 hours prior to planned arrival time at this arpt.

### **FLORIDA**

- TRIPS TO HAITI, PUERTO RICO AND DOMINICAN REPUBLIC NOTICE: HAITI, private acft landing or overflying Halti must furnish 48 hours advance notice and a flight plan must be filed. Pilots planning to fly between the mainland and PUERTO RICO should plan their route to avoid unscheduled emergency fuel stops. Pilots planning to fly to the DOMINICAN REPUBLIC should refer to the International Flight Information Manual for complete details.
- CRESTVIEW, BOB SIKES ARPT: Rnwy taxi, threshold, lgts, bcn and wind cone installed. Rnwy 17-85 lgts med intensity. Lgts oper SS-SR.
- GAINESVILLE ARPT: Air Carrier Indg on rnwys 06, 10 and 14 are not authorized.
- MIAMI RDO: Dec 26, RBn will be shutdown until aprxly Jan 6, 1966 for relctn to LOM site rnwy 9L. PAHOKEE, PALM BEACH COUNTY GLADES ARPT. Clad to all tfc until aprxly Nov 15 for constr.
- PANAMA CITY: Effective Oct 14, Restricted Areas R-2912A and R-2912B are revoked. R-2912 is designated as follows: Beginning at lat 30°42', long 85°53' to lat 30°43'10', long 85°09'35'' to lat 30°08'30'', long 84°37'30'', long 29°58'15'', long 84°29'40'' to lat 29°44', long 84°59' to the point of beginning. Altitudes: Vertical airspace limits not to exceed 2000 consecutive feet during any given time of use from 700' MSL through 5000' MSL. Time of designation: From 0600-1800 hrs CST, Monday-Friday. Controlling Agency: FAA, Jacksonville ARTCC. Using Agency: Commander, Tyndall AFB, Florida.

SAMSULA, SPRUCE CREEK ARPT: Closed.

- SARASOTA-BRADENTON ARPT: Extens arpt construction in progress til aprxly Jan 1, 1966. Men and equipment operg on and adj to rnwys and txwys. Individual rnwys subject to tmpry closure.
- VALKARIA ARPT: Rnwy 18-31 only rnwy in use. Threshold displaced 1215' from end of rnwy 18 and 1000' from end of rnwy 81. Thof and lndg lengths both rnwy 18 and 31 is 1980'.
- WEST PALM BEACH, PALM BEACH COUNTY PARK ARPT: Apron and txwy constr in progress etc unicom.
- WEST PALM BEACH, PALM BEACH INTL ARPT: Bridge under constr 2250' E apch end rnwy 27 and N bndry of clear zone. Pile driving and dragline boom

85' AGL dalgt hrs. Const northeast area of arpt on new trml complex apron and txwys UFN.

WEST PALM BEACH RDO: VORTAC and RBn name to be changed to Palm Beach effective Dec 9, 1965. WINTER HAVEN, CYPRESS GARDENS ARPT: Clad to public for unknown duration.

# GEORGIA

ADEL, COOK COUNTY ARPT: 1600' SE end rnwy 14-82 and 1200' NE end 4-22 to int clsd UFN due repairs.

ATHENS MUNI ARPT: Tmpry ctl twr lctd on top of contr hangar in operg 1500-2300Z Oct 9 and Nov 13, 1965. Rev 122.5 mc. Tsmt and rev 120.4, 121.5 mc.

ATLANTA ARPT: RVR rnwys 9L and 33 inop.

BRUNSWICK, JEKYLL ISLAND FLIGHT STRIP: Clad for constr for rnwy paving.

COCHRAN ARPT: Clsd for constru UFN.

('OLUMBUS, MUSCOGEE COUNTY ARPT: Rnwy 12-30 lgts inop.

FOLKSTON, DAVIS FLD: Clad until further notice. HOMERVILLE ARPT: Rnwy 5-23 clad UFN.

JESUP, WAYNE COUNTY ARPT: Clad all operns until aprxly Nov 1, 1965.

LAWSON RDO: VOR Ident "LSF" inop UFN.

ST. MARYS ARPT: Trash dump at ends of rnwys 19 and 22 attracts large flocks of seagulls. Frequent burning of trash reduces visibility on apch.

SANDERSVILLE, WASHINGTON COUNTY ARPT: Road in center of rnwy 12-30 has caused ruts.

SAVANNAH SAFFOLD ARPT: Clsd until further notice. SAVANNAH, TRAVIS FLD: Rnwy 23 clsd UFN.

STATESBORO MUN ARPT: 1000' S end rnwy 18-36 to intern of rnwy 13-31 clsd for unknown duration. Remaining rnwy rough usable length 4200' both directions.

TOOCOA ARPT: E/W rnwy clsd to all operns UFN.

# IDAHO

JEROME ARPT: Caution, strip being regraveled during summer months.

# ILLINOIS

CHICAGO, HINSDALE ARPT: Clsd to all transient acft except in emgcy UFN.

CHICAGO-O'HARE INTL ARPT: Motel sign 1% mi from apch end of rnwy 32L maybe mistaken for apch lgts. Caution advised. VASI (rnwy 32L) will be shut down until aprxly Nov 11 for reletn to rnwy 22.

LOMBARD, YORK TOWNSHIP ARPT: Due rnwy constr arpt clsd UFN.

PEORIA, GREATER PEORIA ARPT TOWER: ILS lclar and glide slope will be shutdown for installation of dual monitors.

POLO, HAMILTON FLD: Clad UFN.

# INDIANA

BEDFORD, GRISSOM ARPT: Clad.

EVANSVILLE, DRESS MEMORIAL ARPT: ILS glide slope (rnwy 21) shut down for rnwy constrn.

GARY MUNI ARPT: Rotating ben inop.

GRAYS LAKE, CAMPBELL ARPT: Rnwy 6-24 clsd

UFN due constr.

INDIANAPOLIS MUNI (WEIR COOK) ARPT: NE 700' rnwy 4-22 open to tfc. Threshold rnwy 4 displaced 700' NE usable length rnwy 4-22 7300'. Config A apch lgts sys rnwy 4 shutdown. Rnwy 31 apch lgts under constrn.

INDIANAPOLIS MUNI (WEIR COOK) ARPT: PAR and ILS glide slope rnwy 4 shutdown.

RENSSELAER, CASPER CO ARPT: N/S rnwy clsd. VALPARAISO, PORTER COUNTY MUNI ARPT: Rnwy 9-27 clsd due constr.

# IOWA

ATLANTIC RDO: Nonfederal Rbn will be comsnd for VFR use. Freq: 365 kc. Ident: AIO. Lctd on Atlantic Muni Arpt at lat 41°24'24", long 95°02'45". Class: MHW. To be accepted in common sys for IFR use aprxly mld Oct. Owned and operd by City. Associated FSS Omaha, Neb.

CHARITON MUNI ARPT: Clsd ngts UFN.

CHARLES CITY RDO: Non-federal RBn, ident: CCY. Class: MHW, freq 375 kc. Lctd on Charles City Mun Arpt at lat 43°04'18", long 92°36'35". Owned and operated by the City of Charles City. Not approved for instrument apchs.

CLARION MUN ARPT: Clad to transient acft UFN. CLINTON ARPT: Constr in progress on new 5200' NE/SW paved rnwy. Constr eqpmt crossing rnwys and

txwys UFN. Arriving acft ctc unicom 122.8.

GREENFIELD-SCHILDBERG ARPT: Change arpt
name to Greenfield Muni Arpt.

GREENFIELD MUNI ARPT: Clsd due hard surfacing of NW/SE rnwy.

IOWA CITY MUNI ARPT: Temporary control tower will be in operation from 1000-1800 CST Nov 20, 1965. Tsmts 120.7, 121.5 mc. Rcvs 120.7, 122.5 mc. Heaviest tfc btn 1000-1230 CST. Acft not equipped with 2-way rdo, use standard left patn and look for lgt signals from twr lctd atop bldg.

KEOKUK ARPT: E/W rnwy clsd, due grading and constr.

MONTICELLO MUNI ARPT: Clad UFN.

NEW HAMPTON MUNI ARPT: Clsd all opern UFN. PERRY MUNI ARPT: Clsd for constr.

SPENCER MUNI ARPT: Rnwy 11-29 under constr. Ctc unicom for constr progress.

WEBSTER CITY ARPT: Const in progress on SE end NW/SE rnwy. Ctc unicom 122.8 before indg.

# KANSAS

BENTON, NELSON FLD: Clad due repairs UFN.

GOODLAND MUN ARPT: Rnwy 8-26 clsd until aprxly Nov 12, 1965.

JUNCTION CITY MUN ARPT: New N/S rnwy under constr along W bndry of arpt. First 600' of rnwys 13 and 5 clsd to all operns UFN. Bcn and rnwy lgts inop.

LYONS MUN ARPT: During dalgt hrs agricultural acft on thoss are using nonstandard paths due to proximity of congested areas and are proceeding at low altitude out of the path area. Constr on all txwys and ramp areas. NW/SE and NE/SW rnwys clsd.

McPHERSON MUN ARPT: Rnwy 9-27 clsd.

PITTSBURG RDO: Ben on 365 ke inop.

# KENTUCKY

LOUISVILLE, STANDIFORD ARPT: Ditches 600', both sides of apchs ends of rnwy 24 and 29, 200' in length UFN. Constr of grading and drainage for the extension of rnwy 29 in progress until aprxly Dec 1. RVV rnwy. 29 inop until aprxly Jan 1966.

LOUISVILLE, STANDIFORD FLD TWR: ILS glide slope rnwy 29 shut down UFN.

PRINCETON-CALDWELL COUNTY ARPT: Clsd. WEST LIBERTY, MORGAN CITY ARPT: Clsd.

# LOUISIANA

HAMMOND MUN ARPT: Rnwy 18-36 and 13-81 clsd 7AM-5PM on fourth Sun of each month for drag races. Rnwy 4-22 and txwy around S side of fid will be open to air tfc at all times.

KINDER, WILDER ARPT: Clad ngts until aprxly Dec 22, 1965.

LAKE CHARLES MUNI ARPT: Rnwy 4-22 clsd for resurfacing.

MAMOU MUN ARPT: Clad btn hrs 2400-0500 until aprxly Dec 22, 1965.

NATCHITOCHES MUN ARPT: Rnwy lgts inop.

NEW ORLEANS LAKEFRONT ARPT: Mound of sand N end of rnwy 35 1200' long 800' wide 7' high lgtd and mrkd. Rnwy 17 528' tmpry displaced threshold remains UFN.

TALLULAH, SCOTT ARPT: Ben and rnwy lgts lnop.

# MAINE

MILLINOCKET MUN ARPT: Acft using rnwys 16-84 and 11-29 not visible to each other until apchg intersection. Use txwys and ramps. 40' lgt poles parallel to and 150' off E half rnwy 11-29. Area on safety strip W side rnwy 16-34 cled mrkd by flags and lgts. Men, eqpmt crossing rnwy 16-34 to E end rnwy 11-29.

OLD TOWN MUNI ARPT: Caution, do not taxi off pavement.

SANFORD MUNI ARPT: Rnwy 2-20 clsd.

# MARYLAND

CHURCHVILLE, ALDINO ARPT: Use hard surfaces only. Rnwy 1-19 clad due to constr. All acft 5000 lbs and above prior permission only.

COLLEGE PARK ARPT: The abandoned arpt depicted on the Washington Sectional Chart is Erco Fld.

EASTON MUN ARPT: Rnwy 14-32 clsd ngt operns, due lgts inop.

LAUREL, SUBURBAN ARPT: Rotary wing acft must conform to normal tfc patns and hover over paved portions only.

PARK HALL ARPT: Flight in Restricted Area R-4007 authorized only within one mi radius of arpt and in one mi wide corridor 242° (M) from the arpt at and below 1200'.

PINEY POINT ARPT: Flight in Restricted Area R-4007 authorized only within one mi radius of arpt and in one mi wide corridor 347° (M) from the arpt at and below 1200'.

SALISBURY-WICOMICO CO ARPT: Rnwy 18-81 clad due constr. Men, eqpmt on fid.

STEVENSVILLE, CARROLLS ARPT: Open weekends. TOWSON: 10' balloon ascending 1000' per minute. 1400 to 2400 GMT daily UFN.

# **MASSACHUSETTS**

SPECIAL NOTICE: Field conditions for all arpts avbl through the nearest Massachusetts State Police Hdqtrs.

SPECIAL NOTICE: VFR wea warning signs installed arpt ramp areas at number of Cape Cod and bordering Island lctns. Signs funtion with associated flashg lgt during periods where wea is forecast or actually goes below VFR minimums. Sign and lgt sys operns at Chatham and Martha's Vineyard during hrs arpt attended. At Hyannis, New Bedford and Nantucket 24 hrs daily.

### MICHIGAN

ALPENA, PHELPS COLLINS ARPT: First 1000' rnwy 36 clsd to day and ngt lndg and ngt tkof also last 1000' of rnwy 18 clsd to ngt tkof and lndg UFN.

BARRE, HILLER ARPT: Extensive glider flying principally whends delgt hrs.

DETROIT-METROPOLITAN WAYNE CO ARPT: Rnwy 21R-3L clsd to all acft operns daylgt hrs. 5800' rnwy 21R-3L avbl ngt hrs. Tmpry threshold lgts placed 4700' from apch end of rnwy 21R. Lgts on clsd portion inop. Rnwy length to be increased to 7600'. Lclzr and glide slope rnwy 3L, glide slope rnwy 21R inop during construction.

DRUMMOND ISLAND ARPT: Daily blasting in limestone quarry between 1200-1800 EST within 1 mi radius of lat 45°58'00'N long 88°47'80"W aprxly 8.5 mi SSW, fragments reaching altitude 1500 AGL 2300 MSL.

FLINT, BISHOP ARPT: Caution, small herd of deer on the S half of fid.

GAYLORD, OTSEGO COUNTY ARPT: New rnwy 18-36 clad. Hvy equmt working around apch end of rnwy 9.

MACKINAC ISLAND ARPT: Taxi and parking area's rough due to rocks and gravel.

MANISTIQUE, SCHOOLCRAFT OO ARPT: Fld unligtd UFN.

MARQUETTE CO. ARPT: About 17.5 mi WSW blasting in the Republic and Humboldt areas Mon-Fri from 2045 to 2145Z. Danger area extending 1000' AGL. About 5.2 mi SSW intermittent blasting in Palmer area. Danger area extending 1000' AGL.

MORENCI CITY ARPT: Change arpt name to Morenic Arpt.

SAGINAW MUN ARPT: Cled to all ngt operns UFN. SAULT STE. MARIE: Daily blasting excp Sun btn hrs of 1500-1630 EST in limestone quarry within a 1 mi radius of lat 46°04'N, long 84°18'W, 18 mi SE of Kincheloe AFB. Fragments reaching alt of aprxly 2200'. AGL (8000' MSL.)

STAMBAUGH CITY ARPT: Clad until further notice.

## MINNESOTA

EVELETH-VIRGINIA ARPT: Extsv blasting being conducted in mine pits in area 2 mi either side of a line

from Aurora, Minn., to a point 4 mi SE of Babbitt, also extensive blasting being conducted in mine pits in an area 4 to 8 miles WNW of Virginia. Ctc Hibbing FSS for blasting schedule.

INTERNATIONAL FALLS RDO: Rbn shutdown UFN. LONGVILLE MUNI ARPT: Clsd to all operns UFN.

MINNEAPOLIS ARTCC: Enroute radar service except radar weather advisory service is available in the Minneapolis advisory area E of a line from a point on the United States-Canadian boundary 126 nmi NW of Sault Ste. Marie, Mich. VOR thence SW to Houghton, Mich VOB thence SW to 46°39', 89°45', thence via the Minneapolis area positive ctl boundary to the common Minneapolis-Chicago boundary at 45°84', 89°18'. Radar jet advisory service except radar weather advisory service is available along J90 and J16 btn 25 nmi W of Sioux Falls, S. Dak and 88 nmi SE of Dupree, S. Dak; along J82 btn 70 nmi NE of Aberdeen, S. Dak and 32 nmi E of Dupree, S. Dak.; and along J70 btn 50 nmi E of Aberdeen, S. Dak; and 80 nmi NW of Aberdeen, S. Dak. Due to egpmt characteristics, radar weather advisory service cannot be provided.

MORA MUNI ARPT: Rnwy 11-29 clsd due constr.

MORRIS MUNI ARPT: Clad UFN.

NISSWA, HEYWOOD GULL LAKE ARPT: Closed UFN. ROCHESTER MUNI ARPT: Constr in progress until aprxly Nov 15 on 1200' extension to SW end rnwy 2-20 and 50 extension to SE end of rnwy 13-31, also SE half of runwy 13-31 will be resurfaced.

ROCHESTER RDO: DME portion of VOR/DME shut down.

THIEF RIVER FALLS MUNI ARPT: NW/SE rnwy being extended 1400' on NW end.

WARREN MUNI ARPT: Clad constr. WINDOM MUNI ARPT: Clad UFN.

# MISSISSIPPI

HATTIESBURG MUNI ARPT: Rnwys 13-31 and 8-26 clsd to all tfc until June 1966.

# MISSOURI

BOONVILLE ARPT: Rnwy 8-28 clsd indefinitely. CAMDENTON MEML ARPT: Clsd.

FESTUS MEMORIAL ARPT: N/S rnwy under constr UFN. Tmpry turf strips avbl. (9-27) 1600 x 175', (18-36) 1600 x 100'. No strip lgtg.

FORT LEONARD WOOD, FORNEY AAF: Fld clsd to civil acft except on business and on figt plan. Two-way rdo and prior clearance from twr required before entry into B-4501. Enter B-4501 on SE heading of 140° from Waynesville, Mo.; SSW heading 210° from Vichy, Mo. (VOR); WNW heading of 290° from Maples, Mo. (VOR). Rgt tfc rnwy 14. Rnwy 2-20 clsd. Trwy from S end of mil apron to rnwy (1500') usable for takeoff and indg in emgcy or on req.

GRAIN VALLEY, EAST KANSAS CITY ARPT: N/S and NE/SW rnwys clad due constr, E/W rnwy will remain open.

KANSAS CITY MUNI ARPT: 6 sequenced flasher lights serving ruwy 36 shutdown.

KANSAS CITY, MID-CONTINENT INTL ARPT: Men, eqpmt close proximity entire length E/W txwy UFN. LEBANON ARPT: Stay on paved surfaces MOSBY ARPT: Clsd to all operns UFN.

OSAGE BEACH, LINN CREEK-GRAND GLAIZE MEML ARPT: Turf soft but usable on rnwy.

ROLLA NATIONAL ARPT: Constr in progress.

ST. CHARLES ARPT: Rnwy 9 under constr UFN.

ST. LOUIS, LAMBERT-ST. LOUIS ARPT: First 458' rnwy 12R clsd permly to all indgs due to apch lgt sys displaced threshold. Present rnwy markings do not coincide with displaced threshold. Threshold lgts permly releted 476' SE apch end rnwy 12R. Rnwy 12R open full length for all tkoffs. Rnwy 80L open full length for all tkoffs and lndgs.

ST. LOUIS, PARKS METRO ARPT: Rnwy 14-82 clsd. SEDALIA MEML ARPT: 1600' NE end of NW/SE rnwy under constr until aprxly Dec 15, 1965.

### MONTANA

BILLINGS, LOGAN FLD: Threshold rnwy 9 tmpry displaced as follows: Days: 1000' displacement mrkd with flags, glide slope unusable except during IFR. 7600' remaining. Ngts: 500' displacement mrkd with tmpry threshold lgts, glide slope usable 8100' remaining. Apch lgts rnwy 9 will be shutdown during constr. Tmpry arresting gear 1000' E of apch end rnwy 9 and 90' E of apch end rnwy 27.

BILLINGS, LOGAN FLD TWR: ILS glide slope serving rnwy 9 will be shutdown during daytime VFR conditions.

BUTTE, SILVER BOW COUNTY ARPT: Rnwy lgts rnwy 2-20 inop. Rgt hand tfc rnwys 15 and 20.

CIRCLE, McCONE COUNTY ARPT: Ben inop UFN.

CULBERTSON ARPT: Rnwy lgts inop UFN.

GREAT FALLS ARTCC (NOTIP): En route radar service except radar weather advisory service is available throughout the enlarged Great Falls ARTCC (NOTIP) area Due to equipment characteristics radar weather advisory service cannot be provided in this area nor on J107 from the Centers eastern boundary to the Canadian border where civil turbojet radar advisory service is being provided by Great Falls ARTCC/NOTIP. VFR service in the Kalispell, Montana area is available through use of the ARTCC freq 120.4 mc. VFR flights in the Kalispell area call 'Great Falls Center—VFR Service'. Further information is contained in a letter to Airmen that has been distributed in the area.

LIVINGSTON, MISSION FLD: The first 1200' rnwy 32 clsd.

MISSOULA COUNTY ARPT: Rnwy 11-29 open full length 7046' dalgt hrs, ngt length 5746' due 1300' at NW end unlgtd and threshold lgts inop. Rnwy 7-25 E 2534' clsd, W 2280' open days, clsd ngt operns.

SCOBEY ARPT: Rnwys 16-34 and 7-25 clsd UFN.

# NEBRASKA

GRAND ISLAND: Cornhusker Ordnance demolition firing in progress at lat 40° 56′50′′N, long 98°31′15′′W; 10 mi WSW Grand Island Mun Arpt. Surface to 1000′ AGL Mon-Fri 1400–2230Z until further notice.

and glide slope will be shutdown dalgt hrs only wea permitting until aprxly Nov 19 for installation dual monitors.

- MINDEN MUNI ARPT: Clad til aprxly Dec 1 due construction.
- NEBRASKA CITY, GRUNDMAN ARPT: Clsd UFN.
- NELIGH MUNI ARPT: Clsd for constru til aprxly Dec. 14, 1965.
- SCRIBNER, SCRIBNER STATE ARPT: NE/SW rnwy tmprly clsd.

### **NEVADA**

- COALDALE RDO: VORTAC will be shut down Jan 8 til aprxly Jan 10, 1966 for antenna replacement.
- LAS VEGAS, McCARRAN FLD: VASI inop til aprxly Dec 15. Ramp area N of main trml bldg, all W ramp area and portion of E/W txwy immediately in front of bldgs N of rnwy 25 not visible to twr.
- MINDEN, DOUGLAS COUNTY ARPT: Caution, rdo ctld drone launchings from NE end of arpt, figts to 2000' AGL within % mi E Sats and Suns 1000-1500 and Tues 1800-2100 lcl time.

# NEW HAMPSHIRE

- KEENE RDO: About Dec 9, Rbn will be shut down for relctn.
- LEBANON REGIONAL ARPT: 7' balloon 1000' above arpt intermittently until Nov 1, 1965.

# NEW JERSEY

- ATLANTIC CITY NAFEC/ATLANTIC CITY (PO-MONA) ARPT TWR: Experimental DME rnwy 13 ILS operg channel 30, freq 991 mc ident: XAB comments required.
- ATLANTIC CITY, NAFEC (ATLANTIC CITY ARPT POMONA): Rnwy 8-26 and 13-31 avbl. Rnwys 4-22 and 17-35 clsd until aprxly Nov 16, 1965.
- BELMAR, MONMOUTH CO ARPT: Rotating ben inop UFN.
- MILLVILLE MUNI ARPT: Operns restricted to hard surface areas only.
- NEWARK ARPT: Until all weather rnwy markings are restored RVR minimums for Indg will not be applicable for rnwy 4-22. Lowest Indg minimum for all acft other than 4-engine turbojet is 200-1/4 and for 4-engine turbojet is 300-1/4 UFN.
- OCEAN CITY MUNI ARPT: Rnwy lgts inop til aprxly Dec 20, 1965.

# NEW MEXICO

- ALAMOGORDO MUNI ARPT: Pole 1200' from apch end rnwy 16.
- AZTEC MUNI ARPT: Clsd to all ngt operns UFN.
- GALLUP, McKINLEY COUNTY ARPT: Arpt clsd until aprxly Dec 12, 1965 for reconstru rnwys. Ludg and tkof permitted on txwy at discretion of pilot.
- LAS CRUCES, UNVERSITY ARPK: Rnwy lgts inop.

# NEW YORK

- ALBANY, ALBANY COUNTY ARPT: Rnwy 15-33 unligtd; clsd ngt operns and restricted to acft over 12,500 pounds.
- BETHPAGE, GRUMMAN ARPT: UFN rnwy 10-28 clsd to all tfc. Men and equipment on rnwy.
- BUFFALO, GREATER BUFFALO INTL ARPT: Rnwy 23 REIL inop.
- CANARSIE RDO: VOR on 111.0 mc opern extended until further notice.

- CICERO, MICHAEL FLD: E/W rnwy clsd for construction of til aprxly Jan 10, 1966. NW/SE turf strlp 2000 x 75 avbl at own risk.
- COHOES, LOUDON ARPT: E/W rnwy clsd UFN. N end N/S rnwy extended 600'. N/S rnwy clsd hangar to S end.
- ELMIRA, CHEMUNG COUNTY ARPT: Caution, extensive soaring activity and sailplane towing in venty of arpt and Harris Hill Gliderport dalgt hrs.
- ENDICOTT, TRI-CITIES ARPT: Rnwy 4-22 clsd Sats 1400-1000 Suns. Rnwy 9-27 clsd Sats 1600-1900Z and 1930-2300Z.
- HORNELL MUNI ARPT: Maintain 2500' MSL at ngt until within 1.58M on final apch to lgtd rnwy.
- LIVINGSTON MANOR ARPT: All pilots are urged to use extreme caution when lndg—numerous pieces constrn equipment on arpt and dump trucks crossing rnwy until aprxly Dec 31, 1965, due constrn of road adj arpt. Large mound of dirt SE edge rnwy. Ctc unicom before lndg.
- MILLBROOK, SKY ACRES ARPT: Constru in progress 800' off end NW rnwy. Men and equipment on area. Caution advised.
- NEW YORK CITY: 1520' rotating ben atop Empire State Bldg letd aprxly 11 mi NW JFK Arpts opers on rotating basis dusk to midngt. From midngt to day break ben in fixed position with light beamed directly 8.
- NEW YORK, JOHN F. KENNEDY INTL ARPT: Equipment up to 16' hi and men working 200' S of apch end rnwy 31R. Sandpile 6' hi, 326' S extended cntrline and 1200' E apch end runwy 31R until aprxly Jan, 1966.
- NEW YORK JOHN F. KENNEDY INTL TOWER:
  The flwg pre-taxi clearance procedures are in effect:
  1. Initial call-up to the tower will be on Clearance
  Delivery, frequency, 121.65 mcs. This call shall be
  made a maximum of ten (10) minutes prior to estimated taxi time. IFR clearance and departure runway
  currently in use shall be issued at this time. Time and
  altimeter setting will be issued to all itinerant departures and to scheduled air carriers when requested.
  - 2. Additional information shall also be issued at the time of clearance delivery. This information shall consist of only that which will concern the departure aircraft. An example of this would be an advisory that departure delays are twenty (20) minutes and that turbojet aircraft should contact Ground Control prior to starting engines.
  - 3. After clearance is received, aircraft shall return to normal frequency use, i.e., contacting Ground Control on 121.9 mcs., when ready to taxi. Pilots need not inform Ground Control of receipt of clearance. As heretofore, aircraft will become part of the departure sequence only after informing Ground Control they are ready to taxi.
  - 4. If an IFR clearance is not available prior to the time a flight is ready to taxi, the pilot will be changed to Ground Control and issued taxi clearance and later changed to Clearance Delivery for an IFR clearance.
  - 5. If aircraft make initial call-up on Ground Control frequency, they will be given clearance to taxi as heretofore, and later changed to Clearance Delivery for their IFR clearance. No aircraft shall receive additional delay because of non-participation in this program.

- 6. In the event a flight is delayed by its company or other unanticipated circumstances after the IFR clearance has been issued, the pilot shall inform the Clearance Delivery Controller of the delay, and shortly prior to taxing out, re-affirm that the clearance and information is still valid.
- NEW YORK, LA GUARDIA ARPT: Rnwy 4-22 usable length 5000 x 150'. A "pre-taxi" Clearance program is in effect. All IFR dptrs are requested to ctc LaGuardia clearance delivery on 126.15 mc for IFR clearance. This call should be made not more than 10 minutes prior to taxi time. Rnwy 13 VASI shut down til aprxly Apr 15, 1966 due rnwy constrn.
- NEW YORK LA GUARDIA ARPT: Due construenwy

  13 tkof length 5896; Indg 5000'; rnwy 31 tkof length
  5000'; Indg 5813'. Rnwy 4-22 clsd 2300-0700 lcl wea
  permitting construentil Feb 24, 1966. Rnwy 22 clsd
  Indg; rnwy 4 clsd tkof 0700-2330 lcl time. Rnwy 22
  REIL removed UFN.
- NIAGARA FALLS MUNI ARPT: Rnwy 10L-28R will be clad due constr. During part of this period the first 1000' of rnwys 14 and 24, 28R-10L intersection will be clad. One rnwy 6-24 or 13-32 will be available full length.
- NORTH TONAWANDA, COUNTY LINE ARPT Clad to transient acft until further notice.
- OWEGO, HEAT TREAT ARPT. Widening operns in progress. Avoid area along S bndry.
- PORT EWEN, AERO LAKE ARPT: Closed until further notice.
- RANDALL ARPT: Rnwy 14-32 clad UFN.
- SPRING VALLEY, RAMAPO VALLEY ARPT INC: Trucks and hvy equipment on W end rnwy 28 until further notice.
- WATERTOWN MUNI ARPT: Rnwy 1-19 clsd to all operns UFN. Rnwy 6-24 and txwy from #2 hangar to rnwy 24 clsd UFN.
- WHITE PLAINS, WESTCHESTER COUNTY ARPT: Men and equipment adj to all txwys leading to rnwy 16-34 daily. Narrow ditch aprxly 7' off paved surfaces of txwys in some areas. No mil transient parking, service or maint.

# NORTH CAROLINA

CHARLOTTE, CARPENTER ARPT: Restricted to acft over 4000 lbs GWT.

CHARLOTTE, DOUGLAS MUNI ARPT: Rnwy 5-23 clsd until aprxly Dec 1, 1965. RVR rnwy 5 not available during this period.

ELIZABETH CITY MUNI ARPT: Due to heavy VFR GCA tfc Indg rnwy 10 at the U.S. Coast Guard Station, it is recommended that all tfc Indg at the Elizabeth City Mun arpt contact Elizabeth City Coast Guard twr on 126.2 mc for tfc information. Acft without radio enter 500' pattern from the west.

MAYODAN, MAYO ARPT: Clsd til aprxly Dec 1 1965 WILMINGTON, NEW HANOVER COUNTY ARPT: ILS lclsr and glide slope shut down until aprxly Nov. 15, 1965.

# NORTH DAKOTA

BISMARK MUNI ARPT: New N/S rnwy (17-35) 4000 x 100 asphalt under constrn dalgt operns. Medium

- intensity runway lights inoperative. New N/S runway lctd on E side of arpt. Old N/S rnwy clsd; will be redesignated as txwy when new N/S rnwy activated.
- CROSBY MUNI ARPT: All rnwys (excp 17-35) clsd for resurfacing. No lgts avbl during constrn.
- DUNSEITH, INTERNATIONAL PEACE GARDEN ARPT: Clsd.

LANGDON MUN ARPT: Rnwy lgts inop UFN.

MINOT, FLYING 8 RANCH ARPT: All lgtg facils inop. NEWTOWN ARPT: New arpt clsd; under constr.

# OHIO

CANAL WINCHESTER, ANDERSON ARPT: Tmprly clsd.

CHARDON, HILLSBORO ARPT: Clad UFN.

CINCINNATI: Moored mrkd balloon will be flown day or ngt up to an alt 1500' MSL. Site of operns 71/3 mi NE Greater Cincinnati Arpt and 61/3 mi W Lunken Arpt. Balloon will be tethered aprxly 1/3 mi W of Cincinnati Union Trml Bldg.

CIRCLEVILLE, THOMAS FLD: Tmprly clad.

COLUMBUS, OHIO STATE UNIVERSITY ARPT: Constr SE end rnwy 5 until fall 1966. Cranes and well drilling eqpmt in opern. Rnwy 14-32 will be clad. Farm Science Review tents and farm equip display in NW corner. Poles and obstns will be lgtd.

LAKE MILTON, KOASIS RESORT ARPT: Cled until further notice.

NORTH JACKSON, YOUNGSTOWN EXECUTIVE AIR-PORT: Open Sundays dusk to dawn to rdo equipped

acft only due to drag races.

ST. CLAIRSVILLE, ALDERMAN FLD: Rotating ben inop UFN.

SHELBY, AMERICAN ARPT: N/S rnwy 3000 x 50' hard surface.

TOLEDO-EXPRESS ARPT: Constrn in progress on rnwy 16-34.

TOLEDO MUNI ARPT: Clsd Suns to all itinerant acft btn 1400-2300 due to drag races all rnwys UFN.

YOUNGTOWN MUNI ARPT: Rnwy lgts rnwy 9-27 inop indefinitely.

# OKLAHOMA

EL RENO, MUSTANG FLD: Fid closed due constru GAGE RDO: VHF/DF comsud at FSS.

HOMINY MUNI ARPT: Clad UFN.

NORMAN, WESTHEIMER FLD: Air tfc ctl service provided by FAA from 1000-1800 CST Nov 27, 1965. Freqs: 123.9 mc tsmtg and rcvg; 122.5 rcvy only. Hvy tfc expected due home football games.

OKLAHOMA CITY, WILL ROGERS WORLD ARPT: Constrn in progress on S 2400' rnwy 17R-35L.

SEILING ARPT: Rnwy lgts inop.

STILLWATER, SEARCY FLD: Rnwy 17-35 under construction until aprxly Nov 20, 1965. Men and equipment on all rnwys. Rnwy 17-35 only lgtd rnwy and will be clsd during period constrn. Use extreme caution and request advisory service.

TULSA INTL ARPT: RVR (rnwy 85R) inop until further notice.

YUKON, CIMARRON FLD: Rnwys 8-21 and 12-30 clad UFN.

# OREGON

EUGENE, MAHLON-SWEET FLD: ILS glide slope will be shut down for installation new dual monitors.

- INDEPENDENCE, MONMOUTH ARPT: Clsd UFN.
- JOSEPH MUNI ARPT: Rnwy lgts inop. Caution, hazardous for acft thof rnwy 16 southwesterly winds 15 knots or grtr prevail. Dangerous downdrafts.
- NORTH BEND ARPT: About 12 nmi NNE a moored aluminum colored V shaped balloon 75' long, approximately 40' diameter being used in logging operns during dalgt hrs, maximum alt 1000' MSL. During hrs darkness will be lowered to 100' AGL.
- PENDLETON MUNI ARPT: ILS glide slope rnwy 25R will be shut down for monitor change.
- UMPQUA RIVER, SCOTTSBURG TO REEDSPORT: River canyon crossed by 4 electric power lines. Twrs on both banks mrkd by red lgts. Easternmost crossing also mrkd with 20" orange aluminum balls spot lgtd from both sides of the river.

# PENNSYLVANIA

- BUTLER, GRAHAM FLD: Constr in progress on both ends of rnwy 7-25 installing txwy loops. Rnwy will remain open work areas and equipment will be mrkd with flags.
- CONNELLSVILLE ARPT: Glider operns SR-SS. Extensive aerial tows all altitudes VFR within 10 miles.
- CULMERVILLE ARPT: Clad to all transient acft until aprxly Jan. 1966 due to banner towing.
- ERIE, PORT ERIE ARPT TWR: Freq 123.8 will be comsnd for approach and departure control for Jamestown Muni Arpt. N. Y., and McKean Arpt, Bradford, Pa.
- JOHNSTON, CAMBRIA COUNTY ARPT: Rnwy 15-33 clsd for repaving.
- LANCASTER ARPT: UFN lgts will oper 0600-2200 Mon-Fri; 0600-1730 Sat; 0900-2200 Sun lcl time.
- NEW KINGSTON, CUMBERLAND VALLEY ARPT: Clad UFN.
- PHILADELPHIA INTL ARPT: Excavation 1 to 3 ft deep, 100' long and 150' wide aprxly 30' from apch end rnwy 27. Ant structure aprxly 5' hi, 45' long, 217' from apch end rnwy 27 UFN.
- PUNXSUTAWNEY MUNI ARPT: Arpt clad until further notice due to constrn.
- WILKES-BARRE RDO: Limited comms exist E of Thornhurst VORTAC below 8000' from Tannersville VOR to Wilkes-Barre VOR. All acft in this area tsmt 122.1 rcv Huguenot, N.Y.-Thornhurst-Wilkes-Barre.

# SOUTH CAROLINA

- ANDERSON ARPT: Lgts (rnwy 17-35) inop til further notice.
- CHARLESTON AFB/MUNI ARPT: Rnwy 15-33 will be clsd due constrn and, ILS (excep OM/LOM), Rnwy 15 ALS and RVR will be inop until aprxly Nov 30, 1965.
- COLUMBIA METROPOLITAN ARPT: CS/T hrs opern
- 1100-0300Z UFN. At other times twr structure abandoned and apch ctl and arpt advisory service provided from hangar during these periods.
- COLUMBIA, OWENS FLD: Clad to all ngt transient operation.
- ('OLUMBIA RDO: Voice feature on VORTAC inop indefinitely.
- NEWBERRY MUNI ARPT. Rnwy 3-21 clsd UFN due to paving.

SUMMERTON, CHURCH BRANCH ARPT: First 200' each rnwy end very rough. Use caution.

# SOUTH DAKOTA

SIOUX FALLS, FOSS FLD: First 300' rnwy 27 unusable for tkof. Usable length 5392' UFN.

### TENNESSEE

- ngt operns excp special req. Excavation apch end rnwy 34 to depth 18" below rnwy level. Flags mark area. Caution advised. Hvy equipment in venty runway.
- LEWISBURG, ELLINGTON FLD: Glider towing and soaring activity conducted dalgt hrs at and in venty arpt.
- NASHVILLE, CUMBERLAND FLD: Hvy equipment crossing 8 end rnwy dalgt hrs Mon-Sat noon.

# TEXAS

- BORGER, HUTCHINSON COUNTY ARPT: Open to lgt acft only. Rnwy 3-21 being extended 300' SW end; 800' NE end. Rnwy 17-35 being extended 1500' N end. Work in progress til aprxly Feb 1, 1968.
- BROWNSVILLE, RIO GRANDE VALLEY INTL AIR-PORT: Rnwys 8-26 and 4-22 do not meet air carrier standards for day and ngt operns.
- BROWNSVILLE, RIO GRANDE VALLEY INTL ARPT: Rnwy 13R-31L clsd til aprxly Dec 30 due constrn. Lgt acft may land rnwy 13R during dalgt hrs.
- CLEAR SPRING ARPT: Civil acft requiring use of this fld when military acft are in the tfc patn, should fly a rectangular patn with turns in the opposite direction from the military patn and rock wings on downwind. Patn should be flown at 1200' MSL until military tfc is clear. Use rnwys only for lndgs. Rnwy 13-31 cled ufn.
- COLORADO CITY ARPT: Clsd UFN.
- DALLAS, HIGHLAND PARK ARPT: Hvy road equipment operg N end N/S rnwy til aprxly March, 1966. EDINBURGH MUNI ARPT: Rnwys rough. Use Caution. HENDERSON, RUSK COUNTY ARPT: Rotating ben inop.
- HOUSTON, COLLIER ARPT: Rnwy lgts on W side rnwy only.
- HOUSTON INTERCONTINENTAL ARPT: New arpt under constr about 15 mi N. Clad to all acft operns for unknown duration.
- JOHNSON CITY ARPT TWR: Mobile two utilizing freqs 236.6, 243.0, 126.2, 121.5 caretake status except as notamed weather and altimeter setting avbl when two is in opern.
- KELLY RDO: VOR shutdown UFN.
- KILLEEN, HOOD AAF: A VFR Practice Instrument Apch Procedure has been published in a loose leaf format for use by USAF Training Command Pilots. Civil requests for this chart should be submitted to the Director, Coast and Geodetic Survey, Attn: Distribution Division, 14th and Constitution Avenue, Washington, D.C. 20230.
- LAGRANGE, GUENTHER FLD (LAGRANGE MUNI ARPT): Rnwy 18-36 clsd. Caution, trucks crossing rnwy 15-33 during closure.

- LONGVIEW, GREGG COUNTY ARPT: Constru in progress on outer edge ramp and on rnwys thru Dec 31, 1965. Rnwys will be clad alternately for resurfacing.
- PECOS MUI ARPT: First 1000' rnwy 18 clsd to operns until aprxly Apr 1, 1966; mrkd with chevrons.
- TEMPLE, DRAUGHON MILLER MUN ARPT: Rnwy 11-29 cled until aprxly Dec 15, 1965.
- YOAKUM MUNI ARPT: Lgts avbl 3400 x 60' rnwy. No fuel.

## UTAH

- FLAMING GORGE DAM SITE: Cables and pwr lines suspended from 2 twrs on W side to one twr on E side of canyon across Green River aprxly 100' higher than canyon rim.
- KANAB MUNI ARPT: Runway lgts inop. Rotg ben changed to white.
- SALT LAKE CITY RDO: Test in progress using the ARTCO area discrete frequency to extend VFR air ground coverage. VFR flights in the Salmon-Challis area when unable to contact a nearby FSS through normal channels may call Salmon Radio on 125.3 mc for flight assistance service. Salt Lake City FSS will reply on 125.3 mc from the air/ground site at 45°10′N, 114°02′W, elevation 9104′ MSL. Further information is contained in a letter to Airmen being distributed in the area.
- SALT LAKE CITY RDO: TACAN will be shut down Jan 31 until aprxly Feb 4, 1966 for ant replacement.

### VERMONT

MIDDLEBURY ARPT: Clad due to constrn.

# **VIRGINIA**

- CHARLOTTESVILLE, UNIVERSITY OF VIRGINIA ARPT: Rnwy lgts avbl prior request.
- EMPORIA MUNI ARPT: Rnwy lgts inop indefinitely.
  LAWRENCEVILLE MUNI ARPT: Rnwy 6-24 clsd acct
  - constrn and tree cutting. Constrn in progress extreme N end rnwy 18-36 til aprxly Jan 21, 1966.
- MARTINSVILLE ARPT: Quarry, 7 mi NNW of arpt intermittent hvy blasting, daigt hrs, hazardous to low flying acft.
- NORFOLK MUNI ARPT: Rnwy 1-19 clsd to all acft gross weight in excess 50,000 lbs excp when rnwy 4-22 clsd. Rnwy 18-31 open to Indgs and tkofs dalgt hrs

- only. Authorized for ngt operns only in case emerg or when necessary to maintain fid in opernl status.
- NORFOLK MUNI ARPT TWR: Efectv Oct 28, apch etl freq 126.8 mc will be decmand and replaced by freq 148.9 mc.

### WASHINGTON

- EVERETT, PAINE FLD: Twr unable to observe portion of rnwy 34 starting 1000' from approach end and extending for aprxly 2000' due to construction on fld UFN.
- RENTON MUNI ARPT TWR: Let gun signals not visible 195-300° at 1000′ MSL beyond 2 mi.
- SEATTLE: Hi alt jet route J98-505 from SEA VOR to Canadian boundary not usable due to lack of Navguidance.
- SUNNYSIDE MUNI ARPT: Only 1820' of W end rnwy 7-25 usable due constrn on 1300' extension E end until aprxly Fall 1965.
- TACOMA INDUSTRIAL ARPT: Use rnwys and txwys only. Men and equip on fld 0800-1700 Mon thru Fri UFN. Ctc McChord RAPCON on 120.1 mc for IFR clearance.

# WEST VIRGINIA

- CLARKSBURG, BENEDUM ARPT: New rawy 13-31 under constra, unlgtd.
- ELKINS, RANDOLPH COUNTY ARPT: Rnwy lgta (rnwy 13-31) inop indefinitely.
- RUSSELVILLE, RADAR ARPT: Closed until further notice.

## WISCONSIN

- MADISON, TRUAX FLD: Turf unsafe, taxi on surfaced areas only.
- PRINCETON, BED-AH-WICK FLD: Until further notice, E side N/S rnwy clsd; 2300 x 40' W side usable.
- SHEBOYGAN COUNTY MEML ARPT: Rbn freq 254 kc. Ident: SBM, no voice, operd by County; lctd on arpt.
- WAUKESHA COUNTY ARPT: NE/SW sod rnwy clad UFN.

# WYOMING

- KEMMERER MUNI ARPT: Rotating bon and bndry lgts inop indefinitely.
- LANDER, HUNT FLD: Bon inop indefinitely.

# AIRMAN'S INFORMATION MANUAL NOTICES TO AIRMEN

SECTION III A



EFFECTIVE 0501Z 25 NOVEMBER 1965

To 0501Z 9 DECEMBER 1965

FEDERAL AYIATION AGENCY

# Section III-A-NOTICES TO AIRMEN

This section is issued every 14 days and is primarily designed to supplement Section III of the AIM. It contains appropriate notices from the daily NOTAM Summary, Airmen Advisories, new or revised Oil Burner Routes and other items considered essential to flight safety.

NOTE: Data preceded by a checkmark (\*) are considered permanent and will usually be cited only once. Such information should be noted on charts and records. Temperary information is continuously cited until the condition is no longer in effect.

NOTE: Data are arranged in alphabetical order by State (and within the State by City or locality).

NEW OR REVISED DATA: New or revised data are indicated by underlining the first line of the affected item. The new information is not necessarily limited to the underlined portion, which is used only to attract attention to the new insert.

# ALABAMA

BAYOU LA BATRE, BAY VIEW ARPT: Paved 3000' drag strip 75'S and parallel to turf rnwy. P-line each side of drag strip and wire across strip 75' from E end. N/S turf rnwy under constr, covered with stumps not to be used for acft operns.

BRANTLEY MUNI ARPT: Clsd UFN.

DOTHAN: VHF/DF comsnd at Dothan FSS.

MOBILE, BATES FLD: Rnwy 18-36 restricted to acft of GWT 12,500 lbs or less for tkoffs and lndgs except in emgcy.

SELMA, SELFIELD ARPT: Rnwy 18-36 clsd until aprxly July 1966. VFR acft ctc Craig Twr on 126.2 for tfc and indg advisories.

TALLADEGA MUNI ARPT: N/S rnwy clsd.

# ARIZONA

ARIZONA: The following arpts subject to frequent or permanent closure during Jan to April due to winter conditions: Marble Canyon, Cliff Dwellers; Fredonia; Page, Glen Canyon; Page, Wahweap; Tuweep.

GRAND CANYON NATIONAL PARK ARPT: Clad for constr.

MARICOPA: CAUTION—DO NOT MISTAKE FOR LANDING AREA. Space Surveillance Stn at lat 33°06'31", long 112°01'46" aprxly 4 mi N. 1200' W and parallel to hwy. Site is strip 300' x 1800' with paved portion lengthwise thru cntr 100' in width and studded with 6' steel posts. This permanent hazard lctd 22 nmi 8 Phoenix-Sky Harbor Arpt.

NOGALES INTL ARPT. Rnwy 3-21 clsd for resurfacing. Use parallel txwy for lndgs dalgt hrs.

due resurfacing, new parallel txwy avbl for tkoffs dalgt hrs only during constr. Pilots requested to ctc unicom for info.

PAYSON, BIRCH MESA ARPT: Clsd.

### **ARKANSAS**

CLARKSVILLE MUNI ARPT: First 125' both rnwy ends clad for constr UFN.

Men, eqpint on apch end rnwy 23 and threshold lgts rnwy 23 inop. Duration of constr until aprxly Jan 1966.

HOPE MUNI ARPT: Drag racing being conducted the 2nd and 4th Sunday of each month. Rnwy 10-28 will be clad Sat and Sun on those weekends. Rnwy 16-34 open for tfc use caution.

MENA MUNI ARPT: All fld lgtg inop UFN.

TEXARKANA MUN ARPT: Daily demolition activity, lctd aprxly 18 mi W, Mon thru Fri from 1200 CST to 1330 CST and 1500 CST to 1615 CST. Shrapnel and shock waves up to 3000'.

# CALIFORNIA

BAKER ARPT. Clsd for repairs UFN.

BLUE CANYON ARPT: Clsd for indefinite period.

CONCORD, BUCHANAN FLD: Marked 2000' of txwy A has been designated as a tmpry parallel rnwy 1R-19L.

CORNING MUN ARPT: Clsd

DOS PALOS, EAGLE FLD: Clsd to all operns due major rnwy repairs.

FRAZIER PARK, LINCOLN SKY RANCH ARPT: Closed for unknown duration.

HANFORD MUNI ARPT: Rnwy under constr for 400' extension on N end.

HAWTHORNE ARPT: REIL and txwy lgts will be inop 2300-0700 nightly UFN.

LINCOLN MUN ARPT: Rnwy 6-24 clsd for repairs. Glider operns week-ends; ctc on unicom. Arpt restricted to acft with less than 20,000 lbs GWT.

MONTAGUE, SISKIYOU CO ARPT: Apch lgtg inop UFN.

NEEDLES-RIVERVIEW ARPT: Clsd to public UFN.

OAKLAND, METROPOLITAN OAKLAND INTL ARPT

TWR: ILS glide slope shutdown UFN.

OCEANO-COUNTY ARPT: Until July 1966, constr will be in progress in an area 450' SW of rnwy entrline. Hvy eqpmt including cranes will be openg in the area.

PALM SPRINGS MUN ARPT: Extensive constr in progress.

PASO ROBLES: VHF/DF comsnd at Paso Robles FSS.

PLACERVILLE ARPT: Rnwy 5-23 clsd UFN.

SAN DIEGO INTL-LINDBERGH FLD: Rnwy 13-31 clsd due constr.

SAN FRANCISO INTL ARPT: Rnwy 10L-28R clsd.

SAN JUAN CAPISTRANO, CAPISTRANO ARPT: Constr in progress until aprxly Jan 1966 extending rnwy 21 on SW end.

SANTA BARBARA RDO: Width of Naples FM at intercept alt on ILS lclzr crs 3200' or slightly wider than standard ILS OM. During VOR outages or shutdowns for maintenance, fit checks reveal numerous usable signals being emited by acft rdo shops in Los Angeles Area on Santa Barbara VOR freq 114.9 mc are to be disregarded.

# COLORADO

BUENA VISTA MUNI ARPT: Clsd winters.

('OLORADO SPRINGS, PETERSON FLD: Rnwy 17-35 clsd on a day to day basis as constr requirements demand along W side of rnwy.

rnwy 8-26 permly clad, leaving only the E 2600' of rnwy usable as indg strip.

DENVER, SKY RANCH ARPT: Rnwys 8-26 and 12-30 clsd UFN due repairs.

DENVER, STAPLETON INTL ARPT: Radar arr and appreservice unavbl 0000-1100Z.

ENGLEWOOD RDO: Rbn shutdown for conversion to H-SAB facility.

GRAND JUNCTION, WALKER FLD: 400' displaced threshold rnwy 11 will exist for duration of rnwy extension constr installation of REIL.

GUNNISON CO. ARPT: Clsd ngt operns.

HOLLY MUNI ARPT: Clsd UFN.

KIT CARSON, TRADING POST ARPT: Clsd UFN. LAKE CITY, V.C. AIRSTRIP: Closed winter months.

PUEBLO MEMORIAL ARPT: Acft not visible from twr at junction of downwind and base legs rnwy 25, middle third of rnwy 12-30.

# CONNECTICUT

PLAINVILLE, ROBERTSON FLD: Const adj to rnwys and txwys UFN.

WINDSOR LOCKS, BRADLEY FLD: Rnwy 6-24 clsd 0501-1130 GMT Mon-Fri until Jan 15, 1908.

# DISTRICT OF COLUMBIA

WASHINGTON: Warning—all flights must avoid the Washington Prohibited Area P-56. See Washington, D.C. chart under Special Notices—Area in Section III for location.

WASHINGTON NATL ARPT: Foreign Clearance Base. Clsd all military acft except: (a) acft carrying VIP or officers above rank of Major General or Rear Admiral (b) CG logistic support flights cleared with Comdt. CG. General Aviation acft use General Aviation Terminal. Limited parking for all types of acft. During heavy tfc periods, pilots may be required to proceed to another airport for parking after passenger deplaning. Special Air Traffic Rules, Part 93, Subpart C, in effect.

WASHINGTON NATIONAL ARPT: JET POLICY FOR WASHINGTON NATIONAL ARPT: Except under emgcy conditions, only those jet acft meeting the following criteria can be accommodated: A. Approved types of jet acft of short or medium range engaged in Government, corporate, private charter or rental type operations and intending to use Government or General Aviation ground service facilities. B. Currently approved types of jet acft are as follows: 1. Jetstar (C-140), 2. Sabreliner (T-39), 3. Morane Saulnier, 4. Jet Commander (Aero Commander), 5. Learjet Model 23 (Lear Jet Co.), 6. Hawker Siddeley DH-125, 7. Mc-Donnell Model 220. C. Jet acft of short or medium rang not listed above must secure advance authorization from the Airport Manager 48 hours prior to planned arrival time at this arpt.

## **FLORIDA**

TRIPS TO HAITI, PUERTO RICO AND DOMINICAN REPUBLIC NOTICE: HAITI, private acft landing or overflying Haiti must furnish 48 hours advance notice and a flight plan must be filed. Plots planning to fly between the mainland and PUERTO RICO should plan their route to avoid unscheduled emergency fuel stops. Pilots planning to fly to the DOMINICAN REPUBLIC should refer to the International Flight Information Manual for complete details.

CRESTVIEW, BOB SIKES ARPT: Rnwy taxi, threshold, lgts, bcn and wind cone installed. Rnwy 17-35 lgts med intensity. Lgts oper SS-SR.

GAINESVILLE ARPT: Air Carrier Indg on rnwys 06, 10 and 14 are not authorized.

MIAMI RDO: Dec 28, RBn will be shutdown until aprxly Jan 6, 1966 for relctn to LOM site rnwy 9L.

OCALA MUNI ARPT (JIM TAYLOR FLD): New E/W rnwy under constrn N side arpt. Hazardous; unmrkd.

PAHOKEE, PALM BEACH COUNTY GLADES ARPT. Clad to all the for constr.

SAMSULA, SPRUCE CREEK ARPT: Closed.

SARASOTA-BRADENTON ARPT: Extens arpt construint in progress til aprxly Jan 1, 1968. Men and equipment operg on and adj to rnwys and txwys. Individual rnwys subject to tappy closure.

VALKARIA ARPT: Rnwy 13-31 only rnwy in use. Threshold displaced 1215' from end of rnwy 13 and 1000' from end of rnwy 31. Thof and lndg lengths both rnwy 18 and 31 is 1960'.

Road constru 2500' E apch end ruwy 27. Hvy eqpmt dalgt hrs. Constru NE area of arpt on new trml complex apron and txwy UFN.

WEST PALM BEACH RDO: VORTAC and RBn name to be changed to Palm Beach effective Dec 9, 1965. WINTER HAVEN, CYPRESS GARDENS ARPT: Clad to public for unknown duration.

# **GEORGIA**

BRUNSWICK, JEKYLL ISLAND FLIGHT STRIP: Clad for constr for rnwy paving.

COCHRAN ARPT: Clsd for constrn UFN.

COLUMBUS, MUSCOGEE COUNTY ARPT: Rnwy 12-30 lgts inop.

FOLKSTON, DAVIS FLD: Clsd until further notice.

HOMERVILLE ARPT: Rnwy 5-23 clsd UFN.

JESUP, WAYNE COUNTY ARPT: Clsd all operns until aprxly Dec 1, 1965.

LAWSON RDO: VOR ident "LSF" inop UFN.

ST. MARYS ARPT: Trash dump at ends of rnwys 19 and 22 attracts large flocks of seaguils. Frequent burning of trash reduces visibility on apch.

SANDERSVILLE, WASHINGTON COUNTY ARPT: Road in center of rnwy 12-30 has caused ruts.

SAVANNAH SAFFOLD ARPT: Clsd until further notice.

SAVANNAH, TRAVIS FLD: Rnwy 23 clsd UFN.

STATESBORO MUN ARPT: 1000' S end rnwy 18-36 to intexn of rnwy 13-31 clsd for unknown duration. Remaining rnwy rough usable length 4200' both directions.

# IDAHO

IDAHO: The following arpts are clad Nov-May—Big Island, Deary, Elk River, Headquarters, Horse Heaven, Larson's Bar, Moose Creek USFS, Shearer. Fish Lake may be clad until aprxly July. The following arpts are closed winter months: Emmett, Lanham Fld.

BOISE AIR TERMINAL: Rnwy 10R-28L clsd until

aprxly Dec 15 due trenching operns.

### ILLINOIS

CHICAGO, HINSDALE ARPT: Clsd to all transient acft except in emgcy UFN.

CHICAGO-O'HARE INTL ARPT: Motel sign 1% mi from apch end of rnwy 32L maybe mistaken for apch lgts. Caution advised.

the comsng of ILS rnwy 32R, a parallel ILS 32L and 32R approach procedure will be established which will be in addition to the present parallel ILS rnwy 14R and 14L approach. Pilots should anticipate using this procedure about December 4, 1965.

CHICAGO-O'HARE INTL ARPT TWR: Beginning at 0600 Z December 1, 1965, tower will conduct a 90 day evaluation of Pre-Taxi Clearance procedures for all IFR departures. (1) Initial call-up to the tower will be on clearance delivery freq 121.6 mc. This call shall be made a maximum of ten minutes prior to estimated taxi time. IFR clearance and any other information pertinent to the individual departing aircraft shall be issued at this time. (2) After the IFR clearance is received, the pilot shall follow the normal procedure of contacting ground control for taxi clearance. (3) When contacing ground control, the pilot shall state the name of the first fix or airway of his enroute clearance, and that he has the ATIS information i.e., "N28M taxi clearance Peotone have Bravo information" or, "N28M taxi clearance Victor 144 have Bravo information." (4) In the event a pilot is unable to make initial call up on clearance delivery frequency, he shall so advise ground control when requesting taxi clearance.

LOMBARD, YORK TOWNSHIP ARPT: Due rnwy constr arpt clsd UFN.

PEORIA, GREATER PEORIA ARPT TOWER: ILS lclzr and glide slope will be shutdown for installation of dual monitors.

### INDIANA

first 700' rnwy 21 clsd to dalgt operns and first 250' rnwy 21 clsd to ngt operns UFN.

EVANSVILLE, DRESS MEMORIAL ARPT TWR: ILS glide slope (rnwy 21) shut down for rnwy constrn.

GARY MUNI ARPT: Rotating ben inop.

GRAYS LAKE, CAMPBELL ARPT: Rnwy 6-24 clsd UFN due constr.

INDIANAPOLIS: VHF/DF comend at Indianapolis FSS.

INDIANAPOLIS MUNI (WEIR COOK) ARPT: NE 700' rnwy 4-22 open to tfc. Threshold rnwy 4 displaced 700' NE usable length rnwy 4-22 7300'. Config A apch lgts sys rnwy 4 shutdown.

INDIANAPOLIS MUNI (WEIR COOK) ARPT: PAR rnwy 4 shutdown.

RENSSELAER, CASPER CO ARPT: N/S rnwy clsd. VALPARAISO, PORTER COUNTY MUNI ARPT: Rnwy 9-27 clsd due constr.

# IOWA

ATLANTIC RDO: Nonfederal Rbn will be comsnd for VFR use. Freq: 365 kc. Ident: AIO. Lctd on Atlantic Muni Arpt at lat 41°24′24″, long 95°02′45″. Class: MHW. To be accepted in common sys for IFR use aprxly mid Oct. Owned and operd by City. Associated FSS Omaha, Neb.

CHARITON MUNI ARPT: Clsd ngts UFN.

CHARLES CITY RDO: Non-federal RBn, ident: CCY. Class: MHW, freq 375 kc. Lctd on Charles City Mun Arpt at lat 43°04'18", long 92°36'35". Owned and operated by the City of Charles City. Not approved for instrument apchs.

CLARION MUN ARPT: Clsd to transient acft UFN.

GREENFIELD MUNI ARPT: Clsd due hard surfacing of NW/SE rnwy.

HUMBOLDT MUNI ARPT: Rnwy 17-35 permly clsd, S portion converted to txwy.

KEOKUK ARPT: E/W rnwy clad, due grading and constr.

MAQUOKETA-SWIFT ARPT: E/W rnwy permly clsd.

MONTICELLO MUNI ARPT: Clsd UFN.

NEW HAMPTON MUNI ARPT: Clsd all opern UFN.

PERRY MUNI ARPT: Clsd for constr.

SPENCER MUNI ARPT: Rnwy 11-29 under constr. Ctc unicom for constr progress.

WEBSTER CITY ARPT: Const in progress on SE end NW/SE rnwy. Ctc unicom 122.8 before indg.

# KANSAS

DODGE CITY, WILROADS GARDENS ARPT: Clsd. UFN.

GOODLAND MUNI ARPT: Rnwy 8-26 and extension to SE end rnwy 13-31 clsd UFN.

- JUNCTION CITY MUN ARPT: New N/S rnwy under constr along W bndry of arpt. First 600' of rnwys 13 and 5 clsd to all operns UFN. Bcn and rnwy lgts inop.
- LYONS MUN ARPT: During daigt hrs agricultural acft on those are using nonstandard paths due to proximity of congested areas and are proceeding at low altitude out of the path area.

McPHERSON MUN ARPT: Rnwy 9-27 clsd.

OLATHE CITY ARPT: NW/SE rnwy clsd for repairs until aprxly Feb 1966.

PITTSBURG RDO: Ben on 365 ke inop.

# **KENTUCKY**

LOUISVILLE, STANDIFORD ARPT: Ditches 600', both sides of apchs ends of rnwy 24 and 29, 200' in length UFN. Constr of grading and drainage for the extension of rnwy 29 in progress until aprxly Dec 1. RVV rnwy 29 inop until aprxly Jan 1966.

LOUISVILLE, STANDIFORD FLD TWR: ILS glide slope rnwy 29 shut down UFN.

PRINCETON-CALDWELL COUNTY ARPT: Clad. WEST LIBERTY, MORGAN CITY ARPT: Clad.

### LOUISIANA

- HAMMOND MUN ARPT: Rnwy 18-38 and 13-31 clsd 7AM-5PM on fourth Sun of each month for drag races. Rnwy 4-22 and txwy around S side of fld will be open to air tfc at all times.
- KINDER, WILDER ARPT: Clsd ngts until aprxly Dec 22, 1965.
- IAKE CHARLES, LOUISIANA FLYERS ARPT:

Change name to East Lake Charles Arpt.

MAMOU MUN ARPT: Clsd btn hrs 2400-0500 until aprxly Dec 22, 1965.

NATCHITOCHES MUN ARPT: Rnwy lgts inop.

NEW ORLEANS LAKEFRONT ARPT: Mound of sand N end of rnwy 35 1200' long 800' wide 7' high lgtd and mrkd. Rnwy 17 528' tmpry displaced threshold remains UFN. Tmpry derrick 120' AGL erected aprxly 300' W of arpt boundary until aprxly Feb 1, 1966.

NEW ORLEANS INTL ARPT (MOISANT FLD) ARPT: 116' boom erected dalgt hrs UFN. Aprxly 2250' N of N end rnwy 1-19 aprxly 200' W projected rnwy centerline. During boom operns rnwy 19 clsd for Indgs and rnwys 1 clsd for tkofs, also rnwy 1 clsd for Indgs during IFR conditions.

TALLULAH, SCOTT ARPT: Ben and rnwy lgts lnop.

## MAINE

- MAINE: The following airports are closed winter months: Machias, Machias Valley Airstrip; Enfield, Sylvan Lane; Eastport Muni, Jonesboro, Drisko's; Lubec.
- MILLINOCKET MUN ARPT: Acft using rnwys 16-34 and 11-29 not visible to each other until apchg intersection. Use txwys and ramps. 40' lgt poles parallel to and 150' off E half rnwy 11-29. Area on safety strip W side rnwy 16-34 clsd mrkd by flags and lgts. Men, eqpmt crossing rnwy 16-34 to E end rnwy 11-29.
- OLD TOWN MUNI ARPT: Caution, do not taxi off pavement. Acft using rnwys 4-22 and 15-33 not visible to each other until apply intersection.
- SANFORD MUNI ARPT: Ruwy 2-20 clsd.

# MARYLAND

- BALTIMORE, EASTERN ARPT: Rnwy 4-22 permly clsd.
- CHURCHVILLE, ALDINO ARPT: Use hard surfaces only. Rnwy 1-19 clad due to constr. All acft 5000 lbs and above prior permission only.
- COLLEGE PARK ARPT: The abandoned arpt depicted on the Washington Sectional Chart is Erco Fld.
- EASTON MUN ARPT: Rnwy 14-32 clsd ngt operns, due lgts inop.
- LAUREL, SUBURBAN ARPT: Rotary wing acft must conform to normal tfc patns and hover over paved portions only.
- PARK HALL ARPT: Flight in Restricted Area R-4007 authorized only within one mi radius of arpt and in one mi wide corridor 242° (M) from the arpt at and below 1200'.
- PINEY POINT ARPT: Flight in Restricted Area R-4007 authorized only within one mi radius of arpt and in one mi wide corridor 347° (M) from the arpt at and below 1200'.
- SALISBURY-WICOMICO CO ARPT: Rnwy 13-31 clsd due constr. Men, eqpmt on fld.
- STEVENSVILLE, CARROLLS ARPT: Open weekends. TOWSON: 10' balloon ascending 4000' per minute. 1400 to 2400 GMT daily UFN.

# **MASSACHUSETTS**

- SPECIAL NOTICE: Field conditions for all arpts avbl through the nearest Massachusetts State Police Hdqtrs.
- SPECIAL NOTICE: VFR wea warning signs installed arpt ramp areas at number of Cape Cod and bordering Island lctns. Signs funtion with associated flashg lgt during periods where wea is forecast or actually goes below VFR minimums. Sign and lgt sys operns at Chatham and Martha's Vineyard during hrs arpt attended. At Hyannis, New Bedford and Nantucket 24 hrs daily.

# MICHIGAN

- ALPENA, PHELPS COLLINS ARPT: First 1000' rnwy 36 clsd to day and ngt lndg and ngt tkof also last 1000' of rnwy 18 clsd to ngt tkof and lndg UFN.
- ALPENA RDO: Jan 1966, VORTAC will be comsnd, freq: 108.8. Class: (L)BVORTAC lctd at lat 45°04′-57.96′′, long 83°33′25.28′′. Monitoring category (1) Controlled by Pellston FSS. Elev: 676′.
- BARRE, HILLER ARPT: Extensive glider flying principally whends daigt hrs.
- DETROIT-METROPOLITAN WAYNE CO ARPT: Rnwy 21R-3L clsd to all acft opens daylgt hrs. 5800' rnwy 21R-3L avbl ngt hrs. Tmpry threshold lgts placed 4700' from apch end of rnwy 21R. Lgts on clsd portion inop. Rnwy length to be increased to 7600'. Lclzr and glide slope rnwy 3L, glide slope rnwy 21R inop during construction.
- DRUMMOND ISLAND ARPT: Daily blasting in lime-stone quarry between 1200-1800 EST within 1 mi radius of lat 45°58'00"N long 83°47'30"W aprxly 3.5 mi SSW, fragments reaching altitude 1500 AGL 2300 MSL.
- FLINT, BISHOP ARPT: Caution, small herd of deer on the Shalf of fld.

GAYLORD, OTSEGO COUNTY ARPT: New rnwy 18-36 clsd. Hvy equmt working around apch end of rnwy 9.

MACKINAC ISLAND ARPT: Taxi and parking area's rough due to rocks and gravel.

MANISTIQUE, SCHOOLCRAFT CO ARPT: Fld unlgtd UFN.

MARQUETTE CO. ARPT: About 17.5 mi WSW blasting in the Republic and Humboldt areas Mon-Fri from 2045 to 2145Z. Danger area extending 1000' AGL. About 5.2 mi SSW intermittent blasting in Palmer area. Danger area extending 1000' AGL.

MORENCI CITY ARPT: Change arpt name to Morenic Arpt.

SAGINAW MUN ARPT: Clad to all ngt operns UFN.

SAULT STE. MARIE: Daily blasting excp Sun btn hrs of 1500-1630 EST in limextone quarry within a 1 mi radius of lat 46°04'N, long 84°18'W, 13 mi SE of Kincheloe AFB. Fragments reaching alt of aprxly 2200'. AGL (8000' MSL.)

STAMBAUGH CITY ARPT: Clad until further notice.

# MINNESOTA

GRAND RAPIDS, OTIS LODGE ARPT: Arpt name changed to Sugar Lodge.

INTERNATIONAL FALLS RDO: Rbn shutdown UFN. LONGVILLE MUNI ARPT: Clsd to all operns UFN.

MADISON MUNI ARPT: Rotating ben and bndry lgts inop UFN.

MINNEAPOLIS ARTCC: Radar weather advisory service in the Minneapolis area E of 89°20'W is not avbidue to eqpmt characteristics. Radar jet advisory service except radar weather advisory service is available along J90 and J16 btn 25 nmi W of Sloux Falls, S. Dak and 33 nmi SE of Dupree, S. Dak; along J32 btn 70 nmi NE of Aberdeen, S. Dak and 32 nmi E of Dupree, S. Dak: along J70 btn 50 nmi E of Aberdeen, S. Dak; and 80 nmi NW of Aberdeen, S. Dak. Due to eqpmt characteristics, radar weather advisory service cannot be provided.

MORA MUNI ARPT: Rnwy 11-29 clsd due constr.

MORRIS MUNI ARPT: Clad UFN.

NISSWA, HEYWOOD GULL LAKE ARPT: Closed UFN.

ROCHESTER MUNI ARPT: Constr in progress until aprxly Dec 1, on 1200' extension to SW end rnwy 2-20 and 50 extension to SE end of rnwy 13-31, also SE half of runwy 13-31 will be resurfaced.

ROCHESTER RDO: DME portion of VOR/DME shut down.

WARREN MUNI ARPT: Clad constr.

WINDOM MUNI ARPT: Clad UFN.

# MISSISSIPPI

HATTIESBURG MUNI ARPT: Rnwys 13-31 and 8-26 clsd to all tfc until June 1966.

# MISSOURI

BOLIVAR MEML ARPT: Rnwy lgts inop UFN.

BOONVILLE ARPT: Rnwy 8-26 clsd indefinitely.

CAMDENTON MEML ARPT: Rnwy lgts inop UFN.

FESTUS MEMORIAL ARPT: N/S rnwy under constr UFN. Tmpry turf strips avbl. (9-27) 1600 x 175', (18-36) 1600 x 100'. No strip lgtg.

FORT LEONARD WOOD, FORNEY AAF: Fld clsd to civil acft except on business and on figt plan. Two-way rdo and prior clearance from twr required before entry into R-4501. Enter R-4501 on SE heading of 140° from Waynesville, Mo.; SSW heading 210° from Vichy, Mo. (VOR); WNW heading of 290° from Maples, Mo. (VOR). Rgt tfc rnwy 14. Rnwy 2-20 clsd. Txwy from S end of mil apron to rnwy (1500') usable for takeoff and indg in emgcy or on req.

KANSAS CITY, MID-CONTINENT INTL ARPT: Men, eqpmt close proximity entire length E/W txwy UFN.

LEBANON ARPT: Stay on paved surfaces MOSBY ARPT: Clsd to all operns UFN.

OSAGE BEACH, LINN CREEK-GRAND GLAIZE MEML ARPT: Turf soft but usable on rnwy.

ROLLA NATIONAL ARPT: Constr in progress.

ST. CHARLES ARPT: Rnwy 9 under constr UFN.

ST. LOUIS, LAMBERT-ST. LOUIS ARPT: First 458' rnwy 12R clsd permly to all lndgs due to apch lgt sys displaced threshold. Present rnwy markings do not coincide with displaced threshold. Threshold lgts permly relectd 476' SE apch end rnwy 12R, Rnwy 12R open full length for all tkoffs. Rnwy 80L open full length for all tkoffs. Rnwy 80L open full length for all tkoffs and lndgs.

ST. LOUIS, PARKS METRO ARPT: Rnwy 14-32 clsd. SEDALIA MEML ARPT: 1600' NE end of NW/SE rnwy under constr until aprxly Dec 15, 1965.

# MONTANA

BILLINGS, LOGAN FLD: Threshold rnwy 9 tmpry displaced as follows: Days: 1000' displacement mrkd with flags, glide slope unusable except during IFR. 7600' remaining. Ngts: 500' displacement mrkd with tmpry threshold lgts, glide slope usable 8100' remaining. Apch lgts rnwy 9 will be shutdown during constr. Tmpry arresting gear 1000' E of apch end rnwy 9 and 90' E of apch end rnwy 27. First 1000' rnwy 9 clsd lndgs 1400-2400 daily UFN.

BILLINGS, LOGAN FLD TWR: ILS glide slope serving rnwy 9 will be shutdown during daytime VFR conditions.

BUTTE, SILVER BOW COUNTY ARPT: Rnwy lgts rnwy 2-20 inop. Rgt hand tfc rnwys 15 and 20.

CIRCLE, McCONE COUNTY ARPT: Ben inop UFN.

CULBERTSON ARPT: Rnwy lgts inop UFN.

GREAT FALLS ARTCC (NOTIP): En route radar service except radar weather advisory service is available throughout the enlarged Great Falls ARTCC (NOTIP) area Due to equipment characteristics radar weather advisory service cannot be provided in this area nor on J107 from the Centers eastern boundary to the Canadian border where civil turbojet radar advisory service is being provided by Great Falls ARTCC/NOTIP. VFR service in the Kalispell, Montana area is available through use of the ARTCC freq 120.4 mc. VFR flights in the Kalispell area call 'Great Falls Center—VFR Service'. Further information is contained in a letter to Airmen that has been distributed in the area.

- LIVINGSTON, MISSION FLD: The first 1200' rnwy 32 clsd.
- MISSOULA COUNTRY ARPT: Rnwy 11-29 open full length 7046' daigt hrs, ngt length 5746' due 1300' at NW end unigtd and threshold igts inop. Rnwy 7-25 E 2534' clsd, W 2280' open days, clsd ngt operns until aprxly Jan 1, 1966. 500' SE rnwy 11 clsd tmprly due threshold igts moved 500' NW.
- SCOBEY ARPT: Rnwys 16-34 and 7-25 clsd UFN.

# **NEBRASKA**

- GRAND ISLAND: Cornhusker Ordnance demolition firing in progress at lat 40° 56′50′′N, long 98°31′15′′W; 10 mi WSW Grand Island Mun Arpt. Surface to 1000′ AGL Mon-Fri 1400-2230Z until further notice.
- LINCOLN MUNI/AFB ARPT: ILS lclzr and glide slope shutdown dalgt hrs only wea permitting until aprxly Nov 19 for installation dual monitors.
- MINDEN MUNI ARPT: Clsd til aprxly Dec 1 due construction.
- NEBRASKA CITY, GRUNDMAN ARPT: Open for dalgt opens. Equipment on txwy and arpt. Caution advised UFN.
- NELIGH MUNI ARPT: Clsd for constrn til aprxly Dec. 14, 1965.
- SCRIBNER, SCRIBNER STATE ARPT: NE/SW rnwy tmprly clsd.

### NEVADA

- **✓BATTLE MOUNTAIN ARPT:** Name changed to Battle Mountain, Lander County.
- COALDALE RDO: VORTAC will be shut down Jan 3 til aprxly Jan 10, 1966 for antenna replacement.
- LAS VEGAS, McCARRAN FLD: VASI inop til aprxly Dec 15. Ramp area N of main trmi bldg, all W ramp area and portion of E/W txwy immediately in front of bldgs N of rnwy 25 not visible to twr.
- LAS VEGAS RDO: About Jan 31, TACAN will be shut down until aprxly Feb 4, 1966.

# NEW HAMPSHIRE

- SPECIAL NOTICE: Tmpry Restricted Area R-4902, Nashua, N.H. Efctv Nov 4, 1965 til Feb 4, 1966: Navy Jet will be performing unusual exercises in the tmpry restricted area near Nashua, New Hampshire, which will require segregation from other airspace users. All fit activities will be conducted at subsonic speeds; no ordnance will be expended. A direct fone circuit is avbl btn Boston ARTCC and area ctl facil of user agency to expedite release of area to public when not in use for purpose designated. The status of restricted area may be obtained from Boston ARTCC or nearby FSSs. Boundaries: Beginning at lat 43°07'30''N, long 71°47'W to 42°56'30"N, 71°33'W to 42°51'30"N, 71°-41'W to 43°03'N, 71°55'W, to point of beginning. Designated Alts: 1500' AGL to FL200. Time of designation 0900EST to SS, Nov 4, 1965 to Feb 4, 1966. Controlling Agency: FAA, Boston ARTCC. Using Agency: Commander. Operational Test and Evaluation Force, Norfolk, Virginia.
- FRANCONIA MUNI ARPT: Name changed to Franconia, McKenzie Kosch Field.

- KEENE RDO: About Dec 9, Rbn will be shut down for relctn.
- LEBANON REGIONAL ARPT: 7' balloon 1000' above arpt intermittently until Nov 1, 1965.

# NEW JERSEY

- ATLANTIC CITY NAFEC/ATLANTIC CITY (PO-MONA) ARPT TWR: Experimental DME rnwy 13 ILS operg channel 30, freq 991 mc ident: XAB comments required.
- ATLANTIC CITY, NAFEC (ATLANTIC CITY ARPT POMONA): Rnwy 8-26 and 13-31 avbl. Rnwys 4-22 and 17-35 clsd UFN.
- BELMAR, MONMOUTH CO ARPT: Rotating ben inop UFN.
- MILLVILLE MUNI ARPT: Operns restricted to hard surface areas only.
- OCEAN CITY MUNI ARPT: Rnwy lgts inop til aprxly Dec 20, 1965.

# NEW MEXICO

- ALAMOGORDO MUNI ARPT: Pole 1200' from apch end rnwy 16.
- to be decomend at Tucumcari, Globe, Winslow, Truth or Consequences, Raton, Animas and Amarillo RCAG sites.
- AZTEC MUNI ARPT: Clsd to all ngt opens UFN.
- GALLUP, McKINLEY COUNTY ARPT: Rnwy clad. Bladed dirt strip clad. Txwy usable for lndgs and tkofs by DC-3 or lgtr acft.
- LAS CRUCES, UNVERSITY ARPK: Rnwy lgts inop.

# NEW YORK

- ALBANY, ALBANY COUNTY ARPT: Rnwy 15-33 unlgtd; clsd ngt operns and restricted to acft over 12,500 pounds.
- BETHPAGE, GRUMMAN ARPT: UFN rnwy 10-28 clsd to all tfc. Men and equipment on rnwy.
- BUFFALO, GREATER BUFFALO INTL ARPT: Rnwy 23 REIL inop.
- BUFFALO, GREATER BUFFALO INTL ARPT TWR:
  - About Dec 1, ILS lclzr, glide slope and OM will be comsnd serving rnwy 5. Lclzr lctd on extended rnwy cntrline 350' from rnwy end at lat 42°56'52", long 78°43'12". Elev; 720' MSL. Mag variation: 7°30'W. Freq: 108.5 mc. Ident: I-GBI. Glide slope lctd 1250' from apch end rnwy 5 and 400' left of rnwy cntrline at lat 42°56'04", long 78°44'23". Freq: 329.9 mc. Elev: 692' MSL. OM lctd 28,948' (4.77 NM) from apch end rnwy and 150 rgt of extended rnwy ctnrline. LOM freq 204 kc. Ident: GB.
- CANARSIE RDO: VOR on 111.0 mc opern extended until further notice.
- CICERO, MICHAEL FLD: E/W rnwy clsd for constrn til aprxly Jan 10, 1966. NW/SE turf strip 2000 x 75 avbl at own risk.
- COHOES, LOUDON ARPT: E/W rnwy clsd UFN. N end N/S rnwy extended 600'. N/S rnwy clsd hangar to S end.
- ELMIRA, CHEMUNG COUNTY ARPT: Caution, extensive soaring activity and sailplane towing in venty of arpt and Harris Hill Gliderport dalgt hrs.

- ELMIRA RDO: About Nov 30, TACAN will be comsnd.
  - Channel 84. Class: L-BVORTAC.
- ENDICOTT, TRI-CITIES ARPT: Rnwy 4-22 clsd Sats 1400-1000 Suns. Rnwy 9-27 clsd Sats 1600-1900Z and 1930-2300Z.
- HORNELL MUNI ARPT: Maintain 2500' MSL at ngt until within 1.5SM on final apch to lgtd rnwy.
- ISLIP, LONG ISLAND ARPT: Freq 121.9 mc will be
  - changed to 121.7 mc on or about Dec 23.
- LIVINGSTON MANOR ARPT: All pilots are urged to use extreme caution when lndg—numerous pieces constru equipment on arpt and dump trucks crossing rnwy until aprxly Dec 31, 1965, due constru of road adj arpt. Large mound of dirt SE edge rnwy. Ctc unicom before lndg.
- MILLBROOK, SKY ACRES ARPT: Constru in progress 800' off end NW rnwy. Men and equipment on area. Caution advised.
- NEW YORK CITY: 1520' rotating ben atop Empire State Bldg letd aprxly 11 mi NW JFK Arpts opers on rotating basis dusk to midngt. From midngt to day break ben in fixed position with light beamed directly
- NEW YORK, JOHN F. KENNEDY INTL ARPT: Equipment up to 16' hi and men working 200' S of apch end rnwy 81R. Sandpile 6' hi, 326' S extended cntrline and 1200' E apch end runwy 31R until aprxly Jan, 1966.
- NEW YORK JOHN F. KENNEDY INTL TOWER: The flwg pre-taxi clearance procedures are in effect:
  - 1. Initial call-up to the tower will be on Clearance Delivery, frequency, 121.65 mcs. This call shall be made a maximum of ten (10) minutes prior to estimated taxi time. IFR clearance and departure runway currently in use shall be issued at this time. Time and altimeter setting will be issued to all itinerant departures and to scheduled air carriers when requested.
  - 2. Additional information shall also be issued at the time of clearance delivery. This information shall consist of only that which will concern the departure aircraft. An example of this would be an advisory that departure delays are twenty (20) minutes and that turbojet aircraft should contact Ground Control prior to starting engines.
  - 3. After clearance is received, aircraft shall return to normal frequency use, i.e., contacting Ground Control on 121.9 mcs., when ready to taxi. Pilots need not inform Ground Control of receipt of clearance. As heretofore, aircraft will become part of the departure sequence only after informing Ground Control they are ready to taxi.
  - 4. If an IFR clearance is not available prior to the time a flight is ready to taxi, the pilot will be changed to Ground Control and issued taxi clearance and later changed to Clearance Delivery for an IFR clearance.
  - 5. If aircraft make initial call-up on Ground Control frequency, they will be given clearance to taxi as here-tofore, and later changed to Clearance Delivery for their IFR clearance. No aircraft shall receive additional delay because of non-participation in this program.
  - 6. In the event a flight is delayed by its company or other unanticipated circumstances after the IFR clearance has been issued, the pilot shall inform the Clearance Delivery Controller of the delay, and shortly prior to taxing out, re-affirm that the clearance and information is still valid.

- NEW YORK, LA GUARDIA ARPT: Rnwy 4-22 usable length 5000 x 150'. A "pre-taxi" Clearance program is in effect. All IFR dptrs are requested to ctc LaGuardia clearance delivery on 126.15 mc for IFR clearance. This call should be made not more than 10 minutes prior to taxi time. Rnwy 13 VASI shut down til aprxly Apr 15, 1966 due rnwy constrn.
- NEW YORK LA GUARDIA ARPT: Due construction of the state of length 5896; Indg 5000'; rnwy 31 thof length 5000'; Indg 5813'. Rnwy 4-22 clsd 2300-0700 lcl weat permitting construction til Feb 24, 1966. Rnwy 22 clsd lndg; rnwy 4 clsd thof 0700-2330 lcl time. Rnwy 22 REIL removed UFN. Arpt clsd 2300-0700 lcl time due construcys 13-31 and 4-22 til aprxly Dec 1.
- NIAGARA FALLS MUNI ARPT: Rnwy 10L-28R will be clsd due constr. During part of this period the first 1000' of rnwys 14 and 24, 28R-10L intersection will be clsd. One rnwy 6-24 or 13-32 will be available full length.
- NORTH TONAWANDA, COUNTY LINE ARPT Clad to transient acft until further notice.
- OLD FORGE ARPT: Clsd winter months.
- OWEGO, HEAT TREAT ARPT. Widening operns in progress. Avoid area along S bndry.
- PORT EWEN, AERO LAKE ARPT: Closed until further notice.
- RANDALL ARPT: Rnwy 14-32 clsd UFN.
- SPRING VALLEY, RAMAPO VALLEY ARPT INC: Trucks and hvy equipment on W end rnwy 28 until further notice.
- WATERTOWN MUNI ARPT: Rnwy 1-19 clad to all operns UFN.
- WHITE PLAINS, WESTCHESTER COUNTY ARPT: Men and equipment adj to all txwys leading to rnwy 16-34 daily. Narrow ditch aprxly 7' off paved surfaces of txwys in some areas. No mil transient parking, service or maint.

# NORTH CAROLINA

- CHARLOTTE, CARPENTER ARPT: Restricted to acft over 4000 lbs GWT.
- CHARLOTTE, DOUGLAS MUNI ARPT: Rnwy 5-23 clsd until aprxly Dec 1, 1965. RVR rnwy 5 not available during this period.
- ELIZABETH CITY MUNI ARPT: Due to heavy VFR GCA tfc indg rnwy 10 at the U.S. Coast Guard Station, it is recommended that all tfc indg at the Elizabeth City Mun arpt contact Elizabeth City Coast Guard twr on 126.2 mc for tfc information. Acft without radio enter 500' pattern from the west.
- MADISON, MAYO ARPT: Clad til aprxly Dec 1, 1985. WILMINGTON, NEW HANOVER COUNTY ARPT: ILS lclzr and glide slope shut down until aprxly Nov. 15, 1985.

## NORTH DAKOTA

- BISMARK MUNI ARPT: New N/S rnwy (17-35) 4000 x 100 asphalt under constru dalgt operns. Medium intensity runway lights inoperative. New N/S runway lctd on E side of arpt. Old N/S rnwy clsd; will be redesignated as txwy when new N/S rnwy activated.
- CARRINGTON, MATHENY FLD: Clsd ngt operns. W 75' width of rnwy 13-31 open to lmtd dalgt operns only. Remainder of intersection clsd but rnwy 3-21 either side of intersection usable dalgt operns only.

CROSET MUNI ARPT: All rowys (excp 17-35) clsd for restricting. No lets available construction MUN ARPT: Rowy lets inop UFN. MINOT. FLYING S RANCH ARPT: All lete facils inop. NEWTOWN ARPT: New arpt clsd; under constr.

# OHIO

- CANAL WINCHESTER, ANDERSON ARPT: Tmprly
- CHARLON, HILLSBORO ARPT: Clsd UFN.
- CINCINNATI: Moored mrkd balloon will be flown day of Lgt up to an alt 1500' MSL. Site of operns 7½ mi NE Greater Cincinnati Arpt and 6½ mi W Lunken Arpt. Balloon will be tethered aprxly ½ mi W of Cincinnati Union Trml Bidg.
- CINCINNATI. GREATER CINCINNATI ARPT: Construction on new 9R-27L parallel rnwy duration until aprily winter 1999.
- CECLEVILLE, THOMAS FLD: Tmprly clsd.
- UNIUMBUS MUNI ARPT: ASR surveillance apchs
- COLUMBUS, OHIO STATE UNIVERSITY ARPT: Constr SE end rowy 5 until fall 1968. Cranes and well drilling eqpent in opern.
- LAKE MILTON, KOASIS RESORT ARPT: Clad until further notice.
- NORTH JACKSON, YOUNGSTOWN EXECUTIVE AIR-PORT: Open Sundays dusk to dawn to rdo equipped act only due to drag races.
- ST. CLAIRSVILLE, ALDERMAN FLD: Rotating ben inop UFN.
- SHELBY, AMERICAN ARPT: N/S rnwy 3000 x 50' hard surface.
- TOLEDO-EXPRESS ARPT: Constru in progress on ruwy 16-34 until Dec 1.
- TOLEDO MUNI ARPT: Cled Suns to all itinerant acft bin 1400-2300 due to drag races all rowys UFN.
- ARPT: Change city name to Xenia and airport name to Central State University Arpt.
- TOUNGTOWN MUNI ARPT: Rowy lgts rowy 9-27 inop indefinitely.

# OKLAHOMA

- HOMINT MUNI ARPT: Cled UFN.
- NORMAN. WESTHEIMER FLD: Air tic ctl service provided by FAA from 1000-1800 CST Nov 27, 1965. Freqs: 123.9 mc tsmtg and revg; 122.5 revy only. Hvy tic expected due home football games.
- OKLAHOMA CITY, WILL ROGERS WORLD ARPT: Constru in progress on S 2400' ruwy 17R-35L.
- SEILING ARPT: Rowy lgts inop.
- STILLWATER, SEARCY FLD: Rowy 17-35 under construction until aprxly Nov 20, 1965. Men and equipment on all rowys. Rowy 17-35 only lgtd rowy and will be cled during period constru. Use extreme caution and request advisory service.
- YUKON, CIMARRON FLD: Rnwys 3-21 and 12-30 clsd UFN.

# OREGON

INDEPENDENCE, MONMOUTH ARPT: Clsd UFN.
JOSEPH MUNI ARPT: Caution, hazardous for acft thof
rnwy 16 southwesterly winds 15 knots or grtr prevail.
Dangerous downdrafts.

- NORTH BEND ARPT: About 12 nmi NNE a moored aluminum colored V shaped balloon 75' long, approximately 40' diameter being used in logging operns during dalgt hrs, maximum alt 1000' MSL. During hrs darkness will be lowered to 100' AGL.
- PENDLETON MUNI ARPT: ILS glide slope rnwy 25R will be shut down for monitor change.
- PORTLAND: VOT freq change to 108.0 mc not accomplished. Freq remains 111.0 mc.
- UMPQUA RIVER, SCOTTSBURG TO REEDSPORT: River canyon crossed by 4 electric power lines. Twrs on both banks mrkd by red lgts. Easternmost crossing also mrkd with 20" orange aluminum balls spot lgtd from both sides of the river.

## PENNSYLVANIA

- BUTLER, GRAHAM FLD: Constr in progress on both ends of rnwy 7-25 installing txwy loops. Rnwy will remain open work areas and equipment will be mrkd with flags.
- CONNELLSVILLE ARPT: Glider operns SR-SS. Extensive aerial tows all altitudes VFR within 10 miles.
- CULMERVILLE ARPT: Clsd to all transient acft until aprxly Jan. 1966 due to banner towing.
- ERIE, PORT ERIE ARPT TWR: Freq 123.8 will be comsnd for approach and departure control for Jamestown Muni Arpt. N. Y., and McKean Arpt, Bradford, Pa.
- LANCASTER ARPT: UFN fld lgtg will be ctld from Admin Bldg by Airline personnel Mon-Fri 0600-2200; Sat 0600-1730; Sun 0900-2200 lcl time. At all other times arpt lgtg will be predetermined setting.
- NEW KINGSTON, CUMBERLAND VALLEY ARPT: Clsd UFN.
- PHILADELPHIA INTL ARPT: Excavation 1 to 3 ft deep, 100' long and 150' wide aprxly 30' from apch end rnwy 27. Ant structure aprxly 5' hi, 45' long, 217' from apch end rnwy 27 UFN.
- PUNXSUTAWNEY MUNI ARPT: Arpt cled until further notice due to constru.
- PITTSBURGH, GREATER PITTSBURGH ARPT: Caution advised due numerous deer on fid.
- WILKES-BARRE RDO: Limited comms exist E of Thornburst VORTAC below 8000' from Tannersville VOR to Wilkes-Barre VOR. All acft in this area temt 122.1 rcv Huguenot, N.Y.-Thornburst-Wilkes-Barre.

# SOUTH CAROLINA

- ANDERSON ARPT: Lgts (rnwy 17-35) inop til further notice.
- CHARLESTON AFB/MUNI ARPT: Rnwy 15-33 will be cled due constru and, ILS (excep OM/LOM), Rnwy 15 ALS and RVR will be inop until aprxly Nov 30, 1965.
- COLUMBIA METROPOLITAN ARPT: CS/T hrs opern 1100-0300Z UFN. At other times twr structure abandoned and apch ctl and arpt advisory service provided from hangar during these periods.
- COLUMBIA, OWENS FLD: Clad to all ngt translent operation.
- COLUMBIA RDO: VORTAC and all enroute comms inop indefinitely.
- SUMMERTON, CHURCH BRANCH ARPT: First 200' each rnwy end very rough. Use caution.

# SOUTH DAKOTA

SIOUX FALLS, FOSS FLD: First 300' rnwy 27 unusable for tkof. Usable length 5392' UFN.

### **TENNESSEE**

CLARKSVILLE, OUTLAW FLD: Rnwy 16-34 clsd to ngt operns excp special req. Excavation apch end rnwy 34 to depth 18" below rnwy level. Flags mark area. Caution advised. Hvy equipment in venty runway.

LEWISBURG, ELLINGTON FLD: Glider towing and soaring activity conducted daigt hrs at and in venty arpt.

MEMPHIS RDO: VORTAC shut down til aprxly Nov 26 for reictn.

✓ MORRISTOWN, MOORE MURRELL ARPT: Name changed to Morristown Muni.

NASHVILLE, CUMBERLAND FLD: Hvy equipment crossing S end rnwy dalgt hrs Mon-Sat noon.

SEWANEE RDO: H facility inop indefinitely.

# **TEXAS**

BORGER, HUTCHINSON COUNTY ARPT: Open to lgt acft only. Rnwy 3-21 being extended 300' SW end; 800' NE end. Rnwy 17-35 being extended 1500' N end. Work in progress til aprxly Feb 1, 1966.

BROWNSVILLE, RIO GRANDE VALLEY INTL AIR-PORT: Rnwys 8-26 and 4-22 do not meet air carrier standards for day and ngt operns.

BROWNSVILLE, RIO GRANDE VALLEY INTL ARPT: Rnwy 13R-31L clsd til aprxly Dec 30 due constru. Lgt acft may land rnwy 13R during dalgt hrs.

CLEAR SPRING ARPT: Civil acft requiring use of this fld when military acft are in the tfc path, should fly a rectangular path with turns in the opposite direction from the military path and rock wings on downwind. Path should be flown at 1200' MSL until military tfc is clear. Use rnwys only for Indgs. Rnwy 13-31 clsd ufn.

COLORADO CITY ARPT: Rnwy lgts inop indefinitely. DALLAS, HIGHLAND PARK ARPT: Hvy road equipment operg N end N/S rnwy til aprxly March, 1966.

EDINBURGH MUNI ARPT: Rnwys rough. Use Caution. HENDERSON, RUSK COUNTY ARPT: Rotating ben inop.

HOUSTON, COLLIER ARPT: Rnwy lgts on W side rnwy only.

HOUSTON INTERCONTINENTAL ARPT: New arpt under constr about 15 ml N. Clsd to all acft operns for unknown duration.

JOHNSON CITY ARPT TWR: Mobile twr utilizing freqs 286.6, 243.0, 126.2, 121.5 caretake status except as notamed weather and altimeter setting avbl when twr is in opern.

LAGRANGE, GUENTHER FLD (LAGRANGE MUNIARPT): Rnwy 18-36 clsd. Caution, trucks crossing rnwy 15-33 during closure.

LONGVIEW, GREGG COUNTY ARPT: Construction in progress on outer edge ramp and on ruwys thru Dec 31, 1965. Ruwys will be cisd alternately for resurfacing.

PECOS MUI ARPT: First 1000' rnwy 18 clsd to operns until aprxly Apr 1, 1966; mrkd with chevrons.

TEMPLE, DRAUGHON MILLER MUN ARPT: Rnwy 11-29 clsd until aprxly Dec 15, 1965.

YOAKUM MUNI ARPT: Lgts avbl 3400 x 60' rnwy. No fuel.

# UTAH

UTAH: The flwg arpts are subject to frequent or permanent closure during Jan to April due to winter conditions: Bryce Canyon, Escalante, Junction, Kanab Muni, Panguitch Muni.

BONNEVILLE RDO: About Feb 7, VORTAC will be shut down til aprxly Feb 11, 1966 for mod.

FLAMING GORGE DAM SITE: Cables and pwr lines suspended from 2 twrs on W side to one twr on E side of canyon across Green River aprxly 100' higher than canyon rim.

SALT LAKE CITY NO. 1 ARPT: Rnwy 7-25 permly clsd.

SALT LAKE CITY RDO: Test in progress using the ARTCC area discrete frequency to extend VFR air ground coverage. VFR flights in the Salmon-Challis area when unable to contact a nearby FSS through normal channels may call Salmon Radio on 125.3 mc for flight assistance service. Salt Lake City FSS will reply on 125.3 mc from the air/ground site at 45°10'N, 114°02'W, elevation 9104' MSL. Further information is contained in a letter to Airmen being distributed in the area.

SALT LAKE CITY RDO: TACAN will be shut down Jan 31 until aprxly Feb 4, 1966 for ant replacement.

# VERMONT

VERMONT: The flwg arpts will be plowed and open winter months: Enosburg Falls, Newport Muni and St. Johnsbury Muni.

# VIRGINIA

CHARLOTTESVILLE, UNIVERSITY OF VIRGINIA ARPT: Rnwy lgts avbl prior request.

EMPORIA MUNI ARPT: Rowy lgts inop indefinitely.

LAWRENCEVILLE MUNI ARPT: Rowy 6-24 clsd acet
construe and tree cutting. Construe in progress extreme

N end rnwy 18-36 til aprxly Jan 21, 1966.

MARTINSVILLE ARPT: Quarry, 7 ml NNW of arpt intermittent hvy blasting, dalgt hrs, hazardous to low flying acft.

NORFOLK MUNI ARPT: Rnwy 1-19 clsd to all acfigross weight in excess 50,000 lbs excp when rnwy 4-22 clsd. Rnwy 13-31 open to Indgs and tkofs dalgt hrs only. Authorized for ngt operns only in case emerg or when necessary to maintain fld in opernl status.

✓RICHMOND RDO: VOR resumed opern.

# WASHINGTON

everett, Paine FLD: Twr unable to observe portion of rnwy 34 starting 1000' from approach end and extending for aprxly 2000' due to construction on fld UFN.

RENTON MUNI ARPT TWR: Lgt gun signals not visible 195–300° at 1000′ MSL beyond 2 mi.

SEATTLE: Hi alt jet route J96-505 from SEA VOR to Canadian boundary not usable due to lack of Navguidance.

SUNNYSIDE MUNI ARPT: Only 1820' of W end rnwy 7-25 usable due constrn on 1300' extension E end until aprxly Fall 1965.

TACOMA INDUSTRIAL ARPT: Use rnwys and txwys only. Men and equip on fid 0800-1700 Mon thru Fri UFN. Ctc McChord RAPCON on 120.1 mc for IFR clearance.

WENATCHEE, PANGBORN FLD: UFN constrn in progress during daigt hrs 500' of SE end rnwy 11-29 clsd. Txwy to rnwy 29 clsd. Req acft ctc EAT FSS for usability portion of fld.

# WEST VIRGINIA

ELKINS, RANDOLPH COUNTY ARPT: Rnwy lgte (rnwy 13-31) inop indefinitely.

MARTINSBURG RDO: About Jan 6, LFR on 209 kc and Z marker will be decomsnd.

RUSSELVILLE, RADAR ARPT: Closed until further notice.

### WISCONSIN

MADISON, TRUAX FLD: Turf unsafe, taxi on surfaced areas only.

PRINCETON, BED-AH-WICK FLD: Until further notice, E side N/S rnwy clsd; 2300 x 40' W side usable.

SHEBOYGAN COUNTY MEML ARPT: Rbn freq 254 kc. Ident: SBM, no voice, operd by County; lctd on arpt. SPARTA, ANGELO MUNI ARPT: Name changed to Sparta Muni. New N/S rnwy clsd UFN.

WAUKESHA COUNTY ARPT: NE/SW sod rnwy clad UFN.

WAUSAU RDO: VOR shut down til aprxly Dec 3 for conversion to VORTAC.

# WYOMING

ALPINE, FLYING SADDLE ARPT: Name changed to Alpine, Clingers Flying Saddle Arpt.

BASIN ARPT: N 1800' rnwy 16-34 very rough and ctn advised due shallow washes and road crosses rnwy, N portion not recommended for Indgs or tkofs.

KEMMERER MUNI ARPT: Rotating ben and bndry lgts inop indefinitely.

LANDER, HUNT FLD: Ben inop indefinitely.

## CHANGES TO OIL BURNER ROUTES

Page III-90

### BOTTLE TOP OB-2

## Revised Effective December 5, 1965

Roste Width—The IFR route width from 34°40'N, 93°37'W to 35°21'N, 92°51'W and from 36°05'N, 92°53'W to 37°06'N, 92°23'W is reduced to 4 NM either side of centerline and 4 NM on the south side of centerline from 37°33'N, 92°35'W to 37°21'N, 94°31'W. The VFR route width from 35°21'N, 92°51'W to 36°05'N, 92°53'W and from 36°38'N, 92°45'W to 37°06'N, 92°23'W is reduced to 2 NM on the east side of centerline.

Poge III-92

# CLEAR VIEW OB-3

# Revised Effective December 9, 1965

First paragraph, line 10 change to read: direct 40°03'N, 99°50'W maintain 3800' MSL direct VFR and Contour paragraph, line 6 change to read: following points: from 39°42'N, 97°52'W to 40°26'N,

Page III-96

# FLIP CHART OB-34

Revised Effective December 5, 1965 through March 26, 1966

First paragraph, line 15:

to 36°36'N, 92°02'W; then at 2700'MSL direct to 37°22'N, 91°46'30''W; then at 3000' MSL direct to 37°22'30''N, 91°06'W; then at 3000' MSL direct to

37°30', 93°33'W; then descend direct so as to cross 37°27'N, 90°30'W at 2500' MSL; then at 2500' MSL direct to 37°10'N, 90°09'W; then at 2500' MSL direct to 36°57'N, 80°54'W.

VFR and Contour paragraph, line 7 change to read: and from 37°03'N, 91°53'W to 36°35'N, 89°28'W. VFR

Route Width paragraph change to read:

Route Width—The route width is reduced to 4 NM on the west side of centerline from 36°36'N, 92°02'W to 37°22'N, 91°46'30''W and to 4NM on the north side of centerline from 37°22'N, 91°46'30''W to 37°30'N, 90°33' W and on either side of centerline from 87°30'N, 90°33' W to 38°35'N, 89°28'W.

Page III-102

# SILVER BAY Revised Effective December 9, 1965

First paragraph line 7 and 8, change to read: point); then at 6000'MSL direct 43°27'N, 97°37'W; then turn right descending so as to cross 43°24'N, 97°48'W at

VFR and Contour paragraph, line 6 change to read: ing points; from 43°28'N, 98°08'W to 43°33'30"N Route Width paaragraph change to read:

Route Width—The IFR route width is reduced to 4NM southeast of centerline from 44°08'N, 97°00'W to 43°-29'N, 97°35'W and 4 NM north of centerline between 43°29'N, 97°35'W to 43°35'N, 98°30'W. The VFR route width is reduced to 2 NM on the north side of centerline from 43°41'N, 99°13'W to 43°47'N, 99°45'W.

# AIRMAN'S INFORMATION MANUAL NOTICES TO AIRMEN

SECTION III A



EFFECTIVE 0501Z 23 DECEMBER 1965

To 0501Z 6 JANUARY 1966

FEDERAL AVIATION AGENCY

# Section III-A-NOTICES TO AIRMEN

This section is issued every 14 days and is primarily designed to supplement Section III of the AIM. It contains appropriate notices from the daily NOTAM Summary, Airmen Advisories, new or revised Oil Burner Routes and other items considered essential to flight safety.

NOTE: Data preceded by a checkmark (\*) are considered permanent and will usually be cited only ence. Such information should be noted on charts and records. Temporary information is continuously cited until the condition is no longer in effect.

NOTE: Data are arranged in alphabetical order by State (and within the State by City or locality).

NEW OR REVISED DATA: New or revised data are indicated by underlining the first line of the affected item. The new information is not necessarily limited to the underlined portion, which is used only to attract attention to the new insert.

# ALABAMA

BRANTLEY MUNI ARPT: Ciscl until July 1966.

HUNTSVILLE, MADISON COUNTY ARPT: New arpt under constr 10 miles W until aprxly Nov 1966. Not to be used by acft. (12-23)

SELMA, SELFIELD ARPT: Rnwy 18-36 clsd until aprxly July 1966. VFR acft etc Craig Twr on 126.2 for tfc and lndg advisories.

TALLADEGA MUNI ARPT: N/S rnwy clsd.

# **ARIZONA**

MARICOPA: OAUTION—DO NOT MISTAKE FOR LANDING AREA. Space Surveillance Stn at lat 33°06'81", long 112°01'46" aprxly 4 mi N. 1200' W and parallel to hwy. Site is strip 300' x 1800' with paved portion lengthwise thru cntr 100' in width and studded with 6' steel posts. This permanent hazard lctd 22 nmi S Phoenix-Sky Harbor Arpt.

NOGALES INTL ARPT. Rnwy 3-21 clad for resurfacing. Use parallel txwy for indgs dalgt hrs.

PAYSON, BIRCH MESA ARPT: Clsd.

# **ARKANSAS**

CROSETT MUNI ARPT: Rnwy 5 being extended 1800'. Men, eqpmt on apch end rnwy 23 and threshold lgts rnwy 23 inop. Duration of constr until aprxly Jan 1966.

MENA MUNI ARPT: All fld lgtg inop UFN.

TEXARKANA MUN ARPT: Daily demolition activity, lctd aprxly 18 mi W, Mon thru Fri from 1200 CST to 1330 CST and 1500 CST to 1615 CST. Shrapnel and shock waves up to 3000'.

# CALIFORNIA

ARCATA-EUREKA ARPT TWR: Jan 3, ILS will be shutdown until aprxly Jan 24, for rehabilitation purposes. (12-23)

BAKER ARPT: Clad for repairs until April 1, 1966.

BLUE CANYON ARPT: Clsd for indefinite period. CONCORD, BUCHANAN FLD: Marked 2000' of txwy A

has been designated as a tupry parallel rnwy 1R-19L. FRAZIER PARK, LINCOLN SKY RANCH ARPT: Closed for unknown duration.

HAPPY CAMP ARPT: Clsd UFN. (12-23)

HAWTHORNE ARPT: REIL and txwy lgts will be inop 2300-0700 nightly UFN.

LINCOLN MUN ARPT: Rnwy 6-24 clsd for repairs. Glider operns week-ends; ctc on unicom. Arpt restricted to acft with less than 20,000 lbs GWT.

MERIDIAN, MORONI ARPT: One rnwy 2400' hard surfaced. (12-23)

MONTAGUE, SISKIYOU CO ARPT: Apch lgtg inop UFN.

NEEDLES-RIVERVIEW ARPT: Clsd to public UFN.

OAKLAND, METROPOLITAN OAKLAND INTL ARPT TWR: ILS glide slope shutdown UFN.

OCEANO-COUNTY ARPT: Until July 1966, constr will be in progress in an area 450' SW of rnwy entrline. Hvy eqpint including cranes will be open in the area.

OCOTILLO WELLS, OCOTILLO DRY LAKE ARPT:

Clad due flooding UFN. (12-23)
ALM SPRINGS MUN ARPT: Extensiv

PALM SPRINGS MUN ARPT: Extensive constr in progress.

PLACERVILLE ARPT: Rnwy 5-23 clsd UFN.

SAN DIEGO INTL-LINDBERGH FID: Rnwy 13-31 clsd due constr.

SAN DIEGO, MONTGOMERY FLD: Rowy lgts rowy 5-23 loop UFN. Rowy clsd to all agt operns until aprxly Feb 17, 1966.

SAN FRANCISO INTL ARPT: Rnwy 10L-28R clsd. SAN JUAN CAPISTRANO, CAPISTRANO ARPT: Constr in progress until aprxly Jan 1966.

# COLORADO

\*(OLORADO: Scheduled weather broadcast suspended 0700-1200 daily for Denver VOR, Gill VORTAC, Klowa VOR, Colorado Springs VOR, Englewood H-SAB and Trinidad H-SAB. (12-23)

BUENA VISTA MUNI ARPT: Clsd winters.

DENVER, STAPLETON INTL ARPT: Radar arr and dptr service unavbl 0900-1100Z.

GREELEY, WELD COUNTY MUNI ARPT: Rnwy 3-21 clsd UFN. (12-23)

GUNNISON CO. ARPT: Clsd ngt operns.

HOLLY MUNI ARPT: Clsd UFN.

KIT CARSON, TRADING POST ARPT: Clsd UFN.

LAKE CITY, V.C. AIRSTRIP: Closed winter months.

PUEBLO MEMORIAL ARPT: Acft not visible from twr at junction of downwind and base legs rawy 25, middle third of rawy 12-30.

TRINIDAD FSS: Dec 16, VHF/DF comsnd. (12-23)

# CONNECTICUT

PLAINVILLE, ROBERTSON FLD: Const adj to rnwys and txwys UFN.

WINDSOR LOCKS, BRADLEY FLD: Rnwy 6-24 clsd 0501-1130 GMT Mon-Fri until Jan 24, 1966.

# DISTRICT OF COLUMBIA

WASHINGTON: Warning—all flights must avoid the Washington Prohibited Area P-56. See Washington, D.C. chart under Special Notices-Area in Section III for location.

WASHINGTON ARTCC: About Jan 6, will no longer transmit and receive on 124.5 mcs from Bucks Elbow, Va., Norfolk, Va., and Rocky Mount, N.C. peripheral site.

WASHINGTON NATL ARPT: Foreign Clearance Base. Clsd all military acft except: (a) acft carrying VIP or officers above rank of Major General or Rear Admiral (b) CG logistic support flights cleared with Comdt. CG. General Aviation acft use General Aviation Terminal. Limited parking for all types of acft. During heavy tfc periods, pilots may be required to proceed to another airport for parking after passenger deplaning. Special Air Traffic Rules, Part 93, Subpart C, in effect.

WASHINGTON NATIONAL ARPT: JET POLICY FOR WASHINGTON NATIONAL ARPT: Except under emgcy conditions, only those jet acft meeting the following criteria can be accommodated: A. Approved types of jet acft of short or medium range engaged in Government, corporate, private charter or rental type operations and intending to use Government or General Aviation ground service facilities. B. Currently approved types of jet acft are as follows: 1. Jetstar (C-140), 2. Sabrellner (T-39), 3. Morane Saulnier, 4. Jet Commander (Aero Commander), 5. Learjet Model 23 (Lear Jet Co.), 6. Hawker Siddeley DH-125, 7. Mc-Donnell Model 220. C. Jet acft of short or medium rang not listed above must secure advance authorization from the Airport Manager 48 hours prior to planned arrival time at this arpt.

# **FLORIDA**

TRIPS TO HAITI, PUERTO RICO AND DOMINICAN REPUBLIC NOTICE: HAITI, private acft landing or overflying Haiti must furnish 48 hours advance notice and a flight plan must be filed. Pilots planning to fly between the mainland and PUERTO RICO should plan their route to avoid unscheduled emergency fuel stops. Pilots planning to fly to the DOMINICAN REPUBLIC should refer to the International Flight Information Manual for complete details.

of glider or non-engine heavier-than-air acft: Homestead; Miami Intl, Miami, Opa Locka; Miami, Tamiami. (12-23)

DE FUNIAK SPRINGS MUNI ARPT: Rnwy lgts oper SS-SR. (12-23)

CRESTVIEW, BOB SIKES ARPT: Rnwy taxi, threshold, lgts, ben and wind cone installed. Rnwy 17-35 lgts med intensity. Lgts oper SS-SR.

GAINESVILLE ARPT: Air Carrier Indg on rnwys 06, 10 and 14 are not authorized.

procedures are in effect: Contact Miami Clearance Delivery on 127.5 mcs prior to taxing. IFR clearance and other required departure information will be issued at this time. Clearance Delivery should also be contacted for routine departure information and when weather conditions indicate that departure relays can be anticipated. After clearance is received, acft shall return to Ground Control freq 121.8 mcs when ready to taxi. If initial call-up is made to Ground Control the acft will be given taxi clearance and switched to Clearance Delivery when the permits. Pilots are requested to remain on Ground Control freq while taxing until advised to switch to Tower or Clearance Delivery by Ground Control. (12–23)

MIAMI RDO: RBn shutdown, see page 10.

OCALA MUNI ARPT (JIM TAYLOR FLD): New E/W rnwy under constru N side arpt. Hazardous; mrkd.

PALM BEACH RDO: RBn shutdown, see page 10.

SAMSULA, SPRUCE CREEK ARPT: Closed.

SARASOTA-BRADENTON ARPT: Extens arpt construint progress til aprxly Jan 1, 1966. Men and equipment operg on and adj to rnwys and txwys. Individual rnwys subject to tapry closure.

VALKARIA ARPT: Rnwy 13-31 only rnwy in use. Threshold displaced 1215' from end of rnwy 13 and 1000' from end of rnwy 31. Thof and lndg lengths both rnwy 18 and 31 is 1960'.

WEST PALM BEACH, PALM BEACH INTL ARPT TWR: LOM component freq 282 kc serving rnwy 9 will be decomsnd Dec 28.

## GEORGIA

BRUNSWICK, JEKYLL ISLAND FLIGHT STRIP: Clad for constr for rnwy paving.

BRUNSWICK, McKINNON ARPT: Exten rnwy 4-22 not open for tfc except prior arrangement daylgt hrs only. (12-23)

COCHRAN ARPT: Clsd for constrn UFN.

COLUMBUS, MUSCOGEE COUNTY ARPT: Rnwy 12-30 lgts inop.

FOLKSTON, DAVIS FLD: Clsd until further notice.

HOMERVILLE ARPT: Rnwy 5-23 clsd UFN.

LAWSON RDO: VOR ident "LSF" inop UFN.

SANDERSVILLE, WASHINGTON COUNTY ARPT: Road in center of rnwy 12-30 has caused ruts.

SAVANNAH, TRAVIS FLD: Rnwy 23 clsd UFN.

STATESBORO MUN ARPT: 1000' S end rnwy 18-36 to intexn of rnwy 13-31 clsd for unknown duration. Remaining rnwy rough usable length 4200' both directions.

WARM SPRINGS, ROOSEVELT FLD: Closed UFN. (12-23)

✓THOMASVILLE MUNI ARPT: Rnwy 4-22 clsd. (12-23)

IIIA-3

# IDAHO

BOISE AIR TERMINAL: Rnwy 10R-28L clsd due trenching operns.

# ILLINOIS

CHICAGO, HINSDALE ARPT: Clsd to all transient acft except in emgcy UFN.

CHICAGO-O'HARE INTL ARPT: Motel sign 1% mi from apch end of rnwy 32L maybe mistaken for apch lgts. REIL rnwy 32R inop. (12-23)

CHICAGO-O'HARE INTL ARPT TWR: Beginning at 0600 Z December 1, 1965, tower will conduct a 90 day evaluation of Pre-Taxi Clearance procedures for all IFR departures. (1) Initial call-up to the tower will be on clearance delivery freq 121.6 mc. This call shall be made a maximum of ten minutes prior to estimated taxi time. IFR clearance and any other information pertinent to the individual departing aircraft shall be issued at this time. (2) After the IFR clearance is received, the pilot shall follow the normal procedure of contacting ground control for taxi clearance. (3) When contacing ground control, the pilot shall state the name of the first fix or airway of his enroute clearance, and that he has the ATIS information i.e., "N28M taxi clearance Peotone have Bravo information" or, "N28M taxi clearance Victor 144 have Bravo information." (4) In the event a pilot is unable to make initial call up on clearance delivery frequency, he shall so advise ground control when requesting taxi clearance.

LOMBARD, YORK TOWNSHIP ARPT: Clsd to translent UFN. (12-23)

MOUNT VERNON MUNI ARPT: First 200' rnwy 23 clsd due constr UFN.

PEORIA, GREATER PEORIA ARPT TOWER: ILS lclzr and glide slope will be shutdown for installation of dual monitors.

# INDIANA

EVANSVILLE, DRESS MEML ARPT: Due rnwy const first 700' rnwy 21 clsd to dalgt operns and first 250' rnwy 21 clsd to ngt operns UFN.

EVANSVILLE, DRESS MEMORIAL ARPT TWR: ILS glide slope (rnwy 21) shut down for rnwy constrn til Dec 31.

GARY MUNI ARPT: Rotating ben inop.

GRAYS LAKE, CAMPBELL ARPT: Rnwy 6-24 clsd UFN due constr.

INDIANAPOLIS RDO: H facility shutdown until aprxly Jan 15, 1966 for relctn to ILS rnwy 4 OM site upon return to service class will be H-SAB/LOM ident: IN. (12-23)

INDIANAPOLIS MUNI (WEIR COOK) ARPT: NE 700' rnwy 4-22 open to tfc. Threshold rnwy 4 displaced 700' NE usable length rnwy 4-22 8000'. Config A apch lgts sys and PAR rnwy 4 shutdown.

TERRE HAUTE, HULMAN FLD: ILS shutdown until aprxly Dec 31 for rnwy constr. (12-23)

MONTICELLO, WHITE COUNTY ARPT: Closed UFN. (12-23)

PORTLAND, STEED FLD: Closed ngt operns. (12-23)

RENESSLAER, JASPER COUNTY ARPT: Rnwy 18-

36 open and paved. No lgtg. (12-23)

VALPARAISO, PORTER COUNTY MUNI ARPT: Rnwy 9-27 clsd due constr.

CLARION MUN ARPT: Clsd to transient acft UFN. GREENFIELD MUNI ARPT: Clsd due hard surfacing

IOWA

of NW/SE rnwy.

JEFFERSON RDO: About Jan 6, non-federal RBn ident: "EFW" will be comsnd for public use. Freq: 391 kc, class: MHW. Letd lat 42°00'51", long 94°20'15". Variation 7°E. Owned and operd by Jefferson Arpt Commission.

NEW HAMPTON MUNI ARPT: Clsd all opern UFN. PERRY MUNI ARPT: Rnwy lgts and Bcn inop UFN. (12-23)

SPENCER MUNI ARPT: Rnwy 11-29 under constr. Ctc unicom for constr progress.

WEBSTER CITY ARPT: Const in progress on SE end NW/SE rnwy. Ctc unicom 122.8 before indg.

# **KANSAS**

DODGE CITY, WILROADS GARDENS ARPT: Clsd UFN.

GOODLAND MUNI ARPT: Rnwy 8-26 and extension to SE end rnwy 13-31 clsd UFN.

JUNCTION CITY MUN ARPT: New N/S rnwy under constr along W bndry of arpt. First 600' of rnwys 13 and 5 clsd to all operns UFN. Bcn and rnwy lgts inop.

LYONS MUN ARPT: During daigt hrs agricultural acft on those are using nonstandard paths due to proximity of congested areas and are proceeding at low altitude out of the path area.

MANHATTAN RDO: Effective 1600Z Dec 31, Airport Advisory Service freq 121.7 mc will be decomsnd and replaced by 123.6 mc. (12-23)

McPHERSON MUN ARPT: Rnwy 9-27 clsd.

OLATHE CITY ARPT: NW/SE rnwy clsd for repairs until aprxly Feb 1966.

PITTSBURG RDO: Ben on 365 ke inop.

# KENTUCKY

ASHLAND RDO: Rbn inop UFN. (12-23)

LOUISVILLE, STANDIFORD ARPT: Ditches 600', both sides of apchs ends of rnwy 24 and 29, 200' in length UFN. Constr of grading and drainage for the extension of rnwy 29 in progress. RVV rnwy 29 inop until aprxly Jan 1966.

LOUISVILLE, STANDIFORD FLD TWR: ILS glide slope rnwy 29 shut down UFN.

**PRINCETON-CALDWELL COUNTY ARPT:** One rnwy 4-22 3000 x 75' asphalt. (12-23)

WEST LIBERTY, MORGAN CITY ARPT: Clsd.

# LOUISIANA

KINDER, WILDER ARPT: Clsd ngts.

MAMOU MUN ARPT: Clsd btn hrs 2400-0500.

MONROE ARPT: Apch to rnwys 17-35 and 13 do not meet FAA safety criteria for air carrier ngt lndgs. (12-23)

NEW ORLEANS LAKEFRONT ARPT: Mound of sand N end of rnwy 35 1200' long 800' wide 7' high lgtd and mrkd. Rnwy 17 528' tmpry displaced threshold remains UFN. Rnwy 4-22 will be clsd intermittently

for day and ngt operns until aprxly April 28, 1966 due constr. 175' boom will be operg in area of apch end to rnwy 4. (12-23)

NEW ORLEANS INTL ARPT (MOISANT FLD) ARPT: 116' boom erected dalgt hrs UFN. Aprxly 2250' N of N end rnwy 1-19 aprxly 200' W projected rnwy centerline. During boom operns rnwy 19 clsd for Indgs and rnwys 1 clsd for tkofs, also rnwy 1 clsd for Indgs during IFR conditions.

TALLULAH, SCOTT ARPT: Ben and rnwy lgts inop.

# MAINE

MAINE: The following airports are closed winter months: Enfield, Sylvan Lane; Eastport Muni, Jonesboro, Drisko's; Lubec.

BLUE HILL ARPT: Closed for winter months. (12-23)

ramps plowed winter months. Rnwy 16-34 suitable for ski operns only. Acft using rnwys 16-34 and 11-29 not visible to each other until apchg intersection. 40' lgt poles parallel to and 150' off E half rnwy 11-29. (12-23)

OLD TOWN MUNI ARPT: Caution, do not taxl off pavement. Acft using rnwys 4-22 and 15-33 not visible to each other until apchg intersection.

# **MARYLAND**

- CHURCHVILLE, ALDINO ARPT: Use hard surfaces only. Rnwy 1-19 clsd due to constr. All acft 5000 lbs and above prior permission only.
- COLLEGE PARK ARPT: The abandoned arpt depicted on the Washington Sectional Chart is Erco Fid.
- LAUREL, SUBURBAN ARPT: Rotary wing acft must conform to normal tfc patns and hover over paved portions only.
- PARK HALL ARPT: Flight in Restricted Area R-4007 authorized only within one mi radius of arpt and in one mi wide corridor 242° (M) from the arpt at and below 1200'.
- PINEY POINT ARPT: Flight in Restricted Area R-4007 authorized only within one mi radius of arpt and in one mi wide corridor 347° (M) from the arpt at and below 1200'.
- STEVENSVILLE, CARROLLS ARPT: Open weekends. TOWSON: 10' balloon ascending 1000' per minute. 1400 to 2400 GMT daily UFN.

# **MASSACHUSETTS**

SPECIAL NOTICE: Field conditions for all arpts avbl through the nearest Massachusetts State Police Hdqtrs.

SPECIAL NOTICE: VFR wea warning signs installed arpt ramp areas at number of Cape Cod and bordering Island lctns. Plymouth, Mass. Weather warning sign operg during hrs arpt. Signs function with associated flashg lgt during periods where wea is forecast or actually goes below VFR minimums. Sign and lgt sys operns at Chatham and Martha's Vineyard during hrs arpt attended. At Hyannis, New Bedford and Nantucket 24 hrs daily.

balloon 5 NM SW of fld, 3000' AGL hoisted hourly during VFR conditions dalgt hrs. Cable marked with small balloons. (12-23)

BOSTON ARTCC: About Jan 6, will no longer transmit and receive on 125.9 mcs from Barnstable, Mass, St. Albans, Maine and Rome, N.Y. peripheral sites.

# MICHIGAN

- ALPENA, PHELPS COLLINS ARPT: First 1000' rnwy 36 clsd to day and ngt lndg and ngt tkof also last 1000' of rnwy 18 clsd to ngt tkof and lndg UFN.
- BARRE, HILLER ARPT: Extensive glider flying principally whends daigt hrs.
- **BOYNE FALLS, BOYNE MOUNTAIN ARPT: Open** winter months. (12-23)
- DRUMMOND ISLAND ARPT: Daily blasting in limestone quarry between 1200-1800 EST within 1 mi radius of lat 45°58'00"N long 83°47'80"W aprxly 8.5 mi SSW, fragments reaching altitude 1500 AGL 2300 MSL.
- GAYLORD, OTSEGO COUNTY ARPT: New rnwy 18-36 clad wheeled arcft winter months. Hvy eqpmt working around apch end of rnwy 9.
- MACKINAC ISLAND ARPT: Taxi and parking area's rough due to rocks and gravel.
- MANISTIQUE, SCHOOLCRAFT CO ARPT: Fld unlgtd UFN. (12-23)
- MARQUETTE CO. ARPT: About 17.5 mi WSW blasting in the Republic and Humboldt areas Mon-Fri from 2045 to 2145Z. Danger area extending 1000' AGL. About 5.2 mi SSW intermittent blasting in Palmer area. Danger area extending 1000' AGL.
- MUNSING, HANLEY FLD: Clsd for winter months. (12-23)

MUSKEGON COUNTY ARPT: RVR inop. (12-23)

PORT HURON, BAKER FLD: Obstn lgts out on rdo twr 105' lctd 400' N apch end rnwy 18. (12-23)

SAGINAW MUN ARPT: Clad to all ngt operns UFN.

SAGINAW RDO: Dec 9, RBn decomsnd. (12-23)

SAULT STE. MARIE: Daily blasting excp Sun btn hrs of 1500-1630 EST in limestone quarry within a 1 mi radius of lat 46°04'N, long 84°18'W, 13 mi SE of Kincheloe AFB. Fragments reaching alt of aprxly 2200'. AGL (3000' MSL.)

STAMBAUGH CITY ARPT: Clsd until further notice.

()W()SSO CITY ARPT: Obstn lgts out UFN on 1070'

twr 2.5 mi SE. (12-23)

## **MINNESOTA**

BEMJDJI MUNI ARPT: Rnwy 7-25 clad to wheeled acft during winter. (12-23)

EVELETH-VIRGINIA ARPT: Extsv blasting being conducted in mine pits in area 2 mi either side of a line from Aurona, Minn., to a point 4 mi SE of Babbitt, also extensive blasting being conducted in mine pits in an area 4 to 8 miles WNW of Virginia. Ctc Hibbing FSS for blasting schedule. Rnwys 4-22 and 13-31 clsd to wheeled acft during winter months. (12-23)

clsd to wheeled acft during winter months. (12-23) (12-23)

HIBBING, CHISHOLM-HIBBING ARPT: Six sequence flashing lgts apch end rnwy 31. (12-23)

HIBBING, CHISHOLM-HIBBING ARPT: Rnwy 4-22 clad winters. Unscheduled blasting in open pit mines will be conducted 7 days a week during dalgt hrs in

area 3 miles E to W and 1 mi N to S lctd 1 mi N of Mountain Iron, Minn., or about 15 miles NE of arpt. Blasting to continue til about May 1, 1966.

INTERNATIONAL FALLS RDO: Rbn shutdown UFN.

✓LONGVILLE ARPT: NW/SE rnwy paved 3300 x 75'.

(12-23)

MADISON MUNI ARPT: Rotating ben and bndry lgts inop UFN.

ice is not avbl in Minnenpolis area except within a 200 mile radius of Minnenpolis. Limited radar servce for tfc ctl problem solving is available in Minneapolis positive control area W of a line from Fargo, N. Dak. Mon-Frl from 1000 CST to 2200 CST. (12-23)

MORA MUNI ARPT: Rnwy 11-29 clsd due constr.

MORRIS MUNI ARPT: Open. NW/SE 4000 x 100'

hard surfaced rnwy also lgtd. (12-23)

NISSWA, HEYWOOD GULL LAKE ARPT: Closed UFN.

SILVER BAY MUNI ARPT: Open to all opens.

(12-23)

**WARREN MUNI ARPT:** NW/SE rnwy hard surfaced and open to opens. (12-23)

#### MISSISSIPPI

HATTIESBURG MUNI ARPT: Rnwys 13-31 and 8-26 clsd to all tfc until June 1966.

#### MISSOURI

BOLIVAR MEML ARPT: Rnwy lgts inop UFN.

CAMDENTON MEML ARPT: Rnwy lgts inop UFN.

FESTUS MEMORIAL ARPT: N/S rnwy under constr UFN. Tmpry turf strips avbl. (9-27) 1600 x 175', (18-36) 1600 x 100'. No strip lgtg.

**KANSAS CITY ARTCC:** Freq 127.4 comsnd at Gage, Okla. peripheral site. (12–23)

KANSAS CITY MUNI ARPT: Lead-in lgts comsad rawy 36. (12-23)

KANSAS CITY MUNI ARPT: Const on apch end rnwy 36, slx sequenced flushing lgts serving rnwy 36 shutdown. (12-23)

KANSAS CITY MUNI ARPT TWR: Jan 4, PAR and VHF/DF will be shutdown.

MOSBY ARPT: Clad to all operna UFN.

ST. CHARLES ARPT: Rnwy 9 under constr UFN.

ST. LOUIS, LAMBERT-ST. LOUIS ARPT: First 458' rnwy 12R clsd permly to all indgs due to apch lgt sys displaced threshold. Present rnwy markings do not coincide with displaced threshold. Threshold lgts permly relected 476' SE apch end rnwy 12R.

#### MONTANA

placed 1000' W end dalgt hrs until aprxly Jan 15, 1966. 7600' avbl lndg rnwys 9 and 27 during daylgt hrs. Full 8600' avbl tkofs both directions day or ngt. Temp military A-gear 1000' E apch end rnwy 9. (12-23)

BILLINGS, LOGAN FLD TWR: ILS glide slope serving rnwy 9 will be shutdown during daytime VFR conditions.

BUTTE, SILVER BOW COUNTY ARPT: Rnwy lgts rnwy 2-20 lnop.

CIRCLE, McCONE COUNTY ARPT: Ben inop UFN.

GREAT FALLS ARTCC (NOTIP): En route radar service except radar weather advisory service is available throughout the enlarged Great Falls ARTCC (NOTIP) area Due to equipment characteristics radar weather advisory service cannot be provided in this area nor on J107 from the Centers eastern boundary to the Canadian border where civil turbojet radar advisory service is being provided by Great Falls ARTCC/NOTIP. VFR service in the Kalispell, Montana area is available through use of the ARTCC freq 120.4 mc. VFR flights in the Kalispell area call 'Great Falls Center—VFR Service'. Further information is contained in a letter to Airmen that has been distributed in the area.

KALISPELL RDO: Comsng of VOR postponed until Feb 1. (12-23)

LIVINGSTON, MISSION FLD: The first 1200' rnwy 32 clsd.

MISSOULA COUNTRY ARPT: Rnwy 11-29 open full length 7046'. Rnwy 7-25 E 2534' clsd until aprxly July 1, 1966.

SCOBEY ARPT: Rowys 16-34 and 7-25 clsd UFN.

WEST YELLOWSTONE ARPT: Unattended and without service of lgtg until aprxly May 10, 1966.

#### **NEBRASKA**

GRAND ISLAND: Cornhusker Ordnance demolition firing in progress at lat 40° 56′50′′N, long 98°31′15′′W; 10 mi WSW Grand Island Mun Arpt. Surface to 1000′ AGL Mon-Fri 1400-2230Z until further notice.

HUMBOLDT MUNI ARPT: Lndg facil lgts inop UFN. (12-23)

LINCOLN MUNI/AFB ARPT: Jan 1, PAR and freqs 120.4, 126.2, 134.0 mc; 272 and 3023.5 kc will be decised. Jan 6, ASR and freqs 123.7, 119.8 mc will be decised. Freq 124.8 mc to be used as apch ctl thru twr. (12-23)

MINDEN MUNI ARPT: Clad due construction.

NEBRASKA CITY, GRUNDMAN ARPT: Clsd ngts.

OMAHA, EPPLEY AIRFLD: Rnwys 2-20 and 8-26

permly clsd. (12-23)

SCRIBNER, SCRIBNER STATE ARPT: NE/SW rnwy tmprly clsd.

#### NEVADA

COALDALE RDO: VORTAC will be shut down Jan 3 til aprxly Jan 10, 1966 for antenna replacement.

RENO MUNI ARPT: S 2300' of rnwy 16-34 clsd. 6700' avbl lndg/tkof both directions day and ngt.

#### NEW HAMPSHIRE

SPECIAL NOTICE: Tmpry Restricted Area R-4902, Nashua, N.H. Efctv Nov 4, 1965 til Feb 4, 1966: Navy Jet will be performing unusual exercises in the tmpry restricted area near Nashua, New Hampshire, which will require segregation from other airspace users. All fit activities will be conducted at subsonic speeds; no ordnance will be expended. A direct fone circuit is avbl btn Boston ARTCC and area ctl facil of user agency to expedite release of area to public when not in use for purpose designated. The status of restricted area may be obtained from Boston ARTCC or nearby FSSs. Boundaries: Beginning at lat 43°07'30''N, long 71°47'W to 42°56'30''N, 71°33'W to 42°51'30''N, 71°-

41'W to 43°03'N, 71°55'W, to point of beginning. Designated Alts: 1500' AGL to FL200. Time of designation 0000EST to SS, Nov 4, 1965 to Feb 4, 1966. Controlling Agency: FAA, Boston ARTCC. Using Agency: Commander, Operational Test and Evaluation Force, Norfolk, Virginia.

KEENE RDO: RBn shut down for relctn til aprxly Feb 1.

#### NEW JERSEY

- ATLANTIC CITY NAFEC/ATLANTIC CITY (PO-MONA) ARPT TWR: Experimental DME rnwy 13 ILS operg channel 30, freq 991 mc ident: XAB comments requested.
- ATLANTIC CITY, NAFEC (ATLANTIC CITY ARPT POMONA): Rnwys 4-22 and 17-35 open; resurfacing constrn in progress.
- OCEAN CITY MUNI ARPT: Rnwy lgts inop.
- SOUTH PLAINFIELD, HADLEY ARPT: Add symbol \$. (12-23)
- TETERBORO ARPT: Efetv thru Mar 31, 1966, caution advised due possible scattered patches of ice on all paved surfaces.
- TRENTON, MERCER COUNTY ARPT: About Jan 15, 1966, ILS (rnwy 6) will be comsnd. Lclzr lctd 450' from end rnwy 24 at lat 40°16'55", long 74°48'17". Elev: 180' MSL. Mag variation 10°21'W. Apch brg 056°. Freq: 111.3 mc. Ident I-TTN. Glide slope lctd 1130' from apch end rnwy and 400' rgt of rnwy cntrline. Lat 40°16'21", long 75°48'57". Elev: 177' MSL. Freq: 332.3 mc. Glide angle 3.0°. MM lctd on extended rnwy cntrline 3,260' (0.536 NM) from apch end rnwy at lat 40°15′54", long 74°49′42". Elev: 136' MSL. OM lctd 30,670' (5.047 NM) from apch end rnwy and 160' rgt of extended rnwy cntrline at lat 40°12'40", long 74°54". Elev: 137" MSL. LOM lctd at OM site, Freq: 369 kc. Ident: TT. About Feb 1, 1500' apch lgtg sys with sequenced flashg lgts will be comsnd. (12-23)

#### NEW MEXICO

ALAMOGORDO MUNI ARPT: Pole 1200' from apch end rnwy 16.

AZTEC MUNI ARPT: Clsd to all ngt operns UFN. LAS CRUCES, UNVERSITY ARPK: Rnwy lgts inop.

### NEW YORK

- ALBANY, ALBANY COUNTY ARPT: Rnwy 15-33 unligtd; restricted to acft over 12,500 lbs.
- BUFFALO ARPK: N/S rnwy clad til aprxly Apr. 1. (12-23)
- BUFFALO, GREATER BUFFALO INTL ARPT: Rnwy 23 REIL inop.
- CICERO, MICHAEL FLD: E/W rnwy clsd for constructil aprxly Jan 10, 1966.
- COHOES, LOUDON ARPT: E/W rnwy clsd UFN. N end N/S rnwy extended 600'. N/S rnwy clsd hangar to S end.
- HORNELL MUNI ARPT: Maintain 2500' MSL at ngt until within 1.5SM on final apch to lgtd rnwy.
- ISLIP, LONG ISLAND ARPT: Freq 121.9 mc will be changed to 121.7 mc about Dec 23.
- LIVINGSTON MANOR ARPT: Ctc unicom before indg.

- NEW YORK, JOHN F. KENNEDY INTL AIRPORT: Rnwy 13L clsd to Indgs avbl for tkofs from txwy A. Rnwy 31R open to Indgs. Tkofs restricted to single and twin engine prop acft only until about Feb 1966.
- NEW YORK, JOHN F. KENNEDY INTL ARPT: RVR 2000' authorized for thof and lndg rnwy 22L. RVV authorized for thof and lndg rnwy 22R. (12-23)
- NEW YORK JOHN F. KENNEDY INTL TOWER: The flwg pre-taxl clearance procedures are in effect:
  - 1. Initial call-up to the tower will be on Clearance Delivery, frequency, 121.65 mcs. This call shall be made a maximum of ten (10) minutes prior to estimated taxi time. IFR clearance and departure runway currently in use shall be issued at this time. Time and altimeter setting will be issued to all itinerant departures and to scheduled air carriers when requested.
  - 2. Additional information shall also be issued at the time of clearance delivery. This information shall consist of only that which will concern the departure aircraft. An example of this would be an advisory that departure delays are twenty (20) minutes and that turbojet aircraft should contact Ground Control prior to starting engines.
  - 3. After clearance is received, aircraft shall return to normal frequency use, i.e., contacting Ground Control on 121.9 mcs., when ready to taxi. Pilots need not inform Ground Control of receipt of clearance. As heretofore, aircraft will become part of the departure sequence only after informing Ground Control they are ready to taxi.
  - 4. If an IFR clearance is not available prior to the time a flight is ready to taxi, the pilot will be changed to Ground Control and issued taxi clearance and later changed to Clearance Delivery for an IFR clearance.
  - 5. If aircraft make initial call-up on Ground Control frequency, they will be given clearance to taxi as heretofore, and later changed to Clearance Delivery for their IFR clearance. No aircraft shall receive additional delay because of non-participation in this program.
  - 6. In the event a flight is delayed by its company or other unanticipated circumstances after the IFR clearance has been issued, the pilot shall inform the Clearance Delivery Controller of the delay, and shortly prior to taxing out, re-affirm that the clearance and information is still valid.
- NEW YORK, LA GUARDIA ARPT: Rnwy 4-22 usable length 5000 x 150'. A "pre-taxi" Clearance program is in effect. All IFR dptrs are requested to ctc LaGuardia clearance delivery on 126.15 mc for IFR clearance. This call should be made not more than 10 minutes prior to taxi time. Rnwy 13 VASI shut down til aprxly Apr 15, 1966 due rnwy constrn.
- NEW YORK, LA GUARDIA ARPT: Due construe rnwy
  13 tkof length 5896' after 2300 to 0700 lcl time tkof
  length 5000'. Rnwy 31 tkof length 5000', lndg 5813';
  after 2300 to 0700 lcl time, lndg length 5000'. Rnwy
  4-22 clsd 2300-0700 lcl time wea permitting construe til
  Feb 24. Rnwy 22 clsd lndg; rnwy 4 clsd tkof 0700-2300
  lcl time. Rnwy 22 REIL removed UFN.
- OLD FORGE ARPT: Clsd winter months.
- ORCHARD PARK ARPT: Clsd til aprxly May 1. (12-23)
- RANDALL ARPT: Rnwy 14-32 clsd UFN.

SPRING VALLEY, RAMAPO VALLEY ARPT INC:

Constrn W end rnwy 28. (12-23)

WATERTOWN MUNI ARPT: Rnwy 1-19 clsd.

WURTSBORO ARPT: All rnwys excp 5-23 clsd til

aprxly Apr 1. Men and equipment on fid. Constrn in progress. (12-23)

#### NORTH CAROLINA

CHAPEL HILL, HORACE WILLIAMS ARPT: First

400' rnwy 13 clsd and mrkd due 1' ditch. (12-23)

CHARLOTTE, CARPENTER ARPT: Restricted to acft over 4000 lbs GWT.

CHARLOTTE, DOUGLAS MUNI ARPT: RVR rnwy 5 inop.

ELIZABETH CITY MUNI ARPT: Due to heavy VFR GCA tfc lndg rnwy 10 at the U.S. Coast Guard Station, it is recommended that all tfc lndg at the Elizabeth City Mun arpt contact Elizabeth City Coast Guard twr on 126.2 mc for tfc information. Acft without radio enter 500' pattern from the west.

MADISON, MAYO ARPT: Clsd.

WILMINGTON, NEW HANOVER COUNTY ARPT: ILS lclzr and glide slope shut down for relctn.

#### NORTH DAKOTA

BISMARK MUNI ARPT: New N/S rnwy (17-35) 4000 x 100 asphalt dalgt operns.

CARRINGTON, MATHENY FLD: Clsd ngt operns. CROSBY MUNI ARPT: Rnwy 3-21 and 8-26 clsd UFN.

(12-23)

LANGDON MUN ARPT: Rnwy lgts inop UFN.

MINOT, FLYING S RANCH ARPT: All lgtg facils inop. NEWTOWN ARPT: New arpt clsd; under constr.

PEMBINA MUNI ARPT: E/W rnwy clsd. NNW/SSE

hard surface usable 50 x 2600'. (12-23)

# OHIO

CANAL WINCHESTER, ANDERSON ARPT: Tmprly clsd.

CHARDON, HILLSBORO ARPT: Open, attended evenings and wkends. (12-23)

OINCINNATI: Moored mrkd balloon will be flown day or ngt up to an alt 1500' MSL. Site of operns 7½ mi NE Greater Cincinnati Arpt and 6½ mi W Lunken Arpt. Balloon will be tethered aprxly ½ mi W of Cincinnati Union Trml Bldg.

CINCINNATI, GREATER CINCINNATI ARPT: Constring in progress on new 9R-27L parallel rnwy duration until aprxly winter 1966.

CIRCLEVILLE, THOMAS FLD: Tmprly clsd.

COLUMBUS, OHIO STATE UNIVERSITY ARPT: Constrn SE end rnwy 5 until fall 1966.

LAKE MILTON, KOASIS RESORT ARPT: Clad until further notice.

NORTH JACKSON, YOUNGSTOWN EXECUTIVE AIR-PORT: Open Sundays dusk to dawn to rdo equipped acft only due to drag races.

ST. CLAIRSVILLE, ALDERMAN FLD: Rotating ben inop UFN.

STEUBENVILLE PIER ARPT: Rnwy 5-23 aban-doned. (12-23)

TOLEDO-EXPRESS ARPT: Constru in progress on rnwy 16-34 until Feb 1.

TOLEDO MUNI ARPT: Clsd Suns to all itinerant acft btn 1400-2300 due to drag races all rawys.

YOUNGTOWN MUNI ARPT: Rnwy lgts rnwy 9-27 inop indefinitely.

#### · OKLAHOMA

EL RENO, MUSTANG FLD: Old turf rnwy 17-35 clsd; men and equipment working near rnwy. (12-23)

FNID, WOODRING ARPT: AAS avbl on 118.9, 122.5R

Mon thru Fri 0730–1600 CST. (12–23)

GRANDFIELD ARPT: Permly clsd. (12-28)

HOMINY MUNI ARPT: Clad UFN.

MUSKOGEE, DAVIS FLD: Tfc ctl service permly discontinued.

✓NORMAN, GOLDSBY ARPT: Rnwy 8-26 permly clsd. (12-23)

OKLAHOMA CITY, WILL ROGERS WORLD ARPT: Rnwy 17L-35R and accompanying txwys clad UFN. Constr in progress on S 2400' rnwy 17R-35L.

✓PAULS VALLEY MUNI ARPT: Rnwy lgts decmsnd. (12-23)

SEILING ARPT: Rnwy lgts inop.

STILLWATER, SEARCY FLD: Rnwy 17-35 under construction. Men and equipment on all rnwys. Request advisory service.

YUKON, CIMARRON FLD: Rnwys 3-21 and 12-30 clsd UFN.

#### OREGON

INDEPENDENCE, MONMOUTH ARPT: Clad UFN.

JOSEPH MUNI ARPT: Caution, hazardous for acft tkof rnwy 16 southwesterly winds 15 knots or grtr prevail. Dangerous downdrafts.

NORTH BEND ARPT: About 12 nmi NNE a moored aluminum colored V shaped balloon 75' long, approximately 40' diameter being used in logging operns during dalgt hrs, maximum alt 1000' MSL. During hrs darkness will be lowered to 100' AGL.

#### PENNSYLVANIA

PENNSYLVANIA: Delete symbol f for flwg airports:

Milton and Sunbury. (12-23)

ALIQUIPPA-HOPEWELL ARPT: Clad UFN. (12-23)

BUTLER, GRAHAM FLD: Constr in progress on both ends of rnwy 7-25.

**CONCORD:** Awy ben site #27 (C-P) decmand.

CULMERVILLE ARPT: Clsd to all translent acft until aprxly Jan. 1966 due to banner towing.

✓ERIE, PORT ERIE ARPT TWR: Freq 118.4 comsnd for approach and departure control for Jamestown Muni Arpt. N.Y., and McKean Arpt, Bradford, Pa.

HANOVER, DEVENER ARPT: Clsd Jan 1 to aprxly Apr 1. (12-23)

NEW KINGSTON, CUMBERLAND VALLEY ARPT: Clad UFN.

PHILADELPHIA INTL ARPT: Excavation 1 to 8 ft deep, 100' long and 150' wide aprxly 80' from apch end rnwy 27. Ant structure aprxly 5' hi, 45' long, 217' from apch end rnwy 27 UFN.

PUNXSUTAWNEY MUNI ARPT: Arpt clad until further notice due to constrn.

TARENTUM, REMICH FLD: Arpt open 24 hrs 7 days

a week. (12-23)

WILKES-BARRE RDO: Limited comms exist E of Thornhurst VORTAC below 8000' from Tannersville VOR to Wilkes-Barre VOR. All acft in this area tsmt 122.1 rcv Huguenot, N.Y.-Thornhurst-Wilkes-Barre.

WILLIAMSPORT, LYCOMING COUNTY ARPT: Rnwy

lgts inop rnwy 12-30. (12-23)

#### SOUTH CAROLINA

- ✓ANDERSON ARPT: Lgts (rnwy 17-35) permly discontinued.
- COLUMBIA, OWENS FLD: Clsd ngts.
- COLUMBIA RDO: VORTAC and all enroute comms inop indefinitely.
- CRESCENT BEACH RDO: Effective 1600Z Dec 31, Airport Advisory Service freq 121.7 mc will be decomend and replaced by 123.6 mc.
- SUMMERTON, CHURCH BRANCH ARPT: First 200' each rnwy end very rough. Use caution.

#### SOUTH DAKOTA

- BRITTON MUNI ARPT: Arpt clsd for rnwy construently aprxly Apr 1, 1966. (12-23)
- RAPID CITY MUNI ARPT: Freq 122.5R inop UFN. (12-23)
- SIOUX FALLS, FOSS FLD: First 300' rnwy 27 unusable for tkof. Usable length 5392' UFN.

# **TENNESSEE**

- BRISTOL, TRI-CITY ARPT: ASR to be comsnd. (12-23)
- CLARKSVILLE, OUTLAW FLD: Rnwy 16-34 length-ened to 5000'.
- CLIFTON, HASSELL FLD (CLIFTON) ARPT: Name changed to Clifton, Hassell Fld. (12-23)
- HUMBOLDT MUNI ARPT: Rotating ben inop indefinitely. (12–23)

#### TEXAS

- BORGER, HUTCHINSON COUNTY ARPT: Open to lgt acft only. Rnwy 3-21 being extended 300' SW end; 800' NE end. Rnwy 17-35 being extended 1500' N end. Work in progress til aprxly Feb 1, 1966.
- BROWNSVILLE, RIO GRANDE VALLEY INTL AIR-PORT: Rnwys 8-26 and 4-22 do not meet air carrier standards for day and ngt operns.
- BROWNSVILLE, RIO GRANDE VALLEY INTL ARPT: Rnwy 13R-31L clsd til aprxly Dec 30 due constrn. Lgt acft may land rnwy 13R during dalgt hrs.
- CAMERON MUNI ARPK: New rnwy under construparallel and adj to present rnwy.
- CLEAR SPRING ARPT: Civil acft requiring use of this fld when military acft are in the tfc path, should fly a rectangular path with turns in the opposite direction from the military path and rock wings on downwind. Path should be flown at 1200' MSL until military tfc is clear. Use rnwys only for Indgs. Rnwy 13-31 clsd ufn.
- COLORADO CITY ARPT: Rnwy lgts inop indefinitely. DALLAS, HIGHLAND PARK ARPT: Hvy road equipment operg N end N/S rnwy til aprxly March, 1966. EDINBURGH MUNI ARPT: Rnwys rough.

- HENDERSON, RUSK COUNTY ARPT: Rotating ben inop.
- HOUSTON, COLLIER ARPT: Rnwy lgts on W side rnwy only.
- HOUSTON INTERCONTINENTAL ARPT: New arpt under constr about 15 ml N. Clsd to all acft operns for unknown duration.
- JOHNSON CITY ARPT TWR: Mobile twr utilizing freqs 236.6, 243.0, 126.2, 121.5 caretake status except as notamed weather and altimeter setting avbl when twr is in opern.
- JUNCTION RDO: Effective 1600Z Dec 31, Airport Advisory Service freq 121.7 mc will be decommend and replaced by 123.6 mc. (12-23)
- LAGRANGE, GUENTHER FLD (LAGRANGE MUNI ARPT): Rnwy 18-36 clsd.
- LONGVIEW, GREGG COUNTY ARPT: Constru in progress on outer edge ramp and on rnwys thru Dec 31, 1965. Rnwys will be clad alternately for resurfacing.
- SAN SABA COUNTY ARPT: Rnwy lgts inop indefinitely. (12-23)
- WICHITA FALLS, SHEPPARD AFB/WICHITA FALLS
  AIR TRML: VASI on rnwy 15 inop. (12-23)

#### UTAH

- BONNEVILLE RDO: About Feb 7, VORTAC will be shut down til aprxly Feb 11, 1966 for mod.
- DELTA RDO: Effective 1600Z Dec 31, Airport Advisory
  Service freq 121.7 mc will be decomsnd and replaced
  by 123.6 mc. (12-23)
- FLAMING GORGE DAM SITE: Cables and pwr lines suspended from 2 twrs on W side to one twr on E side of canyon across Green River aprxly 100' higher than canyon rim.
- SALT LAKE CITY RDO: Test in progress using the ARTCC area discrete frequency to extend VFR air ground coverage. VFR flights in the Salmon-Challis area when unable to contact a nearby FSS through normal channels may call Salmon Radio on 125.3 mc for flight assistance service. Salt Lake City FSS will reply on 125.3 mc from the air/ground site at 45°10'N, 114°02'W, elevation 9104' MSL. Further information is contained in a letter to Airmen being distributed in the area.
- SALT LAKE CITY RDO: TACAN will be shut down Jan 31 until aprxly Feb 4, 1966 for ant replacement.

#### VERMONT

- VERMONT: The flwg arpts will be plowed and open winter months: Enosburg Falls, Newport Muni and St. Johnsbury Muni.
- VERMONT: The following awys ben sites permly decuisnd: Mount Stimson #17, (B-M) and Waterbury #16 (B-M). (12-23)
- VERMONT: The following awys bons will be permly deconsuld Jan 6, 1966: Brownell Mountain #26, (NY-M) and Mount Philo #25 (NY-M). (12-23)

# **VIRGINIA**

EMPORIA MUNI ARPT: Rnwy lgts inop indefinitely. LANGLEY VOR: VOR unreliable. (12-23)

- LAWRENCEVILLE MUNI ARPT: Rnwy 6-24 clsd acct constrn and tree cutting. Constrn in progress extreme N end rnwy 18-36 til aprxly Jan 21, 1966.
- MARTINSVILLE ARPT: Quarry, 7 mi NNW of arpt intermittent hvy blasting, dalgt hrs, hazardous to low flying acft.
- NORFOLK MUNI ARPT: Rnwy 1-19 clsd to all acft gross weight in excess 50,000 lbs excp when rnwy 4-22 clsd. Rnwy 13-31 open to Indgs and tkofs dalgt hrs only. Authorized for ngt opens only in case emerg or when necessary to maintain fid in openl status.
- PRICE MOUNTAIN: Jun 10, awy ben site 60 (N-W) will be permit decommend.

#### WASHINGTON

- BELLINGHAM RDO: About Feb 2, LFR and Z mrkr will be decmand. (12-23)
- BELLINGHAM VOR: VOR may be shut down for short periods during conversion to VORTAC. (12-23)
- everett, Paine FLD: Twr unable to observe portion of rnwy 34 starting 1000' from approach end and extending for aprxly 2000' due to construction on fld UFN.
- EVERETT, PAINE FLD: ILS lebr and glide slope inop UFN. (12-23)
- **✓PASCO-PUBLIC ARPT:** Name changed to Pasco, Tri-Cities Arpt. (12-23)
- RENTON MUNI ARPT TWR: Lgt gun signals not visible 195-300° at 1000' MSL beyond 2 ml.
- SEATTLE RDO: About Feb 2, Rbn will be comsnd.

  Freq: 362 kc. Ident: SEA. Lctd lat 47°29'37.8", long 122°15'06.8". Class: SABH. About Jan 17, LFR and Z mrkr will be decuised. (12-23)

- SEATTLE, TACOMA INTL ARPT: ILS (rnwy 16)
  LMM freq will be changed to 200 kc LOM freq will be changed to 281 kc about Jan 24, 1966. (12-23)
- TACOMA INDUSTRIAL ARPT: Use rnwys and txwys only. Men and equip on fld 0800-1700 Mon thru Fri UFN. Ctc McChord RAPCON on 120.1 mc for IFR clearance.

#### WEST VIRGINIA

CHARLESTON, KANAWHA ARPT: ILS glide slope inop. (12-23)

ELKINS, RANDOLPH COUNTY ARPT: Rnwy lgts (rnwy 18-31) inop indefinitely.

✓PRINCETON ARPT: Unattended. (12-23)

RUSSELVILLE, RADAR ARPT: Closed until further notice.

#### WISCONSIN

MADISON, TRUAX FLD: Taxi on surfaced areas only.

MANITOWOC MUNI ARPT: 20' ditch 150' from N end

rnwy 17-35. (12-23)

SPARTA, ANGELO MUNI ARPT: New N/S rnwy clsd UFN.

SPOONER MUNI ARPT: Clsd til aprxly May 1. (12-23) WAUKESHA COUNTY ARPT: NE/SW sod rnwy clsd UFN.

#### WYOMING

BASIN ARPT: N 1800' rnwy 16-34 very rough not recommended for Indgs or tkofs.

KEMMERER MUNI ARPT: Rotating ben and bndry lgts inop indefinitely.

LANDER, HUNT FLD: Bon inop indefinitely.

# VOR SHUTDOWNS AND SUBSTITUTE ROUTE STRUCTURES

MIAMI RDO: Dec 28, aprxly Jan 6, 1966 for	LORIDA RBn will be shutdown or relctn to LOM site rnw structure during shutdow	y 91.	PALM BEACH RDO: I shutdown and reletd	LORIDA Dec 28, RBn ident: PBI voto the LOM site at lat 2 Lun 6 class will be chan	6°41′-	
the following: (12-23	)		HW*LOM. Ident: to	PB freq: 356 kc. For subs	stitute	
Existing Routes	Substitute Reutes	MEA	structure during shutd	lown use the following: (1	12-23)	
B48: Miami Rbn to Gulfstream	Unusable			ew Altitude		
Int			Existing Routes	Substitute Reutes	MEA	
Control 1230: Miami Oceanic CTA/FIR direct Marco Int Int direct Miami Rbn	Miami Oceanic CTA/FIR direct to Tmpry Marco Int thence via 275 brg from TMT Rbn to TMT Rbn direct to MI LOM	2,000	Bahama Route 4L: West Palm Beach Rbn to Bimini Rbn	Tmpry PBI Int to ZBB Rbn via 321 Brg from ZBB Rbn	2,000	
Uniform Route: Miami Rbn to Juliett Uniform Int		2,000	Bahama Route 7L: West Palm Beach Rbn to Grand Bahama Rbn		2,000	
Int OR: V35 to Gulfstream Int			Bahama Routes not Stratified			
Bahama Route 101 · Miami Rhn	direct JU Int TMT Rbn to GBN Rbn via 076	2 000	Existing Reporting Points	Substitute Reporting Points	MRA	
to Grand Bahama Rbn	Brg from TMT Rbn and 235 Brg from GBN Rbn		PBI Rbn	Tmpry PBI Int 271 Brg from ZJT Rbn and 007 Brg from	2,000	
Bahama I	Routes not Stratified			FLL Rbn		
Existing Reporting Points	Temperary Reporting Points	MRA	Halibut Int	278 Brg from GBN Rbn and 008 Brg from ZBB Rbn	2,000	
MIA Rbn	•	2,000	Amberjack Int			
	TMT Rbn and 017 Brg from PRR Rbn			. 166 Brg from FLL Rbn and E crs	1,500	
Barker Int			Cuppy Int	MFA ILS Unsuable	2 000	
Cutler Int	. 170 Brg from MI LOM and 117 Brg from PRR Rbn	2,000	Martin Int		2,000	
Guppy Int			Mullet Int			
Largo Int				. 141 Brg from FLL Rbn and 090	2.000	
	275 Brg from TMT Rbn and 192 Brg from FMY Rbn	2,000		Brg from PRR Rbn  316 Brg from ZBB Rbn and 061	-	
Wagner Int				Brg from FLL Rbn		
Gulfstream Int	_ Unusabl <del>e</del>		Turtle int	. 271 Brg from ZJT Rbn and	2,500	
<b>— 1</b>				MAR ANT		

Pelican Int\_\_\_\_\_ Unusable

VOR 021 rad

#### CHANGES TO OIL BURNER ROUTES

#### Pages III-74

#### BEEF EATER OB-1

#### Revised Effective January 2, 1966

#### First paragraph, line 12:

117°22'W; then descend direct so as to cross 42°26'N, 117°19'W at 8000' MSL, then 8000' MSL direct 42°50'N, 117°14'W; then 8000' MSL direct 43°40'N, 117°13'30''W.

#### Re-Entry paragraph, line 4:

8000' MSL direct 42°49'N, 117°33'W; then 8000' MSL to re-enter the route via direct 42°50'N, 117°11'W.

#### Route Width paragraph, line 1:

Route Width—The route width from 43°25'N, 117°14'W Route Width paragraph, line 5:

on the west side from 43°15'N, 117°14'W to 43°35'N, 117°14'W.

#### Page III-76

#### CLEVER CHAP OB-4

#### Revised Effective December 1, 1965

#### First paragraph, line 6:

entry point 43°45'N, 74°48'W at 10,000' MSL; maintain 10,000' MSL direct 43°35'N, 73°58'W; start descent, cross 43°34'N, 73°45'W at 7000' MSL maintain 7000' MSL direct 43°31'N, 73°10'W left turn to 43°36'N, 73°01'W to 43°43'N, 73°05'W direct 44°33'N, 74°16'W descend to cross 44°37'N, 74°24'W at 5000' cross 44°37'N, 74°30'W at 4000' maintain 4000' to 44°28'N, 74°44'W descend to cross 44°26'N, 74°47'W at 3500' MSL; direct at 3500' MSL to enter bomb run corridor at 44°15'N, 75°05'W.

#### Alternate Entry, line 6:

MSL; continue descent to cross 44°13'N, 74°41'W at 10,000' MSL direct 44°13'N, 74°13'W; start descent, cross 44°13'N, 74°04'W at 8000' MSL or below; cross 44°14'N, 74°00'W at 7000' MSL; maintain 7000' MSL direct 44°20'N, 73°58'W, thence via the Clever Chap route.

#### Page 111-77

# COIL SPRING OB-5

# Revised Effective January 6, 1966

#### Re-Entry paragraph, line 8:

wia the published route. Aircraft may proceed at 5000' MSL from 31°48'N, 88°27'W; direct 31°48'N, 87°57'W; turn right descend to cross 31°41'N, 87°49'W at 3000' MSL; continue turn to cross 31°34'N, 87°57'W at 2000' MSL; thence via published route.

#### Page III—79

#### FLIP CHART OB-34

# Revised Effective January 3, 1966 through March 26, 1966 Re-Entry paragraph, line 7:

MSL; then at 2500' MSL direct to 37°05'N, 90°49'W; then at 2500' MSL turn right to 37°17'N, 90°53'W; then at 2500' MSL direct to 37°25'30''N, 90°39'W; then at 2500' MSL turn right to intercept the route at 37°25'N, 90°27'W; thence via the published route.

#### Page III-80

#### FUNNY BOY OB-8 Revised Effective January 6, 1966

#### Re-Entry paragraph, line 7:

rom 21°06'N, 71°08'W; direct 22°14'N, 70°49'W; turn left descend to cross 22°17'N, 70°59'W at 1400'; thence via the published route.

#### Page III-81

# LITTLE SATIN OB-10 Revised Effective January 2, 1966

### Re-Entry paragraph, line 5:

direct 38°06'N, 118°50'W direct 38°19'N, 117°12'W; then descend direct to cross 38°33'N, 117°12'W at 13,000' MSL; thence via the published route.

#### Page III-87

# SLEEPY EYE OB-15

#### Revised Effective January 2, 1966

#### Re-Entry paragraph, line 6:

11.000' MSL direct 36°44'N, 112°16'W; then turn left direct to cross 36°58'N, 112°16'W at or below 11,000' MSL; thence via the published route.

#### Page III—88

# WANUT GROVE OB-17 Revised Effective January 6, 1966

#### Re-Entry paragraph, line 9:

81°23'W; thence via the published route. Aircraft may proceed at 2000' MSL from 32°30'N, 82°11'W, direct 33°11'N, 81°09'30"W; turn right to 33°11'N, 80°59'30'' W; continue turn to 33°02'N, 81°01'W; thence via published route.

Hour of Operation—24 hours daily, 7 days a week.

#### Page III—90

#### ZERO HOUR OB-18

#### Revised Effective January 2, 1966

## Re-Entry paragraph, line 6:

MSL direct 37°29'N, 102°18'W; then turn right descending to cross 37°14'N, 102°35'W at 6000' MSL thence via the published route.

# AIRMAN'S INFORMATION MANUAL NOTICES TO AIRMEN

SECTION III A



EFFECTIVE 0501Z 20 JANUARY 1966
To 0501Z 3 FEBRUARY 1966

FEDERAL AVIATION AGENCY

# Section III-A-NOTICES TO AIRMEN

This section is issued every 14 days and is primarily designed to supplement Section III of the AIM. It contains appropriate notices from the daily NOTAM Summary, Airmen Advisories, new or revised Oil Burner Routes and other items considered essential to flight safety.

NOTE: Data preceded by a checkmark (\*) are considered permanent and will usually be cited only ence. Such information should be noted on charts and records. Temperary information is normally carried twice unless re-submitted.

NOTE: Data are arranged in alphabetical order by State (and within the State by City or locality).

NEW OR REVISED DATA: New or revised data are indicated by underlining the first line of the affected item. The new information is not necessarily limited to the underlined portion, which is used only to attract attention to the new insert.

#### ALABAMA

BRANTLEY MUNI ARPT: Clsd until July 1966.

HUNTSVILLE, MADISON COUNTY ARPT: New arpt under constr 10 miles W until aprxly Nov 1966. Not to be used by acft. (12-23)

ST. ELMO ARPT: 100' (125' MSL) twr lctd aprxly 500' W of W end of E/W paved rnwy in line with S edge of rnwy. (1-6)

SELMA, SELFIELD ARPT: Rnwy 18-36 clsd until aprxly July 1966. VFR acft ctc Craig Twr on 126.2 for tfc and indg advisories.

#### ARIZONA

MARICOPA: CAUTION—DO NOT MISTAKE FOR LANDING AREA. Space Surveillance Stn at lat 33°06'31", long 112°01'46" aprxly 4 mi N. 1200' W and parallel to hwy. Site is strlp 300' x 1800' with paved portion lengthwise thru cntr 100' in width and studded with 6' steel posts. This permanent hazard lctd 22 nmi S Phoenix-Sky Harbor Arpt.

PHOENIX RDO: VORTAC unusable beyond 20 nml below 10,000'MSL 152-170° and 200-210° and beyond 6nml below 7000'MSL 078-125°.

#### **ARKANSAS**

CROSETT MUNI ARPT: Constr on apch end rnwy 23, threshold lgts inop. Duration of constr until aprxly April 1966.

TEXARKANA MUN ARPT: Daily demolition activity, lctd aprxly 18 mi W, Mon thru Fri from 1200 CST to 1330 CST and 1500 CST to 1615 CST. Shrapnel and shock waves up to 3000'.

WYNNE, BURNETTE ARPT: Closed until 1 Mar.

(1-20)

#### CALIFORNIA

ARCATA-EUREKA ARPT TWR: Jan. 17 ILS will be shutdown until aprxly Feb 7, for rehabilitation purposes. (12-23)

BAKER ARPT: Clsd for repairs until April 1, 1966.
BLUE CANYON ARPT: Closed for indefinite period.

(1-20)
BLYTHE ARPT: Rnwy lgts rnwy 17-35 inop indefinitely.

CASTLE RDO: VOR inoperative.

McCELLAN RDO: Jan 31, VOR will be decomsnd. (1-20)

OCEANO-COUNTY ARPT: Constr in progress in an area 450' SW of rnwy entrline until aprxly July 1966.

SANTA BARBARA MUNI ARPT: Rnwy 8-21 permly clad to all operns.

SANTA BARBARA MUNI ARPT: Rnwy lgts rnwy 15-33 lnop. Obstn lgts inop on 334' twr 1 NM SE. (1-6)

SAN DIEGO, MONTGOMERY FLD: Rnwy 5-23 clsd to all ngt openns until aprxly Feb 17, 1966.

SAN JUAN CAPISTRANO, CAPISTRANO ARPT: Constr in progress until aprxly April 1966.

# COLORADO

DENVER, STAPLETON INTL ARPT: Rnwy 17-35 will be clad for maintenance every Monday between 1530-1730Z. (1-20)

JUTRANGO, LA PLATA FLD: Name changed to Durango, La Plata County Arpt (1-20)

LAKE CITY, V.C. AIRSTRIP: Closed winter months.

PUEBLO MEMORIAL ARPT: Acft not visible from twr at junction of downwind and base legs rnwy 25, middle third of rnwy 12-30.

# DISTRICT OF COLUMBIA

WASHINGTON: Warning—all flights must avoid the Washington Prohibited Area P-56. See Washington, D.C. chart under Special Notices-Area in Section III for location.

WASHINGTON NATL ARPT: Foreign Clearance Base. Clsd all military acft except: (a) acft carrying VIP or officers above rank of Major General or Rear Admiral (b) CG logistic support flights cleared with Comdt. CG. General Aviation acft use General Aviation Terminal. Limited parking for all types of acft. During heavy tfc periods, pilots may be required to proceed to another airport for parking after passenger

deplaning. Special Air Traffic Rules, Part 93, Subpart C, in effect.

WASHINGTON NATIONAL ARPT: JET POLICY FOR WASHINGTON NATIONAL ARPT: Except under emgcy conditions, only those jet acft meeting the following criteria can be accommodated: A. Approved types of jet acft of short or medium range engaged in Government, corporate, private charter or rental type operations and intending to use Government or General Aviation ground service facilities. B. Currently approved types of jet acft are as follows: 1. Jetstar (C-140), 2. Sabreliner (T-39), & Morane Saulnier, 4. Jet Commander (Aero Commander), 5. Learjet Model 23 (Lear Jet Co.), 6. Hawker Siddeley DH-125, 7. Mc-Donnell Model 220. 8. Fan Jet Falcon C. Jet acft of short or medium rang not listed above must secure advance authorization from the Airport Manager 48 hours prior to planned arrival time.

#### FLORIDA

TRIPS TO HAITI, PUERTO RICO AND DOMINICAN REPUBLIC NOTICE: HAITI, private acft landing or overflying Haiti must furnish 48 hours advance notice and a flight plan must be filed. Pilots planning to fly between the mainland and PUERTO RICO should plan their route to avoid unscheduled emergency fuel stops. Pilots planning to fly to the DOMINICAN REPUBLIC should refer to the International Flight Information Manual for complete details.

FLORIDA: The following arpts clad to non-engine acft: Homestead; Miami Intl, Miami, Opa Locka; Miami, Tamiami. (12-23)

CRESTVIEW, BOB SIKES ARPT: Work in progress 1230-2200Z each end rnwy 17-35. (1-20)

GAINESVILLE ARPT: Air Carrier Indg on rnwys 06, 10 and 14 are not authorized.

MARATHON RDO: H facility unusable at ngt below 3500' beyond 15 nml from stn.

MIAMI INTL ARPT: The following pre-taxi clearance procedures are in effect: Contact Miami Clearance Delivery on 127.5 mcs prior to taxing. IFR clearance and other required departure information will be issued at this time. Clearance Delivery should also be contacted for routine departure information and when weather conditions indicate that departure relays can be anticipated. After clearance is received, acft shall return to Ground Control freq 121.8 mcs when ready to taxi. If initial call-up is made to Ground Control the acft will be given taxi clearance and switched to Clearance Delivery when tfc permits. Pilots are requested to remain on Ground Control freq while taxing until advised to switch to Tower or Clearance Delivery by Ground Control. (12–23)

TALLAHASSEE RDO: VHF/DF comsnd at F88.

(1-20)

WEST PALM BEACH, PALM BEACH INTL ARPT: Lgtd 80' boom pile driver operg 1200' N apch end rnwy 27 until aprxly Dec 1, 1966. (1-6)

#### **GEORGIA**

ATLANTA ARPT: RVRs serving rnwy 9R apch and rnwy 9R rollout comsnd.

ATLANTA, DEKALB-PEACHTREE ARPT: Tmpry ctl twr transmitting and receiving on 121.8, 121.7 and receiving only on 122.5 until aprxly May 15. (1-20)

THOMASVILLE MUNI ARPT Rnwy 4-22 clsd resurfacing. (1-20)

WARM SPRINGS, ROOSE VELT FLD: Closed for construction until Feb 1. (1-20)

#### IDAHO

McCALL ARPT: Rnwy and txwy lgts inop until aprxly June 1, 1966. (1-6)

SALMON RDO: VFR flights in the Salmon area may contact Salmon rdo on 123.6mc for flight assistance service. Calls will be answered from Salt Lake City FSS through the Salmon RCAG site. (1-20)

#### ILLINOIS

CHICAGO-O'HARE INTL ARPT: Motel sign 1% mi from apch end of rnwy 82L maybe mistaken for apch lgts.

CHICAGO-O'HARE INTL ARPT TWR: Beginning at 0600 Z December 1, 1965, tower will conduct a 90 day evaluation of Pre-Taxi Clearance procedures for all IFR departures. (1) Initial call-up to the tower will be on clearance delivery freq 121.6 mc. This call shall be made a maximum of ten minutes prior to estimated taxi time. IFR clearance and any other information pertinent to the individual departing aircraft shall be issued at this time. (2) After the IFR clearance is received, the pilot shall follow the normal procedure of contacting ground control for taxi clearance. (8) When contacing ground control, the pilot shall state the name of the first fix or airway of his enroute clearance, and that he has the ATIS information i.e., "N28M taxi clearance Peotone have Bravo information" or, "N28M taxi clearance Victor 144 have Bravo information." (4) In the event a pilot is unable to make initial call up on clearance delivery frequency, he shall so advise ground control when requesting taxi clearance.

DECATUR: Control zone effective Feb. 8, Within a 5-mi radius of the Decatur Muni Arpt (lat 39°50'03'' long. 88°52'10''W) and within 2 miles each side of the Decatur VOR 351° radial extending from the 5 mi radius zone south of the VOR from 0700 to 2300 hours, local time daily.

# INDIANA

INDIANAPOLIS MUNI (WEIR COOK) ARPT: VASI rnwy 22 shutdown until aprxly Feb 8. Config A apch lgts sys. (1-20)

### IOWA

✓RUDD, EHLEBRACHT FLD: E/W rnwy permly clsd. (1–20)

SIOUX CITY MUNI ARPT TWR: Jan. 81, ILS will be shut down daigt hrs until aprxly Feb 3 for installation of dual monitors. (1-20)

# KANSAS

FT. LEAVENWORTH, SHERMAN AAF: Rnwy 15-38 clsd 1400-2300Z daily. (1-20)

- GOODLAND MUNI ARPT: Add | symbol. (1-20)
- GOODLAND MUNI ARPT: Rnwy 8-26 and 1000' extension to SE end rnwy 13-31 clsd June 1.
- MANHATTAN RDO: FSF freq 121.7 mc will be

decmand aprxly Jan 31, (1-20)

OLATHE CITY ARPT: NW/SE rnwy clsd for repairs until aprxly Feb 1966.

#### KENTUCKY

ASHLAND RDO: Rbn inop UFN. (12-28)

CAMPBELL RDO VOR out of service indefinitely.

(1-20)

#### LOUISIANA

NEW ORLEANS LAKEFRONT ARPT: Rnwy 4-22 clsd intermittently aprxly April 28, 1966 due constr. (12-23)

#### MAINE

- MAINE: The following airports are closed winter months: Enfield, Sylvan Lane; Eastport Muni, Jonesboro, Drisko's; Lubec.
- BLUE HILL ARPT: Closed winter months. (12-23)
- MILLINOCKET MUNI ARPT: Rnwy 16-34 suitable for ski operns only. Acft using rnwys 16-34 and 11-29 not visible to each other until apchg intersection. (1-20)
- OLD TOWN MUNI ARPT: Acft using rnwys 4-22 and 15-33 not visible to each other until apchg intersection.
- YORK ARPT: Closed until April 1966. (1-6)

#### MARYLAND

- CHURCHVILLE, ALDINO ARPT: Use hard surfaces only. All acft 5000 lbs and above prior permission only.
- CUMBERLAND MUNI ARPT: Rnwy 6-24 clsd ngt operns until aprxly Jan. 31. (1-20)
- LAUREL, SUBURBAN ARPT: Rotary wing acft must conform to normal tfc patns and hover over paved portions only.
- PARK HALL ARPT: Flight in Restricted Area R-4007 authorized only within one mi radius of arpt and in one mi wide corridor 242° (M) from the arpt at and below 1200'.
- PINEY POINT ARPT: Flight in Restricted Area R-4007 authorized only within one mi radius of arpt and in one mi wide corridor 847° (M) from the arpt at and below 1200'.
- TOWSON: 10' balloon ascending 1000' per minute. 1400 to 2400 GMT daily.

### **MASSACHUSETTS**

- SPECIAL NOTICE: Field conditions for all arpts avbl through the nearest Massachusetts State Police Hdqtrs.
- SPECIAL NOTICE: VFR wea warning signs installed arpt ramp areas at number of Cape Cod and bordering Island lctns. Plymouth, Mass. Weather warning sign operg during hrs arpt. Signs function with associated

- flashg lgt during periods where wea is forecast or actually goes below VFR minimums. Sign and lgt sys operns at Chatham and Martha's Vineyard during hrs arpt attended. At Hyannis, New Bedford and Nantucket 24 hrs daily.
- BEDFORD, LAURENCE G. HANSCOM FLD: Moored balloon 5 NM SW of fid, 3000' AGL hoisted hourly during VFR conditions dalgt hrs. Cable marked with small balloons. (12-23)

#### MICHIGAN

- DRUMMOND ISLAND ARPT: Daily blasting in limestone quarry between 1200-1800 EST within 1 mi radius of lat 45°58'00'N long 88°47'80''W aprxly 8.5 mi 88W, fragments reaching altitude 1500 AGL 2800 MSL.
- HANCOCK, COUNTY MEM'L ARPT: Rnwy 7-25 clsd. (1-20)
- MARQUETTE CO. ARPT: About 17.5 mi WSW blasting in the Republic and Humboldt areas Mon-Fri from 2045 to 2145Z. Danger area extending 1000' AGL. About 5.2 mi SSW intermittent blasting in Palmer area. Danger area extending 1000' AGL.
- MUNSING, HANLEY FLD: Clad for winter months. (12-23)
- MUSKEGON COUNTY ARPT TWR: ILS BC unusable. (1-20)
- MUSKEGON COUNTY ARPT: RVR inop. (12-28)
- SAULT STE. MARIE: Daily blasting excp Sun btn hrs of 1500-1630 EST in limestone quarry within a 1 mi radius of lat 46°04'N, long 84°18'W, 18 mi SE of Kincheloe AFB. Fragments reaching alt of aprxly 2200'. AGL (8000' MSL.)

# MINNESOTA

- BEMJDJI MUNI ARPT: Rnwy 7-25 skils only. (12-23) EVELETH-VIRGINIA ARPT: Closed indefinitely. (1-20)
- EVELETH-VIRGINIA ARPT: Extsv blasting being conducted in mine pits in area 2 mi either side of a line from Aurona, Minn., to a point 4 mi SE of Babbitt, also extensive blasting being conducted in mine pits in an area 4 to 8 miles WNW of Virginia. Ctc Hibbing FSS for blasting schedule.
- clsd winters. Unscheduled blasting in open pit mines will be conducted 7 days a week during dalgt hrs in area 3 miles E to W and 1 mi N to 8 lctd 1 mi N of Mountain Iron, Minn., or about 15 miles NE of arpt. Blasting to continue til about May 1, 1966.
- MORA MUNI ARPT: Rnwy 11-29 cled due constr until spring.
- SANDSTONE MUNI ARPT: Skis only. (1-20)

## MISSISSIPPI

HATTIESBURG MUNI ARPT: Rnwys 13-81 and 8-26 clsd until June 1966.

#### MONTANA

- BILLINGS, LOGAN FLD: Rnwy 27 threshold displaced 1000' during dalgt hrs. 8100' avbl lndg rnwy 9 at all times. 7600' avbl lndg rnwy 27 during dalgt hrs and 8600' at ngt. Full 8600' avbl tkofs both directions day and ngt. (1-20)
- GREAT FALLS ARTCC (NOTIP): En route radar service except radar weather advisory service is available

throughout the enlarged Great Falls ARTCC (NOTIP) area Due to equipment characteristics radar weather advisory service cannot be provided in this area nor on J107 from the Centers eastern boundary to the Canadian border where civil turbojet radar advisory service is being provided by Great Falls ARTCC/NOTIP. VFR service in the Kalispell, Montana area is available through use of the ARTCC freq 120.4 mc. VFR flights in the Kalispell area call 'Great Falls Center—VFR Service'. Further information is contained in a letter to Airmen that has been distributed in the area.

KALISPELL RDO: Comsng of VOR postponed until Feb 1. (12-23)

MISSOULA COUNTY ARPT: Rnwy 7-25 E 2534' clsd until aprxly July 1, 1966.

WEST YELLOWSTONE ARPT: Unattended and without lgtg until aprxly May 10, 1966.

#### **NEBRASKA**

GRAND ISLAND: Cornhusker Ordnance demolition firing in progress at lat 40° 56′50′′N, long 98°31′15′′W; 10 mi WSW Grand Island Mun Arpt. Surface to 1000′ AGL Mon-Fri 1400-2230Z until further notice.

LINCOLN MUNI/AFB ARPT: Freqs 123.7/119.8 mc and ASR decomsng postponed til aprxly Mar 15. (1-20)

# **NEVADA**

COALDALE RDO: VORTAC will be shut down Mar 7 til aprxly Mar 11 for antenna replacement.

✓LAS VEGAS, THUNDERBIRD, ARPT: Name changed

to Las Vegas Air Trml. § (1–20)

#### NEW HAMPSHIRE

KEENE RDO: RBn shut down for relctn til aprxly Feb 1.

#### NEW JERSEY

ATLANTIC CITY NAFEC/ATLANTIC CITY (PO-MONA) ARPT TWR: Experimental DME rowy 13 ILS openg channel 30, freq 991 mc ident: XAB. Comments requested.

BELMAR, MONMOUTH COUNTY ARPT: Rotating bcn destroyed. (1-20)

OCEAN CITY MUNI ARPT: Rnwy lgts inop UFN. (1-20)

TRENTON, MERCER COUNTY ARPT: About Feb 1, 1500' apch lgtg sys with sequenced flashg lgts will be comsnd. (1-6)

#### NEW YORK

BUFFALO ARPK: N/S rnwy clsd til aprxly Apr. 1. (12-23)

HORNELL MUNI ARPT: Maintain 2500' MSL at ngt until within 1.5SM on final apch to lgtd rnwy.

NEW YORK, JOHN F. KENNEDY INTL AIRPORT: Rnwy 13L clsd to Indgs avbl for tkofs from txwy A. Tkofs restricted to single and twin engine prop acft only until Feb 1966.

NEW YORK JOHN F. KENNEDY INTL TOWER: The flwg pre-taxi clearance procedures are in effect:

1. Initial call-up to the tower will be on Clearance

Delivery, frequency, 121.65 mcs. This call shall be made a maximum of ten (10) minutes prior to estimated taxi time. IFR clearance and departure runway currently in use shall be issued at this time. Time and altimeter setting will be issued to all itinerant departures and to scheduled air carriers when requested.

- 2. Additional information shall also be issued at the time of clearance delivery. This information shall consist of only that which will concern the departure aircraft. An example of this would be an advisory that departure delays are twenty (20) minutes and that turbojet aircraft should contact Ground Control prior to starting engines.
- 3. After clearance is received, aircraft shall return to normal frequency use, i.e., contacting Ground Control on 121.9 mcs., when ready to taxi. Pilots need not inform Ground Control of receipt of clearance. As heretofore, aircraft will become part of the departure sequence only after informing Ground Control they are ready to taxi.
- 4. If an IFR clearance is not available prior to the time a flight is ready to taxi, the pilot will be changed to Ground Control and issued taxi clearance and later changed to C'earance Delivery for an IFR clearance.
- 5. If aircraft make initial call-up on Ground Control frequency, they will be given clearance to taxi as heretofore, and later changed to Clearance Delivery for their IFR clearance. No aircraft shall receive additional delay because of non-participation in this program.
- 6. In the event a flight is delayed by its company or other unanticipated circumstances after the IFR clearance has been issued, the pilot shall inform the Clearance Delivery Controller of the delay, and shortly prior to taxing out, re-affirm that the clearance and information is still valid.
- NEW YORK, LA GUARDIA ARPT: Rnwy 4-22 usable length 5000 x 150'. A "pre-taxi" Clearance program is in effect. All IFR dptrs are requested to ctc LaGuardia clearance delivery on 126.15 mc for IFR clearance. This call should be made not more than 10 minutes prior to taxi time. Rnwy 13 VASI shut down til aprxly Apr 15, 1966 due rnwy constrn.
- NEW YORK, LA GUARDIA ARPT: Due construenwy 13 tkof length 5896' after 2300 to 0700 lcl time tkof length 5000'. Rnwy 31 tkof length 5000', lndg 5813'; after 2300 to 0700 lcl time, lndg length 5000'. Rnwy 4-22 clsd 2300-0700 lcl time weapermitting construently Feb 24. Rnwy 22 clsd lndg; rnwy 4 clsd tkof 0700-2300 lcl time. Rnwy 22 REIL removed UFN.
- NIAGARA FALLS ARPT: Rnwy 6 usable 4000'.

  Threshold displaced first 1000' from 1300 to 2130 daily.

  (1-20)
- ORCHARD PARK ARPT: Clad til aprxly May 1. (12-23)
- WURTSBORO ARPT: All rnwys excp 5-23 clsd til aprxly Apr 1. Constrn. (12-23)

#### NORTH CAROLINA

ELIZABETH CITY MUNI ARPT: Due to heavy VFR GCA tfc Indg rnwy 10 at the U.S. Coast Guard Station, it is recommended that all tfc Indg at the Elizabeth City Mun arpt contact Elizabeth City Coast Guard twr

on 126.2 mc for tfc information. Acft without radio enter 500' pattern from the west.

MADISON, MAYO ARPT: Clsd til aprxly Feb 1.

#### NORTH DAKOTA

ASHLEY MUNI ARPT: Delete # symbol. (1-20)

FARGO RDO: DME inop. (1-20)

NEWTOWN ARPT: New arpt clsd; under constr.

WASHBURN MUNI ARPT: All lgtg facils inop til ap-

proximately May 1. (1-20)

# OHIO

CHARDON ARPT: Clad til late apring - soft turf areas. (1-20)

OINCINNATI: Moored mrkd balloon will be flown day or ngt up to an alt 1500' MSL. Site of operns 7½ mi NE Greater Cincinnati Arpt and 6½ mi W Lunken Arpt. Balloon will be tethered aprxly ½ mi W of Cincinnati Union Trmi Bldg.

COLUMBUS MUNI ARPT: ASR apchs unavbl until aprxly June 1966.

COLUMBUS, OHIO STATE UNIVERSITY ARPT: Constrn SE end rnwy 5 until fall 1966.

TOLEDO-EXPRESS ARPT: Constru on rnwy 16-34 until Feb 1.

#### OREGON

INDEPENDENCE, MONMOUTH ARPT: Name

changed to Independence Arpt. (1-20)

NORTH BEND ARPT: About 12 nmi NNE a moored aluminum colored V shaped balloon 75' long, approximately 40' diameter being used in logging operns during dalgt hrs, maximum alt 1000' MSL. During hrs darkness will be lowered to 100' AGL.

NORTH POWDER, DUNROAMIN ARPT: Name changed to North Powder, Pratt Ranch Arpt. (1-20)

#### PENNSYLVANIA

CULMERVILLE ARPT: Clad to all transient acft until aprxly Jan. 1967 due to banner towing.

HANOVER, I)EVENER ARPT: Clsd until aprxly Apr. 1. (12-23)

MONROEVILLE, PITTSBURGH-MONROEVILLE

ARPT: No service facils avbl. (1-20)

PUNXSUTAWNEY MUNI ARPT: E/W rnwy clsd UFN construction. (1-20)

WILKES-BARRE RDO: Limited comms exist E of Thornhurst VORTAC below 8000' from Tannersville VOR to Wilkes-Barre VOR. All acft in this area tsmt 122.1 rcv Huguenot, N.Y.-Thornhurst-Wilkes-Barre.

#### SOUTH CAROLINA

BEAUFORT COUNTY ARPT: Delete § symbol. (1-20)

COLUMBIA RDO: VORTAC and all enroute comms inop indefinitely.

# SOUTH DAKOTA

BRITTON MUNI ARPT: Arpt clsd for rnwy construentil aprxly Apr 1, 1966. (12-23)

SIOUX FALLS, FOSS FLD: First 300' rnwy 27 unusable for tkof. Usable length 5392' UFN.

#### **TENNESSEE**

MILLINGTON MUNI ARPT: Name changed to Mill-

ington, Shelby County Arpt. (1-20)

NASHVILLE, CUMBERLAND FLD: Hvy equipment crossing S end rnwy dalgt hrs Mon-Sat noon. (1-8)

#### TEXAS

BORGER, HUTCHINSON COUNTY ARPT: Open to lgt acft only. Rnwy 3-21 being extended 300' SW end; 800' NE end. Rnwy 17-35 being extended 1500' N end. Work in progress til aprxly Feb 1, 1966.

BRACKETTVILLE, FORT CLARK RANCH ARPT:

Rnwy 8-26 permly clsd. (1-20)

BROWNSVILLE, RIO GRANDE VALLEY INTL ARPT:

Rnwy 13R-31L clad til aprxly Jan 31. Constrn at SE end. Lgt acft may land 13R (SE) during dalgt hrs. No lgts rnwys 13R-31L and 8-26 UFN. (1-20)

CLEAR SPRING ARPT: Civil acft requiring use of this fld when military acft are in the tfc patn, should fly a rectangular patn with turns in the opposite direction from the military patn and rock wings on downwind. Patn should be flown at 1200' MSL until military tfc is clear. Use rnwys only for Indgs. Rnwy 13-31 clsd ufn.

DALLAS, HIGHLAND PARK ARPT: Hvy road equipment opens N end N/S rnwy til aprxly March, 1966.

EL PASO, SUNLAND ARPK: Rnwy 10-28 extended 500' on W end and 1500' on E end. New dimensions

5744'. Paving to be completed aprxly Feb. 1. (1-20) HOUSTON INTERCONTINENTAL ARPT: New arpt under constr about 15 mi N. Clsd to all act opens.

JOHNSON CITY ARPT TWR: Mobile twr utilizing freqs 236.6, 243.0, 126.2, 121.5 caretake status except as notamed weather and altimeter setting avbl when twr is in opern.

SEQUIN, NAVION FLD: 75' boom unlgtd 600' from end rnwy 30. (1-8)

TEMPLE, DRAUGHON MILLER MUNI ARPT: Rnwy 11-29 clsd UFN. (1-6)

# UTAH

BONNEVILLE RDO: About Feb 7, VORTAC will be shutdown til aprxly Feb 11, for mod.

FLAMING GORGE DAM SITE: Cables and pwr lines suspended from 2 twrs on W side to one twr on E side of canyon across Green River aprxly 100' higher than canyon rim.

#### **VERMONT**

VERMONT: The flwg arpts will be plowed and open winter months: Enosburg Falls, and St. Johnsbury Muni.

✓HARTFORD: Awy ben site #11 (B-M) decrised.

(1-20)

WARREN ARPT: Clsd winters. (1-20)

#### VIRGINIA

LAWRENCEVILLE MUNI ARPT: Rnwy 6-24 clsd construction on extreme N end rnwy 18-36 til aprxly Jan 21

**FLOANOKE MUNI (WOODRUM) FLD:** Name changed to Roanoke Muni Arpt. (1-20)

# WASHINGTON

- BELLINGHAM RDO: About Feb 2, LFR and Z mrkr will be decreased. (12-23)
- BELLINGHAM VOR: VOR may be shut down for short periods during conversion to VORTAC. (12-23)
- BELLINGHAM MUNI ARPT: Rnwy 12-30 clsd all ngt operns. (1-6)
- **VEASTON STATE EMERGENCY FLD:** Delete \$ symbol. (1-20)
- EVERETT, PAINE FLD: Twr unable to observe portion of rnwy 34 starting 1000' from approach end and extending for aprxly 2000' due to construction on fld UFN.
- VASON CREEK STATE EMERGENCY FLD: Clad

Nov-May annually. (1-20)

SEATTLE RDO: About Feb 2, Rbn will be comsnd. Freq: 362 kc. Ident: SEA. Lctd lat 47°29'37.8", long 122°15'06.8". Class: SABH. LFR and Z mrkr will be decmsnd. (12-23)

- SEATTLE, TACOMA INTL ARPT: ILS (rnwy 16) LMM freq will be changed to 260 kc LOM freq will be changed to 281 kc about Jan 24, 1966. (12-28)
- TACOMA INDUSTRIAL ARPT: Use rnwys and txwys only. Men and equip on fld 0800-1700 Mon thru Fri UFN. Ctc McChord RAPCON on 120.1 mc for IFR clearance.

#### WISCONSIN

CHETEK ARPT: Rnwy lgts inop til spring. Skis only. (1-20)

KENOSHA MUNI ARPT: Add | symbol. (1-20)

in 10 mi above 7000' MSL. DME not authorized on fit procedures associated with VOR; not co-lctd with VOR. (1-20)

✓PALMYRA ARPT: Delete | symbol (1-20)

SPOONER MUNI ARPT: Clad til aprxly May 1. (12-23)

AIM-Jan. 20, 1966

# SPECIAL NOTICE

# ABBREVIATED IFR DEPARTURE CLEARANCE PROGRAM

Effective April 16, 1966 Phase I of a standard abbreviated IFR departure clearance program will be implemented. To afford Air Traffic Control (ATC) facilities, and users an opportunity to gain experience and to make any necessary adjustments, the program will be implemented in three phases: Phase I—air carrier operations; Phase II—air carrier and military operations; Phase III—all type of operations.

ATC facilities will issue an abbreviated IFR departure based on the route flied in the IFR Flight Plan, provided the flied route can be approved with little or no revision. Its application will be based on the following:

- a. It is expected that pilots will have a copy of the flight plan or that his company will provide the information on the clearance sheet or in his flight papers.
- b. Pilots will not accept an abbreviated clearance if the flight plan filed with ATC has been changed by him before departure
- c. Controllers will not issue an abbreviated clearance if he is aware that the filed flight plan is subsequently changed by the pilot.
- d. The clearance as issued will be considered as a clearance to the destination airport filed in the flight plan.
- e. The assigned en route altitude/flight level will be stated in the clearance.
- f. Abbreviated clearances will not be used with stored flight plans having prescribed waiting periods until the time specified has elapsed.
- g. To clear a departing aircraft via the route filed, the controller will state "CLEAR AS FILED, MAINTAIN (altitude/flight level)" and if required any additional departure instructions/information.
- h. A specific SID as filed by the pilot will be considered as part of the flight plan. If a SID has not been filed, ATC may specify a SID (including transition, if necessary) to air carrier or military whenever appropriate.

#### Example

(ident) CLEARED AS FILED, MAINTAIN (altitude/flight level) and if required additional departure instructions/information.

OL

(ident) CLEARED AS FILED, MAINTAIN (altitude/

flight level) DUTCH ONE DEPARTURE, and, if required, additional departure instructions/ information.

i. If it becomes necessary for the controller to clear a departing aircraft via a route which differs from that filed, the controller may issue approval of the flight plan to destination airport, plus the changed portion by stating "CLEARED AS FILED EXCEPT CHANGE (portion of route) TO READ (amended route) MAINTAIN (altitude/flight level) and, if required, any additional departure instructions/information.

#### Example

'(ident) CLEARED AS FILED EXCEPT CHANGE ROUTE J 87 TO READ J 64, MAINTAIN (altitude/flight level) and, if required, additional departure instructions/information.

(ident) CLEARED AS FILED, EXCEPT CHANGE DUTCH ONE DEPARTURE TO READ SOUTH ISLAND TWO DEPARTURE, MAINTAIN (altitude/flight level) and, if required, additional departure instructions/information.

J. ATC WILL ISSUE A DETAILED CLEARANCE, WHEN REQUESTED BY THE PILOT.

To ensure the success of the program, consistency of operation and accurate relay of information between pilot and controller, pilots should:

- a. Include specific SID/transitions and preferred routes in flight plans whenever such routes meet your needs.
- b. If possible, prior to departure, avoid making changes to a flight plan which has been filed with ATC. Request desired changes after departure when in direct communications with the appropriate ATC facility.
- c Request route/altitude verification or clarification from ATC if any portion of clearance is not clearly understood.
- d. Use the following procedure and pharseology in initial radio communication with the ATC facility:

State aircraft identification, location, type of operation planned (IFR), and the point of first intended landing.

#### Example

O'HARE GROUND CONTROL, THIS IS AMERICAN ONE TWENTY-THREE, AT GATE 18, READY TO TAXI, IFR TO LOS ANGELES.

# AIRMAN'S INFORMATION MANUAL NOTICES TO AIRMEN

SECTION III A



EFFECTIVE 0501Z 17 FEBRUARY 1966
To 0501Z 3 MARCH 1966

FEDERAL AVIATION AGENCY

AIM-Feb. 17, 1966

# Section III-A-NOTICES TO AIRMEN

This section is issued every 14 days and is primarily designed to supplement Section III of the AIM. It contains appropriate notices from the daily NOTAM Summary, Airmen Advisories, new or revised Oil Burner Routes and other items considered essential to flight safety.

NOTE: Data preceded by a checkmark (\*) are considered permanent and will usually be cited only once. Such information should be noted on charts and records. Temperary information is normally carried twice unless re-submitted.

NOTE: Data are arranged in alphabetical order by State (and within the State by City or locality).

NEW OR REVISED DATA: New or revised data are indicated by underlining the first line of the affected item. The new information is not necessarily limited to the underlined portion, which is used only to attract attention to the new insert.

#### ALABAMA

BRANTLEY MUNI ARPT: Clad until July 1966. BREWTON MUNI ARPT: Add symbol §.

FORT MORGAN ARPT: 109' (125' MSL) twr lctd aprxly 500' W of W end of E/W paved rnwy in line 8 edge of rnwy. (2-17)

HUNTSVILLE, MADISON COUNTY ARPT: New arpt under constr 10 miles W until aprxly Nov 1966. Not to be used by acft. (12-23)

ST. ELMO ARPT: 1800' SW end of NE/SW rnwy unusable. (2-17)

SELMA, SELFIELD ARPT: Rnwy 18-36 clsd until aprxly July 1966. VFR acft ctc Craig Twr on 126.2 for tfc and indg advisories.

#### ARIZONA

MARICOPA: CAUTION—DO NOT MISTAKE FOR LANDING AREA. Space Surveillance Stn at lat 33°06'81", long 112°01'46" aprxly 4 mi N. 1200' W and parallel to hwy. Site is strip 300' x 1800' with paved portion lengthwise thru cntr 100' in width and studded with 6' steel posts. This permanent hazard lctd 22 nmi 8 Phoenix-Sky Harbor Arpt.

PHOENIX, SKY HARBOR MUNI ARPT: Const E area rnwy 8R-26L. Only 7700' avbl lndg day and ngt. 8850' avbl tkof days. (2-17)

# **ARKANSAS**

CROSETT MUNI ARPT: Constr on apch end rnwy 23, threshold lgts inop until aprxly April 1966.

HOPE MUNI ARPT: Rnwy 10-28 clsd UFN. (2-17)

MENA MUNI ARPT: All fld lgtg inop aprxly May 1, 1966. (2-17)

RUSSELLVILLE RDO: ARSR comend. (2-17)

TEXARKANA MUN ARPT: Daily demolition activity, lctd aprxly 18 mi W, Mon thru Fri from 1200 CST to 1830 CST and 1500 CST to 1615 CST. Shrapnel and shock waves up to 3000'.

WYNNE, BURNETTE ARPT: Closed until 1 Mar. (1-20)

#### CALIFORNIA

ARCATA-EUREKA ARPT: Feb 17, ILS will be shutdown until aprxly Mar 4 for rehabilitation purposes. (2-17)

BAKER ARPT: Clsd for repairs until April 1, 1966. NEEDLES MUNI ARPT: Lgts inop.

OCEANO-COUNTY ARPT: Constr in progress in an area 450' SW of rnwy entrline until aprxly July 1966.

PLACERVILLE · ARPT: Rnwy 18-36 clsd until aprxly May 15, 1966. (2-17)

SAN DIEGO, BROWN FLD MUNI ARPT: Use main rnwy 8-26 only. (2-3)

SAN DIEGO, MONTGOMERY FLD: Rnwy 5-23 clad to all ngt operns until aprxly Feb 17, 1966.

SAN JUAN CAPISTRANO, CAPISTRANO ARPT: Constr in progress until aprxly April 1966.

SANTA BARBARA MUNI ARPT: RVR rnwy 7 comsnd. (2-17)

# **COLORADO**

COLORADO: Add § symbol to the following airports:

Broomfield, Jefferson Co, Boulder Muni; Sterling,
Crosson Fld. Delete § symbol from the following airports: Fort Collins, Christman Fld; Hugo Muni and Limon Muni.

DENVER, STAPLETON INTL ARPT: Rnwy 17-35 will be clsd for maintenance every Monday between 1530–1730Z until Feb 27.

LAKE CITY, V.C. AIRSTRIP: Closed winter months.

TRINDAD RDO: VHF/DF unusable beyond 40 nmi
below 8000' MSL 280-120°, 9000' MSL 120-135°, 15,000'
MSL 135-175°, 17,500' MSL 175-220°, 14,500' 220-280°
acct reduced coverage. (2-17)

#### CONNECTICUT

MARLBORO, LESNEWSKI FLD: Clsd until June 1 due snow and spring thaw. (2-17)

#### DISTRICT OF COLUMBIA

WASHINGTON: Warning—all flights must avoid the Washington Prohibited Area P-56. See Washington, D.C. chart under Special Notices—Area in Section III for location.

WASHINGTON NATL ARPT: Foreign Clearance Base. Clsd all military acft except: (a) acft carrying

VIP or officers above rank of Major General or Rear Admiral (b) CG logistic support flights cleared with Comdt. CG. General Aviation acft use General Aviation Terminal. Limited parking for all types of acft. During heavy tfc periods, pilots may be required to proceed to another airport for parking after passenger deplaning. Special Air Traffic Rules, Part 93, Subpart C, In effect.

WASHINGTON NATIONAL ARPT: JET POLICY FOR WASHINGTON NATIONAL ARPT: Except under emgcy conditions, only those jet acft meeting the following criteria can be accommodated: A. Approved types of jet acft of short or medium range engaged in Government, corporate, private charter or rental type operations and intending to use Government or General Aviation ground service facilities. B. Currently approved types of jet acft are as follows: 1. Jetstar (C-140), 2. Sabreliner (T-39), 3. Morane Saulnier, 4. Jet Commander (Aero Commander), 5. Learjet Model 23 (Lear Jet Co.), 6. Hawker Siddeley DH-125, 7. Mc-Donnell Model 220. 8. Fan Jet Falcon C. Jet acft of short or medium range not listed above must secure advance authorization from the Airport Manager 48 hours prior to planned arrival time.

#### **FLORIDA**

TRIPS TO HAITI, PUERTO RICO AND DOMINICAN REPUBLIC NOTICE: HAITI, private acft landing or overflying Haiti must furnish 48 hours advance notice and a flight plan must be filed. Pilots planning to fly between the mainland and PUERTO RICO should plan their route to avoid unscheduled emergency fuel stops. Pilots planning to fly to the DOMINICAN REPUBLIC should refer to the International Flight Information Manual for complete details.

fic procedure in effect Feb 27, 1966 0730 to 1230 EST due to auto races. VFR arrivals report Daytona Beach Arrival Control 20 miles out. When inbound on heading of 090° thru 269°, use 119.7 mc—278° thru 089° use 118.1 mc. If transmitting 122.5 mc only, advise listening frequency. When established on downwind leg advise Daytona Beach tower on 120.7, 122.5 mc, with aircraft type and identification. Aircraft are requested to maintain a pattern close to airport boundary. Except for landing and tkoff, no aircraft are permitted within 5 miles of Daytona Beach auto race track below 2000'.

I)ELAND MUNI ARPT: Feb 17-26, 1966 rnwys 18-36, 12-30 and 8-26 will be clsd. Rnwy 5-23 will remain open at all times. (2-3)

MIAMI INTL ARPT: The following pre-taxi clearance procedures are in effect: Contact Miami Clearance Delivery on 127.5 mcs prior to taxling. IFR clearance and other required departure information will be issued at this time. Clearance Delivery should also be contacted for routine departure information and when weather conditions indicate that departure relays can be anticipated. After clearance is received, acft shall return to Ground Control freq 121.8 mcs when ready to taxi. If initial call-up is made to Ground Control the acft will be given taxi clearance and switched to Clearance Delivery when tfc permits. Pilots are requested to remain on Ground Control freq while taxing until advised to switch to Tower or Clearance Delivery by Ground Control. (12-23)

WEST PALM BEACH, PALM BEACH INTL ARPT: Lgtd 80' boom pile driver openg 1200' N apch end rnwy 27 until aprxly Dec 1, 1966. (1-6)

#### **GEORGIA**

ATLANTA, DEKALB-PEACHTREE ARPT: Tmpry ctl twr transmitting and receiving on 121.3, 121.7 and receiving only on 122.5 until aprxly May 15. (1-20) THOMASVILLE MUNI ARPT Rnwy 4-22 clsd resurfacing. (1-20)

# IDAHO

McCALL ARPT: Rnwy and txwy lgts inop until aprxly June 1, 1966. (1-6)

SALMON RDO: VFR flights in the Salmon area may contact Salmon rdo on 123.6mc for flight assistance service. Calls will be answered from Salt Lake City FSS through the Salmon RCAG site. (1-20)

#### ILLINOIS

CHICAGO, O'HARE INTL ARPT: REIL rnwy 82R resumed opern. (2-17)

CHICAGO-O'HARE INTL ARPT TWR: Beginning at 0600 Z December 1, 1965, tower will conduct a 90 day evaluation of Pre-Taxi Clearance procedures for all IFR departures. (1) Initial call-up to the tower will be on clearance delivery freq 121.6 mc. This call shall be made a maximum of ten minutes prior to estimated taxi time. IFR clearance and any other information pertinent to the individual departing aircraft shall be issued at this time. (2) After the IFR clearance is received, the pilot shall follow the normal procedure of contacting ground control for taxi clearance. (8) When contacing ground control, the pilot shall state the name of the first fix or airway of his enroute clearance, and that he has the ATIS information i.e. "N28M taxi clearance Peotone have Bravo information" or, "N28M taxi clearance Victor 144 have Bravo information." (4) In the event a pilot is unable to make initial call up on clearance delivery frequency, he shall so advise ground control when requesting taxi clearance.

SPRINGFIELI) RIXO: Rbn will be decmand aprxly Mar 3.

#### INDIANA

EVANSVILLE, DRESS MEML ARPT: NE end rnwy 3-21 under constr until aprxly July 1966.

on request only. Arpt clad to all ngt operns without prior permission. (2-17)

parallel taxi strip open full 10,000'. ILS touchdown point rnwy 4 is aprxly 3100' NE of SW end. Obstns: 21'lgtd pole 1350' and 92' high trees 3000' off apch end of rnwy 4. (2-17)

# **IOWA**

CHARLES CITY MUNI ARPT: Add symbol \$.

VESTHERVILLE MUNI ARPT: Add symbol \$.

WASHINGTON MUNI ARPT: Rnwy lgts inop UFN.

(2-17)

SIOUX CITY RDO: Feb 14, VORTAC will be shutdown until aprxly Feb 18. (2-3)

#### KANSAS

GOODLAND MUNI ARPT: Rnwy 8-26 and 1000' extension to SE end rnwy 13-31 clsd June 1.

JOHNSON ARPT: Change name of airport to Plummer Arpt.

OLATHE CITY ARPT: NW/SE rnwy clsd for repairs until aprxly Feb 1966.

#### **KENTUCKY**

departure from rnwy 26. Tmpry p-line crossing apch end rnwy 26. (2-17)

YORK RDO: About Feb 24, VOR will be shutdown until aprxly Feb 26 for maintenance.

#### LOUISIANA

NEW ORLEANS LAKEFRONT ARPT: Rnwy 4-22 clsd intermittently aprxly April 28, 1966 due constr. (12-23)

#### MAINE

MAINE: The following airports are closed winter months: Enfield, Sylvan Lane; Eastport Muni, Jonesboro, Drisko's; Lubec.

BAR HARBOR ARPT: Rnwy 4-22 and S end rnwy 17-35 plowed 3400' to intersection. (2-17)

BLUE HILL ARPT: Closed winter months. (12-23)

MILLINOCKET MUNI ARPT: Rnwy 16-34 suitable for ski operns only. Acft using rnwys 16-34 and 11-29 not visible to each other until apchg intersection. (1-20)

OLD TOWN MUNI ARPT: Acft using rnwys 4-22 and 15-33 not visible to each other until apchg intersection. PRINCETON ARPT: Rnwy 6-24 not plowed winter

months. (2-17)

ROCKLAND MUNI ARPT: No lgts available winter months. (2-17)

YORK ARPT: Closed until April 1966. (1-6)

#### MARYLAND

SALTIMORE, FRIENDSHIP INTL ARPT TWR: ASR shutdown intermittently until aprxly Feb 20. (2-17)

GAITHERBURG, MONTGOMERY COUNTY ARPT:

Add & symbol.

LAUREL, SUBURBAN ARPT: Rotary wing acft must conform to normal tfc paths and hover over paved portions only.

PARK HALL ARPT: Flight in Restricted Area R-4007 authorized only within one mi radius of arpt and in one mi wide corridor 242° (M) from the arpt at and below 1200'.

PINEY POINT ARPT: Flight in Restricted Area R-4007 authorized only within one mi radius of arpt and in one mi wide corridor 347° (M) from the arpt at and below 1200'.

TOWSON: 10' balloon ascending 1000' per minute. 1400 to 2400 GMT daily.

#### **MASSACHUSETTS**

SPECIAL NOTICE: Field conditions for all arpts avbl through the nearest Massachusetts State Police Hdqtrs.

SPECIAL NOTICE: VFR wea warning signs installed arpt ramp areas at number of Cape Cod and bordering Island lctns. Plymouth, Mass. Weather warning sign operg during hrs arpt. Signs function with associated flashg lgt during periods where wea is forecast or actually goes below VFR minimums. Sign and lgt sys operns at Chatham and Martha's Vineyard during hrs arpt attended. At Hyannis, New Bedford and Nantucket 24 hrs daily.

BEDFORD, LAURENCE G. HANSCOM FLD: Moored balloon 5 NM SW of fld, 3000' AGL hoisted hourly during VFR conditions daigt hrs. Cable marked with small balloons. (12-23)

ORANGE MUNI ARPT: Rnwy 13-31 normally plowed and available winter months. Ctc unicom for fid conditions until aprxly March 23, 1986. (2-3)

WESTFIELD, BARNES ARPT: Rnwy 9-27 clsd.

#### MICHIGAN

DRUMMOND ISLAND ARPT: Daily blasting in limestone quarry between 1200-1800 EST within 1 mi radius of lat 45°58'00"N long 83°47'30"W aprxly 3.5 mi SSW, fragments reaching altitude 1500 AGL 2300 MSL.

MARQUETTE CO. ARPT: About 17.5 ml WSW blasting in the Republic and Humboldt areas Mon-Fri from 2045 to 2145Z. Danger area extending 1000' AGL. About 5.2 ml SSW intermittent blasting in Palmer area. Danger area extending 1000' AGL.

MENOMINEE ARPT: REIL inop. (2-17)

MUNSING, HANLEY FLD: Clsd for winter months. (12-23)

SAULT STE. MARIE: Daily blasting excp Sun btn hrs of 1500-1630 CST in limestone quarry within a 1 mi radius of lat 46°04'N, long 84°18'W, 13 mi SE of Kincheloe AFB. Fragments reaching alt of aprxly 2200'. AGL (3000' MSL.)

#### MINNESOTA

BEMJDJI MUNI ARPT: Rnwy 7-25 skils only. (12-23) EVELETH-VIRGINIA MUNI ARPT: Rnwys 14-32 and 5-23 clsd during winter months. Rnwy 9-27 open to all acft.

EVELETH-VIRGINIA ARPT: Extsv blasting being conducted in mine pits in area 2 mi either side of a line from Aurona, Minn., to a point 4 mi SE of Babbitt, also extensive blasting being conducted in mine pits in an area 4 to 8 miles WNW of Virginia. Ctc Hibbing FSS for blasting schedule.

HIBBING, CHISHOLM-HIBBING ARPT: Rnwy 4-22 clsd winters. Unscheduled blasting in open pit mines will be conducted 7 days a week during dalgt hrs in area 3 miles E to W and 1 mi N to 8 lctd 1 mi N of Mountain Iron, Minn., or about 15 miles NE of arpt. Blasting to continue til about May 1, 1966.

MORA MUNI ARPT: Rnwy 11-29 clad due constr until spring.

REDWOOD FALLS RDO: Mar 7, VOR will be shut-down aprxly Mar 11 for mod.

SANDSTONE MUNI ARPT: Skis only. (1-20)

WHITE BEAR LAKE, NORTHPORT ARPT: Skils

winter months. (2-17)

# MISSISSIPPI

GULFPORT RDO: Feb 7, VORTAC will be shutdown until aprxly Feb 18. (2-3)

HATTIESBURG MUNI ARPT: Rnwys 13-31 and 8-26 clsd until June 1966.

#### MONTANA

BUTTE, SILVER BOW COUNTY ARPT: Rnwy lgts rnwy 2-20 inop until aprxly July 1968. (2-17)

GREAT FALLS ARTCC (NOTIP): En route radar service except radar weather advisory service is available throughout the enlarged Great Falls ARTCC (NOTIP) area Due to equipment characteristics radar weather advisory service cannot be provided in this area nor on J107 from the Centers eastern boundary to the Canadian border where civil turbojet radar advisory service is being provided by Great Falls ARTCC/NOTIP. VFR service in the Kalispell, Montana area is available through use of the ARTCC freq 120.4 mc. VFR flights in the Kalispell area call 'Great Falls Center—VFR Service'. Further information is contained in a letter to Airmen that has been distributed in the area.

LIVINGSTON, MISSION FLD: First 1200' rnwy 32 clsd

until aprxly July 15, 1966.

MISSOULA COUNTY ARPT: Rnwy 7-25 E 2534' clsd until aprxly July 1, 1966.

WEST YELLOWSTONE ARPT: Unattended and without lgtg until aprxly May 10, 1966.

#### NEBRASKA

GRAND ISLAND: Cornhusker Ordnance demolition firing in progress at lat 40° 56′50′′N, long 98°31′15′′W; 10 mi WSW Grand Island Mun Arpt. Surface to 1000′ AGL Mon-Fri 1400-2230Z until further notice.

HUMBOLDT MUNI ARPT: All Indg area lgts inop UFN. (2-3)

SCOTTSBLUFF MUNI ARPT: Rnwy 17-35 clsd. (2-17)

#### NEVADA

COALDALE RDO: VORTAC will be shut down Mar 7 til aprxly Mar 11 for antenna replacement.

LAS VEGAS AIR TRML: Rotating ben inop til aprxly
Mar 15. (2-17)

SEARCHLIGHT ARPT: Arpt avbl for emgcy use only for acft over 10,000 lbs. (2-17)

#### NEW HAMPSHIRE

LANCASTER, GRABOR ARPT: Clsd UFN—constrn. (2-17)

NORTH CONWAY, WHITE MOUNTAIN ARPT: Unattended winters; skills only. (2-17)

✓LEBANON, REGIONAL ARPT: Add § symbol.

# NEW JERSEY

ATLANTIC CITY NAFEC/ATLANTIC CITY (PO-MONA) ARPT TWR: Experimental DME rnwy 13 ILS operg channel 30, freq 991 mc ident: XAB. Comments requested.

OCEAN CITY MUNI ARPT: Open dalgt operns only. No refueling or other services available due constr UFN.

#### NEW MEXICO

ESPANOLA VALLEY ARPT: Name changed to Esplanola Muni Arpt. (2-17)

JGALLUP, McKINLEY COUNTY ARPT: Name changed to Gallup, Senator Clarke Fld. (2-17)

#### NEW YORK

BALLSTON SPA MUNI ARPT: Rnwy 5-28 clad for

winter. (2-17)

BINGHAMPTON, BROOME COUNTY ARPT: Obstn lgts

on 2549' twr 9 mi SW inop. (2–17)

BUFFALO ARPK: Add & symbol.

BUFFALO ARPK: N/S rnwy clsd til aprxly Apr. 1. (12-23)

HORNELL MUNI ARPT: Maintain 2500' MSL at ngt until within 1.5SM on final apch to lgtd rnwy.

MILLBROOK, SKY ACRES ARPT: Ctc arpt prior to lndg on unicom. Constrn N end rnwy. (2-17)

NEW YORK JOHN F. KENNEDY INTL ARPT: Two tmpry groups lead in lgts associated with rnwy 13L-31R low intensity lgt shutdown UFN. Tmpry groups consists of 3 flashing white lgts btn 1st and 2nd and 2nd and 3rd perm groups. (2-17)

NEW YORK, JOHN F. KENNEDY INTL AIRPORT: Rnwy 13L clsd to lndgs avbl for tkofs from txwy A. Tkofs restricted to single and twin engine prop acft only until Feb 1966.

NEW YORK JOHN F. KENNEDY INTL TOWER:
The flwg pre-taxi clearance procedures are in effect:
1. Initial call-up to the tower will be on Clearance
Delivery, frequency, 121.65 mcs. This call shall be
made a maximum of ten (10) minutes prior to estimated taxi time. IFR clearance and departure runway
currently in use shall be issued at this time. Time and
altimeter setting will be issued to all itinerant departures and to scheduled air carriers when requested.

- 2. Additional information shall also be issued at the time of clearance delivery. This information shall consist of only that which will concern the departure aircraft. An example of this would be an advisory that departure delays are twenty (20) minutes and that turbojet aircraft should contact Ground Control prior to starting engines.
- 3. After clearance is received, aircraft shall return to normal frequency use, i.e., contacting Ground Control on 121.9 mcs., when ready to taxi. Pilots need not inform Ground Control of receipt of clearance. As heretofore, aircraft will become part of the departure sequence only after informing Ground Control they are ready to taxi.
- 4. If an IFR clearance is not available prior to the time a flight is ready to taxi, the pilot will be changed to Ground Control and issued taxi clearance and later changed to Clearance Delivery for an IFR clearance.
- 5. If aircraft make initial call-up on Ground Control frequency, they will be given clearance to taxi as heretofore, and later changed to Clearance Delivery for their IFR clearance. No aircraft shall receive additional delay because of non-participation in this program.
- 6. In the event a flight is delayed by its company or other unanticipated circumstances after the IFR clearance has been issued, the pilot shall inform the Clearance Delivery Controller of the delay, and shortly prior

to taxing out, re-affirm that the clearance and information is still valid.

NEW YORK, LA GUARDIA ARPT: A "pre-taxi" clearance program is in effect. All IFR dptrs are requested to ctc LaGuardia clearance delivery on 126.15 mc for IFR clearance. This call should be made not more than 10 minutes prior to taxi time. Rnwy 13 VASI shut down til aprxly Apr 15, due rnwy constrn.

NEW YORK, LA GUARDIA ARPT: Due construenwy 13 tkof length 5896' after 2300 to 0700 lcl time tkof length 5000'. Rnwy 31 tkof length 5000', lndg 5813'; after 2300 to 0700 lcl time, lndg length 5000'. Rnwy 4-22 clsd 2300-0700 lcl time wen permitting construently Feb 24. Rnwy 22 clsd lndg; rnwy 4 clsd tkof 0700-2300 lcl time. Rnwy 22 REIL removed UFN.

NEW YORK, LA GUARDIA RDO: DME co-lctd with VOR will be comsnd about Mar 1. Class: L-VOR-DME. (2-17)

NORTHVILLE, PLATEAU SKY RANCH ARPT: Ski acft only winter months.

OLD FORGE ARPT: Closed winter months. (2-17)

ORCHARD PARK ARPT: Clad til aprxly May 1. (12-23)

ROCHESTER, UNIVERSITY RDO: Rbn will be decommissioned about Feb 28. (2-17)

WHITE PLAINS, WESTCHESTER COUNTY ARPT:

About Mar 7, apch lgtg sys with sequenced flushg lgts

(rnwy 16) will be shortened to 1730' for aprxly 45 days due reconstrn outer portion. (2-17)

WURTSBORO ARPT: All rnwys excp 5-23 clsd till aprxly Apr 1. Constrn. (12-23)

#### NORTH CAROLINA

ELIZABETH CITY MUNI ARPT: Due to heavy VFR GCA tfc Indg rnwy 10 at the U.S. Coast Guard Station, it is recommended that all tfc Indg at the Elizabeth City Mun arpt contact Elizabeth City Coast Guard twr on 126.2 mc for tfc information. Acft without radio enter 500' pattern from the west.

for Pope AFB and Simmons AAF VOR's is Rocky Mount.

MADISON, MAYO ARPT: Clsd. (2-3)

WILMINGTON, NEW HANOVER COUNTY ARPT:

ILS lclzr and glide slope shut down indefinitely. (2-17)

# NORTH DAKOTA

CROSBY MUNI ARPT: Rnwy 8-26 clsd UFN. (2-3) MINOT, FLYING S RANCH ARPT: Ben and rnwy lgts

inop til spring. (2–17)

NEWTOWN ARPT: New arpt clsd; under constr.

WASHBURN MUNI ARPT: All lgtg facils inop til approximately May 1. (1-20)

#### OHIO

OINCINNATI: Moored mrkd balloon will be flown day or ngt up to an alt 1500' MSL. Site of operns 7½ mi NE Greater Cincinnati Arpt and 6½ mi W Lunken Arpt. Balloon will be tethered aprxly ½ ml W of Cincinnati Union Trml Bldg.

COLUMBUS, OHIO STATE UNIVERSITY ARPT: Constrn SE end rnwy 5 until fall 1966.

\*LIMA, ALLEN COUNTY ARPT: Add \ symbol.

#### OREGON

NORTH BEND ARPT: About 12 nmi NNE a moored aluminum colored V shaped balloon 75' long, approximately 40' diameter being used in logging operns during dalgt hrs, maximum alt 1000' MSL. During hrs darkness will be lowered to 100' AGL.

#### PENNSYLVANIA

✓AMBLER RDO: H facility now openg on 24 hr basis continously. (2-17)

CULMERVILLE ARPT: Clsd to all transient acft until aprxly Jan. 1967 due to banner towing.

JOU BOIS JEFFERSON COUNTY ARPT: Rnwy lgts on request 2400-SR.

EAST STROUDSBURG, HAMLEN ARPT: Closed until aprxly April 1,

for apch/dep control at Jamestown, N.Y. and Bradford, Pa. McKean Co Arpts.

GETTYSBURG ARPT: Clsd til aprxly Apr 1. (2-17)
HANOVER, DEVENER ARPT: Clsd until aprxly Apr. 1. (12-23)

✓MOUNT POCONO ARPT: Add § symbol.

PUNXSUTAWNEY MUNI ARPT: E/W rnwy clsd for construction til aprxly June. (2-3)

WILKES-BARRE RDO: Limited comms exist E of Thornhurst VORTAC below 8000' from Tannersville VOR to Wilkes-Barre VOR. All acft in this area tsmt 122.1 rcv Huguenot, N.Y.-Thornhurst-Wilkes-Barre.

# SOUTH CAROLINA

COLUMBIA RDO: Voice feature of the VORTAC and all enroute comms inop indefinitely.

tmpry structure new cntr arpt. Currently enroute functions permly discontd. Twr and apch ctl functions provided from new lctn on 24 hr per day basis. (2-17)

#### SOUTH DAKOTA

BRITTON MUNI ARPT: Arpt clsd for rnwy construuntil aprxly Apr 1, 1966. (12-23)

#### TENNESSEE

MILAN, BROWNING FLD: Change airport name to Boen Fld.

#### **TEXAS**

BIG SPRING, HAMILTON FLD: Unlgtd 88' P-line 280' E. (2-3)

BORGER, HUTCHINSON COUNTY ARPT: Rnwy 17-35 clsd. Rnwy 3-21 usable length 3900'. (2-17)

BRIDGEPORT RDO: VORTAC will be shut down for

ant change from Feb 28 til aprxly Mar 11. (2-17) BROWNSVILLE, RDO GRANDE VALLEY INTL AIR-

PORT: Rnwy 13R-31L clsd til ap vly Feb 28. Constrn at SE end. Lgt acft may land 13R (SE) during dalgt hrs. (2-17)

CLEAR SPRING ARPT: Civil acft requiring use of this fld when military acft are in the tfc patn, should fly a rectangular patn with turns in the opposite direction

from the military path and rock wings on downwind. Path should be flown at 1200' MSL until military tfc is clear. Use rnwys only for Indgs. Rnwy 13-31 clsd. DALLAS, HIGHLAND PARK ARPT: Hvy road equipment operg N end N/S rnwy til aprxly March, 1966. DALLAS, REDBIRD ARPT: First 650' rnwy 13 clsd due contrn til aprxly Jun 1, remaining 3800' usable. (2-17) HOUSTON INTERCONTINENTAL ARPT: New arpt under constr about 15 mi N. Clsd to all acft operns. JOHNSON CITY ARPT TWR: Mobile twr utilizing freqs 236.6, 243.0, 126.2, 121.5 caretake status except as notamed weather and altimeter setting avbl when twr is in opern.

LA GRANDE, GUENTHER FLD, LA GRANGE MUNI ARPT: Rnwy 1-19 clsd til aprxly Jul 1. (2-17)

SAN ANTONIO, TWIN OAKS ARPK: Rnwy 12-30 under constrn, usable in cntr. (2-3)

QUITMAN RDO: VOR shut down til aprxly Jun 16.
Tmpry Rbn on freq 257 kc avbl during shutdown.
(2-17)

WICHITA FALLS, SHEPPARD AFB/WICHITA FALLS
AIR TRML: First 3000' rnwy 17 clsd Jul 20. (2-17)

#### UTAH

FLAMING GORGE DAM SITE: Cables and pwr lines suspended from 2 twrs on W side to one twr on E side of canyon across Green River aprxly 100' higher than canyon rim.

#### **VERMONT**

VERMONT: The flwg arpts will be plowed and open winter months: Enosburg Falls, Newport and St. Johnsbury Muni.

MONTPELIER, BARRE MONTPELIER ARPT: Rnwy 5-23 clsd UFN. (2-17)

#### VIRGINIA

VIRGINIA: Add & symbol at flwg arpts: Gordonsville Muni, Manassas Muni and Charlottesville, University of Virginia. (2-17)

FELKER VOR: VOR unreliable for instrument apchs. (2-17)

LAWRENCEVILLE MUNI ARPT: Rnwy 6-24 clsd construction on extreme N end rnwy 18-36. (2-3)

#### WASHINGTON

ELLENSBURG, BOWERS FLD: Rnwys clad except rnwy 11-29, rnwy lgts not visible. (2-17)

TACOMA INDUSTRIAL ARPT: Use rnwys and txwys only. Men and equip on fid 0800-1700 Mon thru Fri UFN. Ctc McChord RAPCON on 120.1 mc for IFR clearance. (2-17)

#### WISCONSIN

LONE ROCK, TRI COUNTY ARPT: N/S rnwy clsd. (2-17)

MADISON, TRUAX FLD TWR: Mar 1, IL8 will be shutdown until aprxly Mar 4 for modernization. (2-17) OSHKOSH, WINNEBAGO ARPT: Rnwys 13-31 and 4-22 clsd. (2-17)

SPOONER MUNI ARPT: Clad til aprxly May 1. (12-28)

Page III-74

#### BOTTLE TOP OB-2

Revised effective February 27, 1966.

Re-Entry Paragraph, line 7 change to read:

direct to 88°04'80''N, 93°28'W; then 3000' MSL turn right to 87°52'N, 93°15'W; then 3000' MSL direct to 37°49'N, 93°23'W; thence via the published route.

Page III-75

#### CLEAR VIEW OB-3

Revised effective February 27, 1966.

Alternate Entry paragraph, line 4 change to read:
direct 89°33'N, 101°15'W; then descend so as to cross
89°42'N, 100°50'W at 14,000' MSL; then descend so as to
cross the Hill City, Kansas VORTAC 007/49 NM fix at
5500' MSL or below; then descend to 3800' MSL direct
40°03'N, 99°50'W; thence via the published route.

Page 111-76

# CLEVER CHAP OB-4 Revised Effective February 27, 1966

Aircraft shall cross 43°57'N, 76°04'W (Watertown, N.Y. VOR) at FL 250 or as assigned by ARTCC; descend to cross 44°09'N, 75°49'W at FL 280; continue descent to cross 44°24'N, 75°26'W at 18,000 feet MSL; Cross 44°28'N. 75°18'W at 17.000 feet MSL or below: cross 44°87'N. 75°00'W at 9.000 feet MSL; turn right, cross 44°80'N, 74°45'W at 7,000 feet MSL; cross 44°13' N, 74°45'W at 6,000 feet MSL; turn right cross 44°08'N, 74°49'W at 4,000 feet MSL low level entry point; maintaln 4,000 feet MSL, direct 43°58'N, 75°09'W; turn left to 48°48'N, 75°12'W; direct 43°20'N, 74°48'W turn left to 48°18'N, 74°46'W; continue turn climb to cross 43°17' N. 74°40'W at 5,500 feet MSL; maintain 5,500 feet MSL, turn left to 43°20'N. 74°29'W direct 43°55'N. 73°55'W; climb to cross 43°59'N, 73°51'W at 7,000 feet MSL; maintain 7,000 feet MSL direct 44°09'N, 73°41'W; turn left to 44°16'N. 73°39'W: direct 44°25'N. 73°45'W; escend to cross 44°29'N, 73°48'W at 6,000 feet MSL; maintain 6.000 feet direct 44°41'N, 73°56'W; turn left to 44°44'N. 74°07'W: direct 44°35'N. 74°32'W descend to cross 44°82'N, 74°37'W at 5,000 feet MSL or below cross 44°80'N. 74°40'W at 4,000 feet MSL: cross 44°28'N. 74°44'W at 3,500 feet MSL; maintain 3,500 feet MSL direct 44°15'N, 75°05'W.

Short Look and Lay Down—After passing 44°15'N, 75°-05'W aircraft shall operate through bomb run corridor between 1,500 and 5,000 feet MSL. Minimum IFR altitude through the bomb run corridor is 3,500 feet MSL (the bomb run corridor is 4 nautical miles either side of centerline from 44°15'N, 75°05'W to 43°53'N, 75°41'W). After exiting the low level route at 43°53'N, 75°41'W, aircraft shall climb so as to cross 43°49'N, 75°52'W at 6,000 feet MSL: maintain 6,000 feet MSL direct 43°43'N, 76°16'W; start climb, turn right to 43°47'N, 76°31'W; continue turn cross 43°56'N, 76°25'W at 14,000 feet MSL or below: cross 43°57'N, 76°11'W at FL 180 or aboye; cross 43°58'N, 75°46'W at FL 220 or below: cross 43°58'N, 75°46'W at FL 240 or as assigned by ARTCC direct 44°01'N, 75°00'W.

Re-Entry—After completing the bomb run, aircraft scheduled for an additional bomb run shall, after exiting the route at 43°53'N, 75°41'W; turn right and climb so as to cross 43°52'N, 75°48'W at 6,000 feet MSL; maintain 6,000 feet direct 44°00'N, 75°51'W; direct 44°09'N, 75°49'W; turn right to 44°24'N, 75°26'W; direct 44°-47'N, 74°41'W; turn right to 44°45'N, 74°29'W; continue turn to 44°35'N, 74°32'W; thence via published route, Aircraft may proceed at 6,000 feet from 44°24'N, 75°26'W direct 44°39'N, 74°56'W; turn right descend to cross 44°-39'N, 74°45'W at 4,000 feet; continue turn to cross 44°-39'N, 74°45'W at 4,000 feet; continue turn to cross 44°-39'N, 74°44'W at 3500'MSL. Thence via published route.

VFR and Contour—If the encountered weather conditions along the route are equal to or better than ceiling 3,000 feet, visibility 5 miles, the pilot may descend VFR and operate VFR between the IFR altitudes indicated on the chart and 800 feet above the immediate terrain between the following points: from 44°08'N, 74°49'W to 44°25'N, 73°45'W and from 44°30'N, 74°40'W to 48°53'N, 75°41'W. VFR operations will not be conducted during the hours of darkness.

Alternate Entry—Aircraft shall cross 43°57'N, 76°04'W (Watertown, N.Y. VOR) at FL 250 or as assigned by ARTCC; descend to cross 44°09'N, 75°49'W at FL 230; continue descent to cross 44°24'N, 75°26'W at FL 180: cross 44°28'N, 75°18'W at 17,000 feet MSL or below, cross 44°37'N, 75°00'W at 9,000 feet; cross 44°41'N, 74°52'W at 8,000 feet; continue descent, turn right; cross 44°43'N, 74°46'W at 4,000 feet MSL; maintain 4,000 feet MSL; continue turn to intercept Oil Burner Route at 44°30'N, 74°40'W; thence via Oil Burner Route.

Route Width—The entire IFR low level route is reduced to 4 NM either side of center line. The entire VFR contour route width is reduced to 3 NM either side of center line with the following exception. From 43°48'N, 75°12'W to 44°16'N, 78°39'W 2 NM either side of center-line.

Hours of Operation—24 hours per day, 7 days per week.

Page III-82

# ORANGE TREE OB-11

# Revised Effective February 27, 1966

Aircraft shall cross the Newcomb, Ky. VOR at FI. 250; maintain FL 250 direct 38°05'N, 82°53'W; then start descending to cross 37°41'N, 82°48'W at 17,000 feet MSL; cross 37°34'N, 82°55'W at 14,000 feet MSL; cross 37°25'N, 83°04'W at 10,000 feet MSL; then at 10,000 feet MSL direct 37°01'N, 83°24'W; then start descent so as to cross route entry at 36°55'N, 83°38'W at 4,800 feet MSL: then at 4,800 feet MSL direct 36°45' N. 84°01'W; then descend so as to cross 38°41'N, 84°14' Wat 3,700 feet MSL; then at 3,700 feet MSL direct 36°-35'N. 84°32'W; direct 36°32'N, 85°15'W; descend so as to cross 36°32'N. 85°21'W at 2,500 feet MSL; then at 2,500 feet MSL direct 36°31'N, 85°40'W; then turn right to 36°36'N, 85°49'W; direct 37°28'N, 85°44'W; then turn right climb to cross 37°32'N, 85°35'W at 2,700 feet MSL; then at 2,700 feet MSL direct 87°26'N, 85°05'W; direct 37°30'N, 84°38'W.

Waircraft shall maintain between 2,700 feet and 4,000 feet MSL through the bomb run corridor (4 NM either side of centerline from 37°30'N, 84°38'W to 37°36'N, 84°00'W). After exiting the route at 37°36'N, 84°00'W aircraft shall cross 37°36'N, 83°50'W at 4,000 feet MSL; then at 4,000 feet MSL direct 37°36'N, 83°20'W; then start climb direct 37°36'N, 83°15'W; cross 37°44'N, 83°-05'W at or below 9,000 feet MSL; continue climb direct 37°50'N, 83°15'W; then climbing direct so as to cross 37°51'N, 83°30'W at or below 17,000 feet MSL; then via the Lexington VORTAC 098 radial climbing so as to cross 37°56'N, 84°11'W (Lexington VORTAC 098/14) at FL 250, then at FL 250, then at FL 250 direct to Lexington VORTAC.

Re-Entry—After completing the initial bomb run, aircraft that are scheduled to execute an additional bomb run shall, after exiting the route at 37°36'N, 84°00'W; turn right so as to cross 37°30'N, 83°50'W at 3,000 feet MSL; then at 3 000 feet MSL continue right turn to 37°22'N, 83°58'W; direct 37°13'N, 85°17'W; then turn right to 37°19'N, 85°26'W; continue right turn to 37°28', N, 85°16'W; descend to cross 37°26'N, 85°05'W at 2,700 feet MSL; thence via "Orange Tree" route. Aircraft may

proceed at 3,000 feet from 37°22'N, 83°58'W; direct 37°-15'N, 85°03'W; turn right to 37°21'N, 85°11'W; continue turn, descend so as to cross 37°26'N, 85°05'W at 2,700 feet MSL; thence via "Orange Tree" route.

VFR and Contour—If the encountered weather conditions along the route are equal to or better than ceiling 3,000 feet, visibility 5 miles, the pilot may descend VFR and operate VFR between the IFR altitudes and 800 feet above the immediate terrain between the following points: from 36°55'N, 83°36'W to 37°36'N, 84°00'W. VFR operations will not be conducted during the hours of darkness.

Alternate Entry—Aircraft shall cross the Newcomb, Ky. VOR at FL 250, then at FL 250 direct 38°05'N, 82°53' W; then start descent so as to cross 37°41'N, 82°48'W at 17,000 feet MSL; cross 37°34'N, 82°55'W at 14,000 feet MSL; cross 37°25'N, 83°04'W at 10,000 feet MSL; then at 10,000 feet MSL direct 37°19'N, 83°25'W; then start descent so as to cross 37°22'N, 83°58'W at 3,00 feet MSL; then at 3,000 feet MSL direct 37°15'N, 85°03'W; turn right to 37°21'N, 85°11'W; continue turn, descend so as to cross 37°26'N, 85°05'W at 2,700 feet MSL; thence via the "Orange Tree" route.

Route Width—The IFR route width is reduced to 4 NM either side of centerline. The VFR route width is reduced to 2 NM on the north side of centerline from 37°28'N, 84°52'W to 37°36'N, 84°00'W.

Hours of Operation—24 hours daily, 7 days per week.

Page III-84

## SEA HORSE OB-12 Revised effective February 27, 1966.

first paragraph:

Aircraft shall cross the Lake Charles, La. VORTAC at FL 240 or as assigned; maintain FL 240 or as assigned via the Lake Charles VORTAC 148 radial to 25 NM flx; start descent, cross 29°31'N, 92°47'W at 19,000' MSL, descend direct to cross 28°55'N, 92°28'W at 15,000' MSL, descend direct to cross 28°28'N, 92°15'W at 9000' MSL or below, descend direct to cross 28°28'N, 92°15'W at 9000' MSL or below, descend direct to cross 28°10'N, 92°06'W at 1200' MSL (low level entry point). Maintain 1200' MSL, turn right to 28°03'N, 92°16'W, direct 28°35'N, 95°00'W. direct 28°24'N, 95°53'W.

Re-Entry paragraph:

Re-Entry—After completing the initial bomb run, aircraft that are scheduled to execute an additional bomb run shall, after exiting the route at 28°15'N, 96°35'W turn left so as to cross 28°05'N, 96°32'W at 2,000' MSL; maintain 2000' MSL direct 28°18'N, 95°15'W, turn left discending so as to intercept the route at 28°31'N, 95°19' W at 1200' MSL, thence via the published route.

Alternate Entry paragraph:

Alternate Entry—Aircraft shall cross Sabine Pass, Texas VORTAC at FL 240 or as assigned, then via Sabine Pass VORTAC 139 radial maintaining FL 240 until the 47 NM flx (29°02'N, 93°33'W). Start descent direct to cross 28°44'N, 93°19'W at 16,000' MSL turn right, descend to cross 28°37'N, 93°58'W at 4000' MSL; descend direct to cross 28°37'N, 94°06'W at 1200' MSL, direct 28°35'N, 95°00'W, thence via the published route.


# AIRMAN'S INFORMATION MANUAL NOTICES TO AIRMEN

SECTION III A



EFFECTIVE 0501Z 17 MARCH 1966
To 0501Z 31 MARCH 1966

FEDERAL AVIATION AGENCY



AIM-Mar. 17, 1966

# Section III-A-NOTICES TO AIRMEN

This section is issued every 14 days and is primarily designed to supplement Section III of the AIM. It contains appropriate notices from the daily NOTAM Summary, Airmon Advisories, new or revised Oil Burner Routes and other items considered essential to flight safety.

NOTE: Data preceded by a checkmark ( $\checkmark$ ) are considered permanent and will usually be cited only ence. Such information should be noted on charts and records. Temperary information is normally carried twice unless re-submitted.

NOTE: Date are arranged in alphabetical order by State land within the State by City or locality).

NEW OR REVISED DATA: New or revised data are indicated by underlining the first line of the affected item. The new information is not necessarily limited to the underlined portion, which is used only to attract attention to the new insert.

### ALABAMA

BRANTLEY MUNI ARPT: Clsd until July 1966.
HUNTSVILLE, MADISON COUNTY ARPT: New arpt
under constr 10 miles W until aprxly Nov 1966. Not
to be used by acft. (12-23)

SELMA, SELFIELD ARPT: Rnwy 18-36 clsd until aprxly July 1966. VFR acft ctc Craig Twr on 126.2 for tfc and indg advisories.

# ARIZONA

MARICOPA: CAUTION—DO NOT MISTAKE FOR LANDING AREA. Space Surveillance Stn at lat 83°06'81", long 112°01'46" aprxly 4 mi N. 1200' W and parallel to hwy. Site is strip 800' x 1800' with paved portion lengthwise thru cntr 100' in width and studded with 6' steel posts. This permanent hazard lctd 22 nmi 8 Phoenix-Sky Harbor Arpt.

PHOENIX, SKY HARBOR MUNI ARPT: Const E area rnwy 8R-26L. Only 7700' avbl lndg day and ngt. 8850' avbl tkof days. (2-17)

TUCSON: Vall fan marker decomsnd. (8-17)

TUCSON RDO: April 7 TACAN portion of VORTAC will be shutdown for maintenance until aprxly April 22. VOR portion will be shutdown during the hrs 1500-2330Z April 11 until aprxly April 13. (3-31)

# **ARKANSAS**

CROSETT MUNI ARPT: Constr on apch end rnwy 23, threshold lgts inop until aprxly April 1966.

MENA MUNI ARPT: All fid lgtg inop aprxly May 1, 1968. (2-17)

TEXARKANA MUN ARPT: Daily demolition activity, letd aprxly 18 mi W, Mon thru Fri from 1200 CST to 1830 CST and 1500 CST to 1615 CST. Shrapnel and shock waves up to 3000'.

### CALIFORNIA

BAKER ARPT: Clad for repairs until April 1, 1968. FREMONT, KING SKYLANES ARPT: Change name to

Fremont Arpt. (3-17)

NAPA RDO: Mar 21, VOR will be shutdown until aprxly Mar 25. (See page 7.)

NEEDLES MUNI ARPT: Lgts inop.

OCEANO-COUNTY ARPT: Constr in progress in an area 450' SW of rnwy entrline until aprxly July 1966.

PLACERVILLE ARPT: Rnwy 18-36 clad until aprxly May 15, 1966. (2-17)

✓SAN DIEGO, MONTGOMERY FLD: Rnwy 5-28 permly clad to all ngt operns.

SAN JUAN CAPISTRANO, CAPISTRANO ARPT: Constr in progress until aprxly April 1968.

SAN MIGUEL ISLAND AIRSTRIP: Closed. The Island and airstrip are government property. Unauthorized landings or trespassing on San Miguel Island are prohibited.

THERMAL RDO: Mar 16, TACAN portion of VORTAC will be shutdown until aprxly April 1. VOR portion will be shutdown during dalgt hrs Mar 21 until aprxly Mar 24. (3-17)

TWENTYNINE PALMS ARPT: Rnwy lgts inop. (8-17)

TWENTYNINE PALMS RDO: TACAN portion of VOR-TAC will be shutdown for antenna change April 7 until aprxly April 22. VOR portion will be shutdown during daigt hrs April 11 until aprxly April 18. (3-17)

# COLORADO

DENVER, STAPLETON INTL ARPT: Evaluation of the following ATIS procedures will be conducted until aprxly April 20. Pilots should inform Ground Control, Tower or Approach Control on initial contact they have received ATIS. Departing aircraft will be cleared to the runway in use or position en route if holding is necessary. Arrivals will be requested to make position reports as necessary for control purposes, and issued current wind information with landing clearance. For a brief period after a new ATIS message broadcast begins pilots will be 'Informed on initial contact of the phonetic letter code of the current broadcast. When a pilot states he has not received ATIS or indicated he has a broadcast that is not current, arrival or departure information will be provided. Specific items of information will also be issued on pilot request.

DENVER, STAPLETON INTL ARPT: Rnwy 8L-26R tmprly clad due constr. (8-17)

GRAND JUNCTION, WALKER FLD TWR: Glide slope shutdown until aprxly June 23, 1966. (3-17)

LAKE CITY, V.C. AIRSTRIP: Closed winter months.

SEBRING AIR TERMINAL: Tmpry ctl tower and figt service will be provided while races in progress March 23-26 inclusive during the following hrs: March 23 from 1100-1800 EST, March 24 0900-2100 EST. March 25 from 0700-1800 EST. March 26 from 0700-2400 EST. Twr will transmit on 118.8, 121.5, 121.9 and receive on 118.8, 121.5, 121.9 and 122.5 mc.

TRINDAD RDO: VHF/DF unusable beyond 40 nmi below 8000' MSL 280-120°, 9000' MSL 120-135°, 15,000' MSL 135-175°, 17,500' MSL 175-220°, 14,500' 220-280° acct reduced coverage. (2-17)

### CONNECTICUT

MARLBORO, LESNEWSKI FLD: Clsd until June 1 due snow and spring thaw. (2-17)

# DISTRICT OF COLUMBIA

WASHINGTON: Warning—all flights must avoid the Washington Prohibited Area P-56. See Washington, D.C. chart under Special Notices—Area in Section III for location.

WASHINGTON NATL ARPT: Foreign Clearance Base. Clsd all military acft except: (a) acft carrying VIP or officers above rank of Major General or Rear Admiral (b) CG logistic support flights cleared with Comdt. CG. General Aviation acft use General Aviation Terminal. Limited parking for all types of acft. During heavy tfc periods, pilots may be required to proceed to another airport for parking after passenger deplaning. Special Air Traffic Rules, Part 93, Subpart C, in effect.

WASHINGTON NATIONAL ARPT: JET POLICY FOR WASHINGTON NATIONAL ARPT: Except under emgcy conditions, only those jet acft meeting the following criteria can be accommodated: A. Approved types of jet acft of short or medium range engaged in Government, corporate, private charter or rental type operations and intending to use Government or General Aviation ground service facilities. B. Currently approved types of jet acft are as follows: 1. Jetstar (C-140), 2. Sabreliner (T-39), 3. Morane Saulnier, 4. Jet Commander (Aero Commander), 5. Learjet Model 23 (Lear Jet Co.), 6. Hawker Siddeley DH-125, 7. Mc-Donnell Model 220. 8. Fan Jet Falcon C. Jet acft of short or medium range not listed above must secure advance authorization from the Airport Manager 48 hours prior to planned arrival time.

# **FLORIDA**

TRIPS TO HAITI, PUERTO RICO AND DOMINICAN REPUBLIC NOTICE: HAITI, private acft landing or overflying Haiti must furnish 48 hours advance notice and a flight plan must be filed. Pilots planning to fly between the mainland and PUERTO RICO should plan their route to avoid unscheduled emergency fuel stops. Pilots planning to fly to the DOMINICAN REPUBLIC should refer to the International Flight Information Manual for complete details.

KEY WEST: Mar 1, R-2916 clsd.

MIAMI INTL ARPT: The following pre-taxi clearance procedures are in effect: Contact Miami Clearance Delivery on 127.5 mcs prior to taxing. IFR clearance and other required departure information will be issued at this time. Clearance Delivery should also be contacted for routine departure information and when weather conditions indicate that departure relays can

be anticipated. After clearance is received, acft shall return to Ground Control freq 121.8 mcs when ready to taxi. If initial call-up is made to Ground Control the acft will be given taxi clearance and switched to Clearance Delivery when tfc permits. Pilots are requested to remain on Ground Control freq while taxing until advised to switch to Tower or Clearance Delivery by Ground Control. (12-23)

WEST PALM BEACH, PALM BEACH INTL ARPT: Lgtd 80' boom pile driver operg 1200' N apch end rnwy 27 until aprxly Dec 1, 1966. (1-6)

### GEORGIA

ATLANTA MUNI ARPT: VASI rnwy 27R inop. (8-17)

ATLANTA, DEKALB-PEACHTREE ARPT: Tmpry cti
twr transmitting and receiving on 121.8, 121.7 and
receiving only on 122.5 until aprxly May 15. (1-20)

THOMASVILLE MUNI ARPT Rnwy 4-22 cled resurfacing. (1-20)

### IDAHO

McCALL ARPT: Rnwy and txwy lgts inop until aprxly June 1, 1966. (1-6)

# ILLINOIS

ALTON CIVIC MEMORIAL ARPT: NE/8W strip clad all operns until aprxly June 1. (3-17)

CHICAGO-O'HARE INTL ARPT TWR: Pre-Taxi Clearance procedures for all IFR departures are in effect (1) Initial call-up to the tower will be on clearance delivery freq 121.6 mc. This call shall be made a maximum of ten minutes prior to estimated taxi time. ILF clearance and any other information pertinent to the individual departing aircraft shall be issued at this time. (2) After the IFR clearance is received, the pilot shall follow the normal procedure of contacting ground control for taxi clearance. (8) When contacting ground control, the pilot shall state the name of the first fix or airway of his enroute clearance, and that he has the ATIS information ie. "N28M taxi clearance Peotone have Brave information" or, "N28M taxi clearance Victor 144 have Brave information." (4) In the event a pilot is unable to make initial call up on clearance delivery frequency, be shall so advise ground control when requesting taxi clearance.

POLO, HAMILTON ARPT: Closed. (8-17)

WHEELING, CHICAGOLAND ARPT: Rnwy lgts inop. (3-17)

# INDIANA

EVANSVILLE, DRESS MEML ARPT: NE end rawy 3-21 under constr until aprxly July 1966.

GRIFFITH ARPT: Rnwy 18-36, clad. Rnwy lgts 8-26 on request only. Arpt clad to all ngt operns without prior permission. (2-17)

INDIANAPOLIS MUNI (WEIR COOK) ARPT TWR:
ILS MM serving rnwy 4 restored at new lctn. (3-17)

# KANSAS

GOODLAND MUNI ARPT: Rnwy 8-26 and 1000' extension to SE end rnwy 13-31 clad June 1.

### KENTUCKY

LEXINGTON, BLUE GRASS FLD: Rnwy 8-26 clad excp departure from rnwy 26. Tmpry p-line crossing apch end rnwy 26. (2-17)

### LOUISIANA

NEW ORLEANS LAKEFRONT ARPT: Rnwy 4-22 clsd intermittently aprxly April 28, 1966 due constr. (12-23) NEW ORLEANS INTL-MOISANT FLD: New rnwy lgts

rnwys 4-22 and 13-31. (3-17)

NEW ORLEANS INTL ARPT (MOISANT FLD): Caution indg rnwy 1, apch end aprxly 18 inches lower than rnwy level until aprxly Aug 15.

### MAINE

MAINE: The following airports are closed winter months: Enfield, Sylvan Lane; Eastport Muni, Jonesboro. Drisko's; Lubec.

BAR HARBOR ARPT: Rnwy 4-22 and 8 end rnwy 17-35 plowed 3400' to intersection. (2-17)

BLUE HILL ARPT: Closed winter months. (12-23)

MILLINOCKET MUNI ARPT: Rnwy 16-34 suitable for ski operns only. Acft using rnwys 16-34 and 11-29 not visible to each other until apchg intersection. (1-20)

OLD TOWN MUNI ARPT: Acft using rnwys 4-22 and 15-83 not visible to each other until apchg intersection.

PRINCETON ARPT: Rnwy 6-24 not plowed winter months. (2-17)

ROCKLAND MUNI ARPT: No lgts available winter months. (2-17)

YORK ARPT: Closed until April 1966. (1-6)

# MARYLAND

BALTIMORE, EASTERN ARPT: Change arpt name to Essex Airpark. (3-17)

CHURCHTON, DEEP CREEK ARPK: Closed until aprxly April 15. (3-17)

LAUREL, SUBURBAN ARPT: Rotary wing acft must conform to normal tfc patns and hover over paved portions only.

PARK HALL ARPT: Flight in Restricted Area R-4007 authorized only within one mi radius of arpt and in one mi wide corridor 252° (M) from the arpt at and below 1200'.

PINEY POINT ARPT: Flight in Restricted Area R-4007 authorised only within one mi radius of arpt and in one mi wide corridor 336° (M) from the arpt at and below 1200'.

TOWSON: 10' balloon ascending 1000' per minute. 1400 to 2400 GMT daily.

# MASSACHUSETTS

SPECIAL NOTICE: Field conditions for all arpts avbithrough the nearest Massachusetts State Police Hdqtrs.

SPECIAL NOTICE: VFR wea warning signs installed arpt ramp areas at number of Cape Cod and bordering Island Ictus. Plymouth, Mass. Weather warning sign operg during hrs arpt. Signs function with associated flashg lgt during periods where wea is forecast or actually goes below VFR minimums. Sign and lgt sys operus at Chatham and Martha's Vineyard during hrs arpt attended. At Hyannis, New Bedford and Nantucket 24 hrs daily.

BEDFORD, LAURENCE G. HANSCOM FLD: Moored balloon 5 NM SW of fld, 3000' AGL hoisted hourly during VFR conditions dalgt hrs. Cable marked with small balloons. (12-23)

BEVERLY ARPT: Obstn lgts on 436' MSL ant lctd 5
NM SW inop UFN.

FITCHBURG MUNI ARPT: Rnwy 2-20 clsd. (8-17)

MARTHA'S VINEYARD ARPT: Rnwy 1-19 not maintd winter months. (3-8)

ORANGE MUNI ARPT: Rnwy 13-31 normally plowed and available winter months. Ctc unicom for fid conditions until aprxly March 23, 1968. (2-8)

### MICHIGAN

ANN ARBOR, 7 OUNG ARPT: Practice Indgs and apcha are prohibited except by based acft. (3-17)

DRUMMOND ISLAND ARPT: Daily blasting in limestone quarry between 1200-1800 EST within 1 mi radius of lat 45°58'00''N long 83°47'80''W aprxly 8.5 mi SSW, fragments reaching altitude 1500 AGL 2300 MSL.

FREMONT MUNI ARPT: All rnwys clad except rnwy 9-27. (3-17)

MARQUETTE CO. ARPT: About 17.5 mi WSW blasting in the Republic and Humboldt areas Mon-Fri from 2045 to 2145Z. Danger area extending 1000' AGL. About 5.2 mi SSW intermittent blasting in Palmer area. Danger area extending 1000' AGL.

MENOMINEE ARPT: Rnwy 9-27 clsd winters. (8-3) MUNSING, HANLEY FLD: Clsd for winter months. (12-23)

OWOSSO CITY ARPT: Obstn lgts inop on 210' twr lctd 5 mi SE.

SAULT STE. MARIE: Daily blasting excp Sun btn hrs of 1500-1630 CST in limestone quarry within a 1 mi radius of lat 46°04'N, long 84°18'W, 18 mi SE of Kincheloe AFB. Fragments reaching alt of aprxly 2200'. AGL (8000' MSL.)

TRAVERSE CITY MUNI ARPT: Rnwys clad except rnwys 18-36 and 9-27. (3-17)

# MINNESOTA

BEMJDJI MUNI ARPT: Rnwy 7-25 skiis only. (12-23) EVELETH-VIRGINIA MUNI ARPT: Rnwys 14-32 and 5-23 clad during winter months.

EVELETH-VIRGINIA ARPT: Extsv blasting being conducted in mine pits in area 2 mi either side of a line from Aurona, Minn., to a point 4 mi SE of Babbitt, also extensive blasting being conducted in mine pits in an area 4 to 8 miles WNW of Virginia. Ctc Hibbing FSS for blasting schedule.

HIBBING, CHISHOLM-HIBBING ARPT: Rnwy 4-22 clsd winters. Unscheduled blasting in open pit mines will be conducted 7 days a week during daigt hrs in area 3 miles E to W and 1 mi N to S lctd 1 mi N of Mountain Iron, Minn., or about 15 miles NE of arpt. Blasting to continue til about May 1, 1966.

MINNEAPOLIS, ST. PAUL INTL ARPT TWR:

Mar 31, compass locator at MM site will be decommend.

(3-17)

MORA MUNI ARPT: Rnwy 11-29 clsd due constr until spring.

SANDSTONE MUNI ARPT: Skis only. (1-20)

WHITE BEAR LAKE, NORTHPORT ARPT: Skils winter months. (2-17)

# MISSISSIPPI

GULFPORT RDO: Tmpry rdo ben freq 332 kc, class MH comend.

HATTIESBURG MUNI ARPT: Rnwys 13-81 and 8-26 clsd until June 1966.

### MISSOURI

HALLSVILLE RDO: Mar 28, VOR will be shutdown

until aprxly April 1. (See page 7.)

KANSAS CITY RDO: Mar 28, RBn will be shutdown until aprxly April 28 for relctn to Mid-Continent Intl Arpt ILS OM site. (3-17)

KANSAS CITY, MID-CONTINENT INTL ARPT: ILS LOM rnwy 36 will be decomend March 28 and replaced by RBn 359 about April 28. (3-17)

LAKESIDE ARPT: Obstn lgts inop on 395' twr 8 ml WSW.

### MONTANA

BILLINGS RDO: Mar 21, TACAN portion of VORTAC will be shutdown until aprxly Mar 25 for mod. (3-17)

BILLINGS, LOGAN FLD TWR: Mar 31, compass locator at middle marker decomsnd. (3-17)

BILLINGS, LOGAN FLD: Rnwy 16-34 tmprly clsd due constr. (3-17)

BUTTE, SILVER BOW COUNTY ARPT: Rnwy lgts rnwy 2-20 inop until aprxly July 1966. (2-17)

GREAT FALLS ARTCC (NOTIP): En route radar service except radar weather advisory service is available throughout the enlarged Great Falls ARTCC (NOTIP) area. Due to equipment characteristics radar weather advisory service cannot be provided in this area nor on J107 from the Centers eastern boundary to the Canadian border where civil turbojet radar advisory service is being provided by Great Falls ARTCC/NOTIP.

GREAT FALLS INTL ARPT TWR: Mar 31, compass locators at MM site will be decomend. (3-17)

KALLISPELL, FLATHEAD CO. ARPT: Rnwys 7-25 and

11-29 clsd. (8-17) LIVINGSTON, MISSION FLD: First 1200' rnwy 82 clsd until aprxly July 15, 1966.

MISSOULA COUNTY ARPT: Rnwy 7-25 E 2534' clsd until aprxly July 1, 1966.

WEST YELLOWSTONE ARPT: Unattended and without lgtg until aprxly May 10, 1966.

# **NEBRASKA**

FAIRBURY MUNI ARPT: Rnwy lgts inop. (3-17)

GRAND ISLAND: Cornhusker Ordnance demolition firing in progress at lat 40° 56′50′′N, long 98°31′15′′W; 10 mi WSW Grand Island Mun Arpt. Surface to 1000′ AGL Mon-Fri 1400-2230Z until further notice.

# **NEVADA**

LAS VEGAS RDO: TACAN will be shutdown April 4 until aprxly Apr 8. Disregard spurious radiation.

# NEW HAMPSHIRE

LANCASTER, GRABOR ARPT: Clsd UFN—constrn. (2-17)

### NEW JERSEY

MORRISTOWN MUNI ARPT: Rnwy 5-28 cled 88-8R except departing pure jets UFN. (8-17)

OCEAN CITY MUNI ARPT: Open dalgt operns only. No refueling or other services available due constr UFN.

### NEW YORK

BALLSTON SPA MUNI ARPT: Rnwy 5-28 clad for winter. (2-17)

BUFFALO ARPK: N/8 rnwy clad til aprxly Apr. 1. (12-23)

HORNELL MUNI ARPT: Maintain 2500' MSL at ngt until within 1.5SM on final apch to lgtd rnwy.

MILLBROOK, SKY ACRES ARPT: Ctc arpt prior to lndg on unicom. Constrn N end rnwy. (2-17)

NEW YORK JOHN F. KENNEDY INTL ARPT TWR:

Glide slope serving rnwy 31R will be shutdown Mar 1 thru July 1 for arpt constr. (3–17)

NEW YORK JOHN F. KENNEDY INTL TOWER: The flwg pre-taxi clearance procedures are in effect:

1. Initial call-up to the tower will be on Clearance Delivery, frequency, 121.65 mcs. This call shall be made a maximum of ten (10) minutes prior to estimated taxi time. IFR clearance and departure runway currently in use shall be issued at this time. Time and altimeter setting will be issued to all itinerant departures and to scheduled air carriers when requested.

2. Additional information shall also be issued at the time of clearance delivery. This information shall consist of only that which will concern the departure aircraft. An example of this would be an advisory that departure delays are twenty (20) minutes and that turbojet aircraft should contact Ground Control prior to starting engines.

3. After clearance is received, aircraft shall return to normal frequency use, i.e., contacting Ground Control on 121.9 mcs., when ready to taxi. Pilots need not inform Ground Control of receipt of clearance. As heretofore, aircraft will become part of the departure sequence only after informing Ground Control they are ready to taxi.

4. If an IFR clearance is not available prior to the time a flight is ready to taxi, the pilot will be changed to Ground Control and issued taxi clearance and later changed to Clearance Delivery for an IFR clearance.

5. If aircraft make initial call-up on Ground Control frequency, they will be given clearance to taxi as heretofore, and later changed to Clearance Delivery for their IFR clearance. No aircraft shall receive additional delay because of non-participation in this program.

6. In the event a flight is delayed by its company or other unanticipated circumstances after the IFR clearance has been issued, the pilot shall inform the Clearance Delivery Controller of the delay and shortly prior to taxing out, re-affirm that the clearance and information is still valid.

NEW YORK, LA GUARDIA ARPT: A "pre-taxi" clearance program is in effect. All IFR dptrs are requested to ctc LaGuardia clearance delivery on 126.15 mc for IFR clearance. This call should be made not more than 10 minutes prior to taxi time. Rnwy 18 VASI shut down til aprxly Apr 15, due rnwy constru. NEW YORK, LA GUARDIA ARPT: Due constru rnwy 13 tkof length 5896' after 2300 to 0700 lcl time tkof length 5000'. Rnwy 31 tkof length 5000', lndg 5813'; after 2300 to 0700 lcl time, lndg length 5000'. Rnwy 4-22 clsd 2300-0700 lcl time wea permitting. Rnwy 22 clsd lndg; rnwy 4 clsd tkof 0700-2300 lcl time. Rnwy REIL removed UFN.

NIAGARA FALLS MUNI ARPT: Rotating ben inop. (3-17)

NORTHVILLE, PLATEAU SKY RANCH ARPT: Ski acft only winter months.

OLD FORGE ARPT: Closed winter months. (2-17) ORCHARD PARK ARPT: Clsd til aprxly May 1.

OHCHARD PARK ARPT: CISQ til aprxly may i (12–23)

SYRACUSE, HANCOCK ARPT: Rnwy 16-24 clsd. (3-17)

WHITE PLAINS, WESTCHESTER COUNTY ARPT: About Mar 7, apch lgtg sys with sequenced flashg lgts (rnwy 16) will be shortened to 1730' until aprxly May 15, due reconstru outer portion. (2-17)

WURTSBORO ARPT: All rnwys excp 5-23 clsd til aprxly Apr 1. Constrn. (12-23)

### NORTH CAROLINA

ELIZABETH CITY MUNI ARPT: Due to heavy VFR GCA tfc lndg rnwy 10 at the U.S. Coast Guard Station, it is recommended that all tfc lndg at the Elizabeth City Mun arpt contact Elizabeth City Coast Guard twr on 126.2 mc for tfc information. Acft without radio enter 500' pattern from the west.

MADISON, MAYO ARPT: Clsd. (2-3)

# NORTH DAKOTA

BISMARK MUNI ARPT TWR: March 31, compass locators at MM site will decomsnd. (3-17)

BOWMAN ARPT: Change arpt name to Wokal Arpt.

MINOT, FLYING S RANCH ARPT: Ben and rnwy lgts, inop til spring. (2–17)

NEWTOWN ARPT: New arpt clsd; under constr.

WASHBURN MUNI ARPT: All lgtg facils inop til approximately May 1. (1-20)

# OHIO

OINCINNATI: Moored mrkd balloon will be flown day or ngt up to an alt 1500' MSL. Site of operns 7½ mi NE Greater Cincinnati Arpt and 6½ mi W Lunken Arpt. Balloon will be tethered aprxly ½ ml W of Cincinnati Union Trml Bldg.

OLEVELAND, HOPKINS INTL ARPT: Threshold lgts and first 200' rnwy lgts inop rnwy 27.

COLUMBUS MUNI ARPT: Change arpt name to Port Columbus Intl. (3-17)

COLUMBUS, OHIO STATE UNIVERSITY ARPT: Constru SE end ruwy 5 until fall 1966.

LOST NATION RDO: VOR inop. (3-17)

# OKLAHOMA

NORMAN, WESTHEIMER FLD: Ben inop until aprxly June 1. (3-17)

OKLAHOMA CITY, WILL ROGERS WORLD ARPT:

Rnwy 17L-25R clsd all operns. (9-17)

JOKLAHOMA CITY, WILL ROGERS WORLD ARPT

TWR: Mar 15, compass locator at MM side will be decomsnd. (3-17)

TIPTON ARPT: Rnwy 8-26 clsd for rnwy constr until aprxly May 30. (3-17)

FLK CITY MUNI ARPT: Rnwy 4-22 permly clsd. (3-17)

✓MIAMI MUNI ARPT: Rnwy 4-22 permly clsd. (8-17)
✓TULSA INTL ARPT TWR: Mar 15, compass locator at

middle marker site will be decomsnd. (3-17)

### OREGON

HILLSBORO ARPT: Change name to Portland-Hills-boro Arpt.

NORTH BEND ARPT: About 12 nmi NNE a moored aluminum colored V shaped balloon 75' long, approximately 40' diameter being used in logging operns during daigt hrs, maximum alt 1000' MSL. During hrs darkness will be lowered to 100' AGL.

### PENNSYLVANIA

ALLENTOWN RDO: Mar 28, TACAN will be shutdown until Mar 30 for mod.

CENTRE HALL, CENTRE ARPK: Clsd to transient acft until April 15. (3-17)

CULMERVILLE ARPT: Clad to all transient acft until aprxly Jan. 1967 due to banner towing.

EAST STROUDSBURG, HAMLEN ARPT: Closed until aprxly April 1.

ERIE, PORT ERIE ARPT: Glide slope restrictions removed. (3-17)

GETTYSBURG ARPT: Clsd til aprxly Apr 1. (2-17) HANOVER, DEVENER ARPT: Clsd until aprxly Apr. 1. (12-23)

PINE GROVE ARPT: Closed until aprxly April 1. (8-17)
PITTSBURGH, GREATER PITTSBURGH ARPT TWR:
Mar 14, PAR will be shutdown until Mar 17. (3-3)

PUNXSUTAWNEY MUNI ARPT: E/W rnwy clad for construction til aprxly June. (2-3)

WILKES-BARRE RDO: Limited comms exist E of Thornburst VORTAC below 8000' from Tannersville VOR to Wilkes-Barre VOR. All acft in this area temt 122.1 rcv Huguenot, N.Y.-Thornburst-Wilkes-Barre.

# SOUTH CAROLINA

COLUMBIA RDO: Voice feature of the VORTAC and all enroute comms inop indefinitely.

# SOUTH DAKOTA

BRITTON MUNI ARPT: Arpt clsd for rnwy construentil aprxly Apr 1, 1966. (12-23)

HURON, HOWES MUNI ARPT TWR: Mar 31, compass locator at MM site will be decomend. (3-17)

SIOUX FALLS, FOSS FLD TWR: Mar 31, compass

locator at MM site will be decomsnd. (3-17)

# TENNESSEE

Russellville, Ark long range radar at 4500 MSL and below from Huston Int to College Int due to inadequate comms.

# **TEXAS**

BORGER, HUTCHINSON COUNTY ARPT: Rnwy 17-35 clsd til May 15.

CLEAR SPRING ARPT: Civil acft requiring use of this fld when military acft are in the tfc patn, should fly a rectangular patn with turns in the opposite direction from the military patn and rock wings on downwind. Patn should be flown at 1200' MSL until military tfc is clear. Use rnwys only for Indgs. Rnwy 13-31 clsd.

DALLAS, HIGHLAND PARK ARPT: Hvy road equipment operg N end N/S rnwy til aprxly March, 1966.

clearance procedures are in effect: 1. Initial call-up to Love Tower will be on Clearance Delivery frequency. This call shall be made a maximum of ten (10) minutes prior to estimated taxi time. IFR clearance and any other pertinent information shall be issued at this time. 2. After IFR clearance is received aircraft shall contact Ground Control when ready to taxi. When contacting Ground Control the pilot shall indicate receipt of his IFR clearance and state his destination i.e., "N1234 taxi clearance have information BRAVO and IFR clearance-Little Rock." 3. In the event a pilot is unable to contact Clearance Delivery or receive an IFR clearance prior to the time the flight is ready to taxi he shall so inform Ground

DALLAS, REDBIRD ARPT: First 650' rnwy 13 clsd due contrn til aprxly Jun 1, remaining 3800' usable. (2-17)

Control. 4. In the event of unanticipated departure

delay, after the IFR clearance has been delivered, the

EL PASO INTL ARPT: Rnwy lgts rnwy 17-35 inop.

pilot shall so advise Clearance Delivery.

GREENVILLE, MAJORS ARPT: Rnwy 8-26 clsd to all operns until aprxly June 1966.

GEORGETOWN MUNI ARPT: Rotating ben inop until aprxly April 1. (3-3)

HOUSTON INTERCONTINENTAL ARPT: New arpt under constr about 15 mi N. Clsd to all acft operns.

JOHNSON CITY ARPT TWR: Mobile twr utilizing freqs 286.6, 243.0, 126.2, 121.5 caretake status except as notamed weather and altimeter setting avbl when twr is in opern.

LA GRANGE, GUENTHER FLD, LA GRANGE MUNI ARPT: Rnwy 1-19 clsd til aprxly Jul 1. (2-17)

QUITMAN RDO: VOR shut down til aprxly Jun 16. Tmpry Rbn on freq 257 kc avbl during shutdown. (2-17)

moved 600' SE. Threshold rnwy 32 moved 400' NW. Rnwy 14-32 3183' plus 400' overrun on rnwy 14 and 600' overrun rnwy 32. Pavement prior to threshold is usable for tkofs. (3-17)

WICHITA FALLS, SHEPPARD AFB/WICHITA FALLS AIR TRML: First 3000' rnwy 17 clsd Jul 20. (2-17)

# UTAH

I)ELTA MUNI ARPT: Rnwy lgts rnwy 16-33 inop. (3-17)

FLAMING GORGE DAM SITE: Cables and pwr lines suspended from 2 twrs on W side to one twr on E side of canyon across Green River aprxly 100' higher than canyon rim.

# VERMONT

VERMONT: The flwg arpts will be plowed and open winter months: Enosburg Falls, Newport and St. Johnsbury Muni.

# WASHINGTON

COLVILLE MUNI ARPT: Delete § symbol. (3-17) ELLENSBURG, BOWERS FLD: Rnwys clad except rnwy 11-29, rnwy lgts not visible. (2-17)

OLYMPIA ARPT: Rnwy 8-26 clsd. (3-17)

TACOMA INDUSTRIAL ARPT: Use rnwys and txwys only. Men and equip on fld 0800-1700 Mon thru Fri UFN. Ctc McChord RAPCON on 120.1 mc for IFR clearance. (2-17)

WENATCHEE, PANGBORN ARPT: Mayor constr UFN. Ctc twr for details concerning usable portion of fld. (3-17)

# WISCONSIN

WISCONSIN: The following airports are open to ski equipped acft only during winter months: Chetek, Cumberland Muni, Graytown and Rice Lake Muni.

GREEN BAY, AUSTIN STRAUBEL ARPT TWR:
Mar 31, compass locator at MM site will be decommend.
(3-17)

✓MADISON, TRUAX FLD TWR: Mar 31, compass locator at MM site will be decomend. (3–17)

Compass locator at MM site will be decommend. (3-17) SPOONER MUNI ARPT: Clad til aprxly May 1. (12-28)

# NOTICES TO AIRMEN

# SUBSTITUTE ROUTE STRUCTURES

# CALIFORNIA

NAPA BDO: Mar 21, VOR will be shutdown until aprxly 'Mar 25. For substitute route structure during shutdown use the following:

# Low Altitude

Altrigo Ething Altrigo	Substitute Reutes MEA.	MAA
<b>A A</b>	SFO VOR to Lake Int via 5,500	17,500
	SFO VOR 343 rad	
Existing Reporting Points	Temperary Reporting Points	
APC VORTAC	None	
Lake Int	SFO VOR 343 rad SAC VORTAC	5,500
	270 rad	
Celistoge Int	UKI VORTAC 112 rad ILA	6,500
	VORTAC 205 rad	
Cordelle Int	OAK VORTAC 347 rad SAC	5,000
	VORTAC 228 rad	
Bey Point Int	OAK VORTAC 022 rad SCK	5,000
	VORTAC 268 rad	
Coolege Int	OAK VOR 022 rad and SAU VOR	4,000
	073 rad	
SAN RAMON Int	OAK VOR 060 rad and OSI VOR	4,000
	015 rad	

# MISSOURI

HALLSVILLE "HLV" VOR SHUTDOWN: March 28, VOR will be shutdown until aprxly April 1. For substitute route structure during shutdown use the following:

	Low Althora	
Alrways Existing Airways	Subothuto Routes MEA	MAA
V4/210 MHL VOR to HLV VOR	MHL VOR to Tmpry HLV 3,000 via MHL VOR 289 rad	17,500
V4/210. STL VOR to HLV VOR	STL VOR to Tmpry HLV 7,500 Int via STL VOR 277 rad	17,500
VB3 UIN VOR to HLV VOR	UIN VOR to Tmpry HLV 4,000 Int via UIN VOR 217 rad	17,500
VB3/ SGF VOR to HLV 175 VOR	SGF VOR to Tmpry HLV 11,500 Int via SGF VOR 021 rad	17,500
Existing Reporting Points	Temperary Reporting Points	MIRA
Hallsville VOR	. Tmpry HLV Int—MHL VOR 089 rad and MCM VOR 146 rad	3,000
Eldon Int	SGF VOR 021 rad and VIH VOR 280 rad	4,500
Witton Int	VIH VOR 315 rad and SGF VOR 021 rad	8,000

# Page III-73 Re-entry paragraph line 5:

### CLEAR VIEW OB-3

# Revised Effective March 27, 1966

98°03'W, maintain 7000' MSL direct 39°55'N', 99°30'W; then turn right descending to 3800' MSL to 40°08'N, 99°37'W, thence via the published route.

# Page III-76 Re-Entry paragraph line 6:

#### FUNT ROCK OS-7

# Revised Effective Merch 27, 1966.

then at 6600' MSL direct 47°40'N, 102°00'W the descending so as to cross 47°50'N, 101°56'W at 4000' MSL; then continue turn direct 47°47'N, 101°42'W; then direct at 4000' MSL to 47°35'N, 101°31'W, thence via the published route.

### Page III-81 Nac 5:

### ROAD BED OB-37

45°15'N, 104°85'W at <u>5800'</u> MSL; then at <u>5800'</u> MSL

### Page III-82 Re-entry paragraph line 6:

### SILVER BAY OB-13

### Revised Effective Merch 27, 1966

turn to 43°47'N, 102°20'W; then at 5000' MSL direct 43°56'N, 100°49'W; then turn right descending so as to intercept the Silver Bay route at 43°42'30''N, 100°48'W at 4700' MSL; thence via the published route.

### Page III-84 Add:

# MAINE/NEW HAMPSHIRE/NEW YORK/VERMONT STOCK FARM OB-38

# Effective: April 4, 1966 through September 24, 1966

Aircraft shall cross 46°46'30''N, 68°06'W (Presque Isle, Maine VORTAC) at FL 250, or as assigned by ARTCC, then at FL250, or assigned FL, direct to 46°-56'N, 68°28'W (Presque Isle VORTAC 325/18 NM DME fix); descend direct to cross 47°04'N, 68°46'W at or above FL 180; turn left descending to 47°02'N, 69°00'W; continue descent direct to cross 46°30'N, 69°25'W at or below 8,000' MSL; descend direct to cross 46°17'N,

60°84'W (route low level entry point) at 5,800' MSL; then at 5,800' MSL direct to 45°11'N, 70°24'W; direct 44°22'N, 70°22'W; climb direct so as to cross 44°17'N, 70°83'W at 7,000' MSL; direct 48°51'N, 71°80'W; (reporting point) direct 43°55'N, 72°82'W.

Lay Down—After passing 43°55'N, 72°82'W, aircraft shall operate at 7,000' MSL through the bomb run corridor (4 NM either side of centerline from 43°55'N, 72°-82'W to 43°58'N, 73°27'W). After exiting the route at 43°58'N, 73°27'W, aircraft shall maintain 7,000' MSL direct 43°59'N, 73°41'W; (reporting point) turn right; climb to cross 44°09'N, 73°41'W at 11,000' MSL; direct 44°07'N, 72°11'W; climb direct to cross 43°52'N, 71°51'W at or below 14,000' MSL; then climb direct so as to cross 43°13'N, 71°35'W (Concord, N.H. VOR) at FL 230 or as assigned by ARTCC.

Re-Entry—After completing the initial bomb run, aircraft that are scheduled to execute an additional bomb run shall, after exiting the route at 43°58'N, 73°27'W, maintain 7,000' MSL direct to 43°59'N, 73°41'W; (reporting point) turn right, climb to cross 44°09'N, 73°-41'W at 11,000' MSL; then at 11,000' MSL direct 44°-07'N, 71°55'W; turn right, descend to cross 43°53'N, 71°57'W at 7,000' MSL; thence via the published route. The aircraft may after 44°09'N, 73°41'W at 11,000' MSL; proceed direct to 44°07'N, 72°16'W; then turn right and descend so as to cross 44°00'N, 72°07'W at 7,000' MSL; then continue turn at 7,000' MSL; to 43°-54'N, 72°16'W thence via the published route.

VFR and Contour—If the encountered weather conditions along the route are equal to or better than ceiling 8,000', visibility 5 miles, the pilot may descend VFR and operate between the IFR altitudes indicated on the chart and 800' above the immediate terrain between the following points: From 46°17'N, 69°34'W to 44°06'N, 70°58'W. VFR operations shall not be conducted during the hours of darkness.

Alternate Entry—Aircraft shall cross 44°19'N, 69°47'W (Augusta, Maine VOR) at FL 180 or as assigned by ARTCC; then at FL 180 direct 44°29'N, 69°54'W (Augusta VOR 351° radial 11 NM); then at FL 180 or assigned altitude, turn left to 44°32'N, 70°06'W; descend direct to cross 44°11'N, 70°55'W at 7,000' MSL; direct 43°56'N, 71°30'W; then at 7,000' MSL direct to 43°52'N, 71°39'W; (reporting point) thence via the published route.

Roote Width—The route width is reduced to 4 NM on the east side of centerline from 45°11'N, 70°24'W to 44°22'N, 70°22'W and to 4 NM on either side of centerline from 44°22'N, 70°22'W to 43°58'N, 78°27'W.

Hours of Operation—24 hours daily, 7 days per week.

# CHART CORRECTION

Correct C & GS Low Altitude Chart L-16 effective March 3, 1966 by changing airway designation between Brownsville, Texas VORTAC and Armstrong Intersection, from V-168 to V-163.

# AIRMAN'S INFORMATION MANUAL NOTICES TO AIRMEN

SECTION III A



EFFECTIVE 0501Z 14 APRIL 1966

To 0501Z 28 APRIL 1966

FEDERAL AVIATION AGENCY

AIM-Apr. 14, 1966

# Section III-A-NOTICES TO AIRMEN

This section is issued every 14 days and is primarily designed to supplement Section III of the AIM. It contains appropriate notices from the daily NOTAM Summary, Airmen Advisories, new or revised Oil Burner Routes and other items considered essential to flight safety.

NOTE: Data preceded by a checkmark (\*) are considered permanent and will usually be cited only once. Such information should be noted on charts and records. Temperary information is normally carried twice unless re-submitted.

NOTE: Data are arranged in alphabetical order by State land within the State by City or locality).

NEW OR REVISED DATA: New or revised data are indicated by underlining the first line of the affected item. The new information is not necessarily limited to the underlined portion, which is used only to attract attention to the new insert.

### ALABAMA

BIRMINGHAM MUNI ARPT TWR: April 18, glide slope serving rnwy 5 will be shutdown until aprxly April 29 for mod.

BRANTLEY MUNI ARPT: Clsd until July 1966.

until aprxly May 26 for relctn to Monroeville, name to be changed to Monroeville. Ident to be "MVC" during shutdown RRn to be available at same lctn, ident: "TEV" freq 273 kc.

HUNTSVILLE, MADISON COUNTY ARPT: New arpt under constr 10 miles W until aprxly Nov 1966. Not to be used by acft. (12-23)

SELMA, SELFIELD ARPT: Rnwy 18-86 clsd until aprxly July 1966. VFR acft ctc Craig Twr on 126.2 for tfc and indg advisories.

# ARIZONA

MARICOPA: CAUTION—DO NOT MISTAKE FOR LANDING AREA. Space Surveillance Stn at lat 88°06'81", long 112°01'46" aprxly 4 mi N. 1200' W and parallel to hwy. Site is strip 800' x 1800' with paved portion lengthwise thru cntr 100' in width and studded with 6' steel posts. This permanent hazard lctd 22 nml 8 Phoenix-Sky Harbor Arpt.

PHOENIX, SKY HARBOR MUNI ARPT: 1200' additional rnwy avail daigt hrs E end of rnwy 8R-26L at pilot's discretion, due engr test.

TUCSON RDO: April 7 TACAN portion of VORTAC will be shutdown for maintenance until aprxly April 22. VOR portion will be shutdown during the hrs 1500-2330Z April 11 until aprxly April 13. (3-31)

# **ARKANSAS**

FORT SMITH MUNI ARPT TWR: LMM permly decomand.

rnwy 4 decomsnd.

MENA MUNI ARPT: All fld lgtg inop until aprxly May 1, 1966. (2-17)

TEXARKANA MUN ARPT: Daily demolition activity, lctd aprxly 18 mi W, Mon thru Fri from 1200 CST to 1330 CST and 1500 CST to 1615 CST. Shrapnel and shock waves up to 3000'.

## CALIFORNIA

BAKER ARPT: Clsd for repairs until April 1, 1966. GLENDALE RDO: Decomsng of RBn delayed until aprxly June 23.

OCEANO-COUNTY ARPT: Constr in progress in an area 450' SW of rnwy entrline until aprxly July 1966.

PLACERVILLE ARPT: Rnwy 18-36 clsd until aprxly May 15, 1966. (2-17)

SAN JUAN CAPISTRANO, CAPISTRANO ARPT: Constr in progress until aprxly April 1966.

TWENTYNINE PALMS ARPT: Rnwy lgts inop. (3-17)

# COLORADO

CORTEZ, CORTEZ-MONTEZUMA COUNTY ARPT: ('lsd UFN due constr.

DENVER, STAPLETON INTL ARPT: Rnwy 17-35 clsd every Mon 1530-1730Z for maint.

GRAND JUNCTION, WALKER FLD TWR: Glide slope shutdown until aprxly June 28, 1966. (3-17)

LAKE CITY, V.C. AIRSTRIP: Closed winter months.

TRINDAD RDO: VHF/DF unusable beyond 40 nml below 8000' MSL 280-120°, 9000' MSL 120-185°, 15,000' MSL 135-175°, 17,500' MSL 175-220°, 14,500' 220-280° acct reduced coverage. (2-17)

# CONNECTICUT

MARLBORO, LESNEWSKI FLD: Clsd until June 1 due snow and spring thaw. (2-17)

WINDSOR LOCKS, BRADLEY FLD: Rnwy 6-24 clsd btn 0501-1130 Mon-Sat. until aprxly June a

# DISTRICT OF COLUMBIA

WASHINGTON: Warning—all flights must avoid the Washington Prohibited Area P-56. See Washington, D.C. chart under Special Notices-Area in Section III for location.

WASHINGTON NATIONAL ARPT: Caution, turbu-

lance apch ends rnwys 21, 33 and 36.

WASHINGTON NATL ARPT: Foreign Clearance Base. Clad all military acft except: (a) acft carrying VIP or officers above rank of Major General or Rear Admiral (b) CG logistic support flights cleared with

Comdt. CG. General Aviation acft use General Aviation Terminal. Limited parking for all types of acft. During heavy tfc periods, pilots may be required to proceed to another airport for parking after passenger deplaning. Special Air Traffic Rules, Part 93, Subpart C, in effect.

WASHINGTON NATIONAL ARPT: TURBOJET POLICY—except under emgcy conditions and subject to observance of noise abatement procedures, only those turbojet acft meeting the following criteria can be accommodated: A. Approved types of turbojet acft to short or medium range engaged in (1) Government, corporation, charter, or rental types of operations, (2) Air carrier (including supplemental air carriers) and commercial operator training, charter, or familiarization flights; and (3) Scheduled air carrier operations after April 23, 1966. B. The currently approved types of turbojet acft are as follows: (1) Jetstar (C-140) (2) Sabreliner (T-39) (3) Morane Sauliner 760 (4) Jet Commander (Aero Commander) (5) Learjet Model 23 (Lear Jet Co.) (6) Hawker Siddley DH-125 (7) Fan Jet Falcon (8) Caravelle (9) DC-9 (10) BAC-111 (11) Boeing 727. C. Turbojet acft not listed above must secure advance authorization from the Airport Manager at least 48 hours before planned arrival time. D. No Turbojet acft described in paragraph B (8) through (11) may be operated into or out of arpt on a flight segment or more than 650 statute miles, except for non stop flights of less than 100 miles openg to or from the following cities: Hamilton, Bermuda, Miami, Fla., Memphis, Tenn., Minneapolis, Minn., Orlando, Fla., St. Louis, Mo., Tampa, Fla., West Palm Beach, Fla.

# **FLORIDA**

- TRIPS TO HAITI, PUERTO RICO AND DOMINICAN REPUBLIC NOTICE: HAITI, private acft landing or overflying Haiti must furnish 48 hours advance notice and a flight plan must be filed. Pilots planning to fly between the mainland and PUERTO RICO should plan their route to avoid unscheduled emergency fuel stops. Pilots planning to fly to the DOMINICAN REPUBLIC should refer to the International Flight Information Manual for complete details.
- DAYTONA BEACH MUNI ARPT: May 26, LMM will be decomend.
- JACKSONVILLE, IMESON ARPT TWR: May 26, LMM will be decomend.
- MIAMI INTL ARPT TWR: May 26, LMM will be decomend.
- MIAMI INTL ARPT TWR: During periods of hvy tfc dual twr frequencies will occasionally be utilized. All pilots shoud be alert for frequency assignment in such cases.
- ORLANDO, HERNDON ARPT TWR: May 26, LMM serving rnwy 7 will be decomend.
- PENSACOLA MUNI (HAGLER) ARPT TWR: May 26, LMM serving rnwy 16 will be decomsnd.
- ST. PETERSBURG-CLEARWATER INTL ARPT TWR: May 26, LMM will be decomend.
- TALLAHASSEE MUNI ARPT TWR: May 26, LMM rnwy 36 will be decomsnd.
- TAMPA INTL ARPT TWR: May 26, LMM rnwy 18L will be decomand.

- WEST PALM BEACH, PALM BEACH INTL ARPT: Lgtd 80' boom pile driver openg 1200' N apch end rnwy 27 until aprxly Dec 1, 1966. (1-6)
- WEST PALM BEACH, PALM BEACH INTL ARPT TWR: May 26, LMM rnwy 9 will be decomend.

# **GEORGIA**

ATLANTA ARPT: April 28, LMM will be decomend.

ATLANTA, DEKALB-PEACHTREE ARPT: Tmpry ctl twr transmitting and receiving on 121.3, 121.7 and receiving only on 122.5 until aprxly May 15. (1-20) THOMASVILLE MUNI ARPT Rnwy 4-22 clsd resurfacing. (1-20)

# IDAHO

McCALL ARPT: Rnwy and txwy lgts inop until aprxly June 1, 1966. (1-6)

### ILLINOIS

ALTON CIVIC MEMORIAL ARPT: NE/8W strip clsd all operns until aprxly June 1. (8-17)

CHICAGO-HINSDALE ARPT: Clsd to transient tfc due constr.

CHICAGO, MIDWAY ARPT: April 28, compass locator at MM site serving rnwy 13R will be decommend.

CHICAGO, O'HARA INTL ARPT: April 1, LMM rnwy 14L decomsnd. April 18, LMM rnwy 14R will decomsnd april 28, LMM rnwy 27 decomsnd.

CHICAGO-O'HARE INTL ARPT: Constr on NW end of rnwy 14L-32R in progress until aprxly Oct 10.

# INDIANA

EVANSVILLE, DRESS MEML ARPT: NE end rnwy 3-21 under constr until aprxly July 1966.

# IOWA

DES MOINES MUNI ARPT TWR: April 28, LMM will be decomsnd.

SIOUX CITY RDO: April 28, LMM will be permly decomend.

WATERLOO MUNI ARPT TWR: April 28, LMM will be decomend.

WATERLOO RDO: April 25, VORTAC will be shutdown until aprxly April 29. For substitute route structure during shutdown see page 6.

# KANSAS

GOODLAND MUNI ARPT: Rnwy 8-26 and 1000' extension to SE end rnwy 13-31 clsd June 1.

HUTCHINSON MUNI ARPT TWR: April 28, LMM will be decomend.

OLATHE CITY ARPT: NW/SE rnwy clad for repairs UFN.

### KENTUCKY

LOUISVILLE, STANDIFORD FLD TWR: ILS glide slope and lclzr serving rnwy 29 will be shutdown intermittently on a day-by day basis UFN due rnwy constr.

# LOUISIANA

BATON ROUGE, RYAN ARPT TWR: LMM rnwy 18 decomend.

LAFAYETTE MUNI ARPT TWR: LMM rnwy 19 decomend.

decomsnd.

- LAKE CHARLES MUNI ARPT TWR: LMM serving
- rnwy 15 decomsnd.
- MONROE MUNI ARPT: LMM serving rnwy 4
- NEW ORLEANS LAKEFRONT ARPT: N end of center txwy N side of rnwy 13 remains clsd. 175' boom operg intermittently in area of apch end rnwy 4 aprxly 300' W of rnwy 4. Rnwy 4-22 remains clsd except
- 300' W of rnwy 4. Rnwy 4-22 remains clad except for thof to NE, rnwy lgts inop duration until aprxly May 1.
- NEW ORLEANS INTL (MOISANT FLD) TWR: LMM serving rnwy 10 decomsnd.
- NEW ORLEANS INTL ARPT (MOISANT FLD): Caution indg rnwy 1, apch end aprxly 18 inches lower than rnwy level, rnwy length reduced to 6850', 125' drag line W of rnwy, until aprxly Aug 15.

# MAINE

- MAINE: The following airports are closed winter months: Enfield, Sylvan Lane; Eastport Muni, Jonesboro, Drisko's; Lubec.
- BAR HARBOR ARPT: Rnwy 4-22 and 8 end rnwy 17-35 plowed 3400' to intersection. (2-17)
- BLUE HILL ARPT: Closed winter months. (12-23)
- MILLINOCKET MUNI ARPT: Rnwy 16-34 suitable for ski operns only. Acft using rnwys 16-34 and 11-29 not visible to each other until apchg intersection.
- OLD TOWN MUNI ARPT: Acft using rnwys 4-22 and 15-33 not visible to each other until apchg intersection.
- PRINCETON ARPT: Rnwy 6-24 not plowed winter months. (2-17)
- ROCKLAND MUNI ARPT: No lgts available winter months. (2-17)
- WATERVILLE, LAFLEUR ARPT: Rnwy 5 under construntil aprxly July 1, being extended on SW end.
- YORK ARPT: Closed until April 1966. (1-6)

# MARYLAND

- BALTIMORE, EASTERN ARPT: Change airport name to Essex Skypark.
- CHURCHTON, DEEP CREEK ARPK: Closed until aprxly April 15. (3-17)
- CUMBERLAND MUNI ARPT: Closed May 12 May 16 due to sport car races.
- LAUREL, SUBURBAN ARPT: Rotary wing acft must conform to normal tfc patns and hover over paved portions only.
- PARK HALL ARPT: Flight in Restricted Area R-4007 authorized only within one mi radius of arpt and in one mi wide corridor 252° (M) from the arpt at and below 1200'.
- PINEY POINT ARPT: Flight in Restricted Area R-4007 authorized only within one mi radius of arpt and in one mi wide corridor 336° (M) from the arpt at and below 1200'.
- TOWSON: 10' balloon ascending 1000' per minute. 1400 to 2400 GMT daily.

# **MASSACHUSETTS**

- SPECIAL NOTICE: Field conditions for all arpts avbl through the nearest Massachusetts State Police Hdqtrs.
- SPECIAL NOTICE: VFR wea warning signs installed arpt ramp areas at number of Cape Cod and bordering Island lctns. Plymouth, Mass. Weather warning sign

- operg during hrs arpt. Signs function with associated flashg lgt during periods where wea is forecast or actually goes below VFR minimums. Sign and lgt sys operns at Chatham and Martha's Vineyard during hrs arpt attended. At Hyannis, New Bedford and Nantucket 24 hrs daily.
- BEDFORD, LAURENCE G. HANSCOM FLD: Moored balloon 5 NM SW of fld, 3000' AGL hoisted hourly during VFR conditions dalgt hrs. Cable marked with small balloons. (12-23)
- MARTHA'S VINEYARD ARPT: Rnwy 1-19 not maintd winter months. (3-3)

# MICHIGAN

- DRUMMOND ISLAND ARPT: Daily blasting in limestone quarry between 1200-1800 EST within 1 mi radius of lat 45°58'00"N long 83°47'30"W aprxly 8.5 mi SSW, fragments reaching altitude 1500 AGL 2300 MSL.
- Frand Rapids, Kent County arpt twr: LMM rnwy 26 decomsnd.
- MARQUETTE CO. ARPT: About 17.5 mi WSW blasting in the Republic and Humboldt areas Mon-Fri from 2045 to 2145Z. Danger area extending 1000' AGL. About 5.2 mi SSW intermittent blasting in Palmer area. Danger area extending 1000' AGL.
- MENOMINEE ARPT: Rnwy 9-27 clsd winters. (3-3) MUNSING, HANLEY FLD: Clsd for winter months. (12-23)
- OWOSSO CITY ARPT: Obstn lgts inop on 210' twr lctd 5 mi SE.
- SAULT STE. MARIE: Daily blasting excp Sun btn hrs of 1500-1630 CST in limestone quarry within a 1 mi radius of lat 46°04'N, long 84°18'W, 18 mi SE of Kincheloe AFB. Fragments reaching alt of aprxly 2200'. AGL (8000' MSL.)
- TRAVERSE CITY MUNI ARPT: Rnwys clsd except rnwys 18-36 and 9-27. (8-17)

# MINNESOTA

- BEMJDJI MUNI ARPT: Rnwy 7-25 skiis only. (12-23) EVELETH-VIRGINIA MUNI ARPT: Rnwys 14-32 and 5-23 clsd during winter months.
- EVELETH-VIRGINIA ARPT: Extsv blasting being conducted in mine pits in area 2 mi either side of a line from Aurona, Minn., to a point 4 mi SE of Babbitt, also extensive blasting being conducted in mine pits in an area 4 to 8 miles WNW of Virginia. Ctc Hibbing FSS for blasting schedule.
- GRAND RAPIDS, SUGAR LODGE ARPT: Clad to all operns until aprxly May 1.
- HIBBING, CHISHOLM-HIBBING ARPT: Rnwy 4-22 clsd winters. Unscheduled blasting in open pit mines will be conducted 7 days a week during dalgt hrs in area 8 miles E to W and 1 mi N to 8 lctd 1 mi N of Mountain Iron, Minn., or about 15 miles NE of arpt. Blasting to continue til about May 1, 1966.
- MINNEAPOLIS-ST. PAUL INTL ARPT TWR: LMM decomend.
- MORA MUNI ARPT: Rnwy 11-29 clsd due constr until spring.
- \*ROCHESTER MUNI ARPT TWR: April 28, compass at MM site will be decomend. (3-17)

### MISSISSIPPI

HATTIESBURG MUNI ARPT: Rnwys 13-31 and 8-26 clsd until June 1966.

# MISSOURI

shutdown dalgt hrs until April 28 for installation of dual monitors, the glide slope will be shutdown continuously for antenna mod.

KANSAS CITY RDO: Mar 28, RBn shutdown until aprxly April 28 for relctn to Mid-Continent Intl Arpt ILS OM site. (3-17)

KANSAS CITY, MID-CONTINENT INTL ARPT: ILS LOM rnwy 36 will be decomend March 28 and replaced by RBn 359 about April 28. (3-17)

**KANSAS CITY, MID-CONTINENT INTL ARPT TWR:**April 28, LMM will be decomsnd.

# MONTANA

BUTTE, SILVER BOW COUNTY ARPT: Rnwy lgts rnwy 2-20 inop until aprxly July 1966. (2-17)

DILLON RDO: TACAN portion of VORTAC will be shutdown April 11 - April 15 for mod. VOR portion will be shutdown for one day effective April 13.

GREAT FALLS ARTCC: En route radar service except radar weather advisory service is available throughout the enlarged Great Falls ARTCC area. Due to equipment characteristics radar weather advisory service cannot be provided in this area nor on J107 from the Centers eastern boundary to the Canadian border where civil turbojet radar advisory service is being provided by Great Falls ARTCC.

GREAT FALLS INTL ARPT TWR: LMM decomsnd. LIVINGSTON, MISSION FLD: First 1200' rnwy 32 clsd

until aprxly July 15, 1966.

MILES CITY RDO: April 25, TACAN portion of VORTAC will be shutdown until aprxly April 29 for mod.

MISSOULA COUNTY ARPT: Rnwy 7-25 E 2534' clsd until aprxly July 1, 1966.

WEST YELLOWSTONE ARPT: Unattended and without lgtg until aprxly May 10, 1966.

# **NEBRASKA**

to NW end rnwy 14-32, NW 400' of present rnwy tmprly clsd, usable length avbl 3600'.

GRAND ISLAND: Cornhusker Ordnance demolition firing in progress at lat 40° 56′50′′N, long 98°31′15′′W; 10 mi WSW Grand Island Mun Arpt. Surface to 1000′ AGL Mon-Fri 1400-2230Z until further notice.

OMAHA, EPPLEY AIRFLD TWR: ILS LMM will be permly decmand Apr 28.

# NEVADA

LOVELOCK, DERBY FLD: One or two moored balloons 12' in diameter in enshrouding parachute will be operating about 17 nmi W from 8AM to 9PM local standard time until March 31, 1987. Surface to 6700' MSL or 2500' above test site. Balloons equipped with red flashing lights at ngts.

MORMON MESA RDO: April 18, TACAN portion of VORTAC will be shutdown until aprxly April 23 for antenna change.

# NEW HAMPSHIRE

LANCASTER, GRABOR ARPT: Olsd UFN-constra.

### NEW JERSEY

MORRISTOWN MUNI ARPT: Rnwy 5-23 clad SS-SR except departing pure jets UFN. (8-17)

OCEAN CITY MUNI ARPT: Open dalgt operns only. No refueling or other services available due constr UFN.

READINGTON, SOLBERG-HUNTERDON ARPT:
Rnwys 1-28, 13-31, 14-32 and all grass areas clad until
aprxly May 1.

# NEW MEXICO

CROWNPOINT RDO: Apr 15, VOR will be decomsnd.

# NEW YORK

HORNELL MUNI ARPT: Maintain 2500' MSL at ngt until within 1.5SM on final apch to lgtd rnwy.

ISLIP, LONG ISLAND ARPT: Change arpt name to Long Island-MacArthur Arpt.

MILLBROOK, SKY ACRES ARPT: Ctc arpt prior to lndg on unicom. Constrn N end rnwy. (2-17)

NEW YORK JOHN F. KENNEDY INTL ARPT TWB: Glide slope serving rnwy 31R will be shutdown thru July 1 for arpt constr. (3-17)

replaced by 127.4 for apch ctl. Freq 118.0 functional change from apch ctl to expanded radar service. Freq. 120.8 decommend.

NEW YORK, LA GUARDIA ARPT: Due to construct rowy 13 take of length 5896' rnwy 13 lndg length 5000'. Rnwy 31 tkof length 5000' with displaced threshold 175' NW, rnwy 31 lndg length 5813'. Rnwy 13-81 usable length subject to variations due to construct Rnwy 4-22 usable length 7000'. Rnwy 4 lndgs and rnwy 22 departures clsd to all turbojet acft operns.

NEW YORK, LA GUARDIA ARPT TWR: ILS lclzr (rnwy 4) operg intermittently 1400-2200% daily til aprxly May 1. Lclzr (rnwy 22) will be shut down during lclzr (rnwy 4) test basis operns.

NORTHVILLE, PLATEAU SKY RANCH ARPT: Ski acft only winter months.

OLD FORGE ARPT: Closed winter months. (2-17)

ORCHARD PARK ARPT: Clsd til aprxly May 1. (12-23)

WHITE PLAINS, WESTCHESTER COUNTY ARPT: Apch lgtg sys with sequenced flashg lgts (rnwy 16) will be shortened to 1730' until aprxly May 15, due reconstru outer portion. (2-17)

# NORTH CAROLINA

CHARLOTTE, DOUGLAS MUNI ARPT: April 28, LMM will be decomsnd.

ELIZABETH CITY MUNI ARPT: Due to heavy VFR GCA tfc Indg rnwy 10 at the U.S. Coast Guard Station, it is recommended that all tfc Indg at the Elizabeth City Mun arpt contact Elizabeth City Coast Guard twr on 126.2 mc for tfc information. Acft without radio enter 500' pattern from the west.

JULIAN, CAUSEY ARPT: Clad until aprxly May 1.

### NORTH DAKOTA

MINOT, FLYING 8 RANCH ARPT: Ben and rnwy lgts inop til spring. (2-17)

NEWTOWN ARPT: New arpt clsd; under constr.

WASHBURN MUNI ARPT: All lgtg facils inop til approximately May 1. (1-20)

# OHIO

OINCINNATI: Moored mrkd balloon will be flown day or ngt up to an alt 1500' MSL. Site of operns 7½ mi NE Greater Cincinnati Arpt and 6½ mi W Lunken Arpt. Balloon will be tethered aprxly ½ mi W of Cincinnati Union Trml Bidg.

CINCINNATI, GREATER CINCINNATI ARPT TWR:
April 26, ILS serving rnwy 18 will be shutdown until
aprxly April 30 for Iclzr freq chg to 11.5 mc.

COLUMBUS, OHIO STATE UNIVERSITY ARPT: Constru SE end ruwy 5 until fall 1966.

COLUMBUS, PORT COLUMBUS ARPT: RVR rnwys
10L and 28R inop UFN.

Andrew W. Paton of Kent State University Arpt. YOUNGSTOWN MUNI ARPT TWR: April 25, ILS glide slope serving rnwy 32 will be shutdown until aprxly May 8.

### OKLAHOMA

NORMAN, WESTHEIMER FLD: Bcn inop until aprxly June 1. (8-17)

JOKLAHOMA CITY, WILL ROGERS WORLD ARPT

TWR: LMM decomsnd serving rnwy 35.

OKLAHOMA CITY, WILL ROGERS WORLD ARPT: Rnwy 17L-25R clsd all operns. (9-17)

TIPTON ARPT: Rnwy 8-26 clsd for rnwy constr until aprxly May 80. (3-17)

aprxly 1.5 ml E of rnwy 26, caution when lndg W on rnwy 26. Do not mistake strip for rnwy.

### OREGON

NORTH BEND ARPT: About 12 nmi NNE a moored aluminum colored V shaped balloon 75' long, approximately 40' diameter being used in logging operns during dalgt hrs, maximum alt 1000' MSL. During hrs darkness will be lowered to 100' AGL.

# PENNSYLVANIA

CULMERVILLE ARPT: Clsd to all transient acft until aprxly Jan: 1967 due to banner towing.

ERIE, PORT ERIE ARPT: Glide slope restrictions removed. (3-17)

MONOGAHELA, THOMPSON MEML ARPT: Clad until aprxly Sept. 1966 due constr.

PITTSBURGH, GREATER PITTSBURGH ARPT TWR:
ILS serving rnwy 28L will be shutdown UFN due rnwy
constr. PAR will be avbl at same minimums.

PUNXSUTAWNEY MUNI ARPT: E/W rnwy clad for construction til aprxly June. (2-8)

WILKES-BARRE RDO: Limited comms exist E of Thornhurst VORTAC below 8000' from Tannersville VOR to Wilkes-Barre VOR. All acft in this area temt 122.1 rcv Huguenot, N.Y.-Thornhurst-Wilkes-Barre.

# SOUTH CAROLINA

COLUMBIA RDO: Voice feature of the VORTAC and all enroute comms inop indefinitely.

### SOUTH DAKOTA

BRITTON MUNI ARPT: Arpt clad for rnwy construentil aprxly Aug 1, 1966. (12-28)

HURON, HOWES MUNI ARPT TWR: ILS LMM decomend.

PIERRE RDO: Apr 15, VORTAC will be comsnd.
TACAN channel 72. Class: L-BVORTAC.

**VAIOUX FALLS, JOE FOSS FLD TWR: ILS LMM decomend.** 

### TEXAS

ABILENE MUNI ARPT TWR: ILS LMM decomsnd.

AUSTIN, MUELLER MUNI ARPT TWR: LMM serving rnwy 30L decomend.

BEAUMONT, JEFFERSON CO ARPT TWR: LMM serving rnwy 11 decomend.

BORGER, HUTCHINSON COUNTY ARPT: Rnwy 17-35 clsd til May 15.

BRIDGEPORT RDO: April 25 VORTAC will be shut-down until aprxly May 6 for antenna change.

CLEAR SPRING ARPT: Civil acft requiring use of this fld when military acft are in the tfc patn, should fly a rectangular patn with turns in the opposite direction from the military patn and rock wings on downwind. Patn should be flown at 1200' MSL until military tfc is clear. Use rnwys only for Indgs. Rnwy 13-31 clsd.

CORPUS CHRISTI INTL ARPT TWR: LMM serving rnwy 13 decomsnd.

DALLAS, HIGHLAND PARK ARPT: Hvy road equipment operg N end N/S rnwy.

✓DALLAS, LOVE FLD TWR: LMM serving rnwy 13L decomsnd.

DALLAS, REDBIRD ARPT: First 650' rnwy 13 clsd due contrn til aprxly Jun 1, remaining 3800' usable. (2-17)

DALLAS-FORT WORTH FLD: ASR service avbl excp for apchs to rnwys 13-31, 17-35 til aprxly June 1. VHF/DF inop til aprxly Jun 1.

FORT WORTH, MEACHAM FLD TWR: LMM serving rnwy 17 decomsnd.

GREENVILLE, MAJORS ARPT: Rnwy 8-28 clsd to all operns until aprxly June 1966.

HOUSTON INTERCONTINENTAL ARPT: New arpt under constr about 15 mi N. Clad to all acft operns.

HOUSTON, WILLIAM P. HOBBY ARPT TWR: LMM

serving rnwy 3 decomand.

JOHNSON CITY ARPT TWR: Mobile twr utilizing freqs 236.6, 248.0, 126.2, 121.5 caretake status except as notamed weather and altimeter setting avbl when twr is in opern.

LA GRANGE, GUENTHER FLD, LA GRANGE MUNI ARPT: Rnwy 1-19 clsd til aprxly Jul 1. (2-17)

\*LONGVIEW, GREGG CO MUNI ARPT TWR: LMM serving rnwy 13 decomand.

- QUITMAN RDO: VOR shut down til aprxly Jun 16. Tmpry Rbn on freq 257 kc avbl during shutdown. (2-17)
- SAN ANTONIO INTL ARPT TWR: LMM serving rnwys 3 and 12 decomsnd.
- TYLER, POUNDS FLD TWR: LMM serving rowy 13 decomsaid.
- WACO MUNI ARPT TWR: ILS LMM rnwy 18 decmsud.
- WACO MUNI ARPT: May 1, all radar services and RAPCON freqs will be decinsed, concurrently non-radar ATC will be comsed using apch freq 119.3 and dptr freq 125.7 mc.
- WICHITA FALLS, SHEPPARD AFB/WICHITA FALLS AIR TRML: First 3000' rnwy 17 clsd due repairs indefinitely.
- WICHITA FALLS, SHEPPARD AFB/WICHITA FALLS AIR TERMINAL TWR: LMM serving rnwy 33 decomend.

# UTAH

- BONNEVILLE RDO: VORTAC shutdown until aprxly April 18.
- FLAMING GORGE DAM SITE: Cables and pwr lines suspended from 2 twrs on W side to one twr on E side of canyon across Green River aprxly 100' higher than canyon rim.
- HANKSVILLE RDO: April 19, TACAN will be shutdown until aprxly April 26.
- HANKSVILLE FSS: May 26, FSS will be decomend.
  Cedar City FSS will be the control point.
- MOAB, CANYON LANDS ARPT: Arpt no longer clad to acft over 12,500 lbs.

WATERLOO "ALO" VORTAC SHUTDOWN

# VERMONT

- VERMONT: The flwg arpts will be plowed and open winter months: Enosburg Falls, Newport and St. Johnsbury Muni.
- BARRE-MONTPELIER ARPT: Rnwy 5-23 clsd winter months.

# WASHINGTON

- TACOMA INDUSTRIAL ARPT: Use rnwys and txwys only. Men and equip on fld 0800-1700 Mon thru Fri UFN. Ctc McChord RAPCON on 120.1 mc for IFR clearance. (2-17)
- WENATCHEE, PANGBORN ARPT: Major constr UFN. Ctc FSS for details concerning usable portion of fld. Rnwy 11-29 clsd.

### WISCONSIN

- JGREEN BAY, AUSTIN STRAUBEL ARPT TWR: ILS LMM decomsnd.
- MADISON, TRAUX FLD TWR: ILS LMM decomend.
- MILWAUKEE, GENERAL MITCHELL FLD TWR: ILS LMM decrished.
- MILWAUKEE, GENERAL MITCHELL FLD: Rnwy 13-
- 31 clsd acft over 30,000 lbs til aprxly June 16.
  OSHKOSH, WINNEABAGO COUNTY ARPT TWR:
- SPOONER MUNI ARPT: Clsd til aprxly May 1. (12-23)

April 28, LMM will be decusnd.

**Existing Reporting Points** 

# WYOMING

JACKSON RDO: VOR comsng delayed til aprxly May 26.

Temperary Reporting Point

# SUBSTITUTE ROUTE STRUCTURES

substitute route structure during shutdown use the following:	
Dewar Int DBQ VOR 276 rad and CID VOR 5,	,000
Low Altitude	
Airways Existing Airways Substitute Routes MEA MAA Independence Int	,000
V100 Alden Int to ALO Alden Int to ALO Int via 6,000 17,500 New Hampton Int	,000
V180/ ALO VOR to DBQ ALO Int to DBQ VOR via 5,000 17,500 New Hartford Int FOD VOR 085 rad and MCW VOR 6, 158 VOR VOR 276 rad	,000
V87 Vinton Int to ALO Vinton Int to ALO Int via 3,300 17,500 Reinbeck Int	,300
ALO VOR to Are- ALO Int to Aredale Int 3,300 17,500 Shell Rock Int	,500
V161 Marshalltown Int to Marshalltown Int to ALO 3,000 17,500 Washburn Int	,300
ALO VOR to LeRoy ALO Int to LeRoy Int via 5,000 17,500 Waverly Int	,000
V161W. Union Int to ALO None Union Int	
VOR Holland Int None	

# CHANGES TO OIL BURNER ROUTES

Page III-76

### BOTTLE TOP

# Effective April 24, 1966

Change

Hours of Operation—Primary Entry—0230Z to 1145Z 7 days per week. Alternate Entry—0100Z to 1400Z 7 days per week.

Page III—88

STOCK FARM OB-38 Effective April 24, 1966

First paragraph lines 7, 8, 9, to read:

continue descent direct to cross 46°30'N, 69°22'30''W at or below 8000' MSL; descend direct to cross 46°16'N, 69°32'W route low level entry point at 5800' MSL;

VFR and Contour paragraph, line 6 to read:

points: from 46°16'N, 69°32'W to 45°36'30''N, 70°03'30'' W and from 45°27'N, 70°11'W to 44°06'N, 70°58'W. VFR operations shall not be conducted during the hours of darkness.

Route Width paragraph, last line to read:

line from 44°22"N, 70°22'W to 43°58'N, 73°27'W. The VFR route width is reduced to 2 NM on the W side of centerline from 46°16'N, 60°32'W to 45°36'30'N, 70°03' 30'W.

Page III-91

### ZERO HOUR OB-18

### Effective April 14, 1966

Short Look and Lay Down paragraph line 12 change to read: Tobe VORTAC then climb direct so as to cross 37°16'N. 104°21'W (ALS 080/70 DME flx) at FL 240.

# SPECIAL NOTICE QUESTIONNAIRE

The AIRMAN'S INFORMATION MANUAL (AIM) is undergoing an operational evaluation until December 1966. In order to provide only necessary information in the Manual, we wish to know whether the SPECIAL NOTICE-AREA CHARTS in SECTION III are of significant value to pilots. Such charts as ATLANTA (III-55), CASTLE AFB (III-59), LOS ANGELES (III-61), and CHICAGO (III-54) are being published continuously and we desire user reaction to the purpose these charts serve.

Will you please provide the following information on the postage free NOTICE TO THE EDITOR from (III– 3). A supplementary sheet may be included if desired:

1. Have you flown into or through any of the areuse for which these special charts are published?

- 2. If so, did you request the service available?
- 3. Did you initially follow the procedures indicated on the charts?
- 4. Was the service provided as advertised?
- 5. Are the charts easy to read and understand?
- 6. Are these SPECIAL NOTICE-AREA charts of value to you?
- 7. What type certificate do you hold (Private, commercial, ATR)?
- 8. How many hours do you have as a pilot?

Additional information and comments are helpfu! and welcome. We appreciate your cooperation.